


Count on the Ball FloraPlant team for the latest trends, culture tips and new product information.





We've expanded this year's catalog to include more in-depth product information, trial results and culture tips and tricks provided by our product representatives, breeders and technical experts. We've also introduced several breeding breakthroughs in these pages, like game-changing **NEW** Archangel™ Cherry Red Angelonia, pictured on our cover. There's also vibrant NEW Cabaret® Orange Calibrachoa, the best orange on the market today, and red-hot NEW Lucky™ Red Lantana, a striking addition to the series that stands up to heat, drought and stressful conditions.

When you visit ballfloraplant.com, you'll find the latest in BFP TV's fact-filled videos on culture and trends, as well as a comprehensive listing of all Ball FloraPlant products, including NEW ColorRush™ Petunias, providing mounds of color in the heat or rain. You'll also find step-by-step GrowerFacts and propagation guides to help you grow all of our products, like NEW Spotlight™ Ipomoea, the first compact Ipomoea series on the market.

You know us as a part of Ball®, a **stable** company with a long history of providing the service, solutions and quality products to help you succeed. You can be assured that Ball FloraPlant products have been thoroughly trialed and tested to ensure **consistency**, **efficiency** and **predictability** in performance, whether it be in the ground, the greenhouse or at home in your customers' gardens. You can count on us to have all the **reliable**, **top-quality cuttings** you need when you need them.

I want to hear from you. If you have questions or comments, email me directly at RMast@ballhort.com.

fron Mass

Rick Mast Sales Manager, Ball FloraPlant

CONTENTS

MixMasters Multiliners2
All Varieties A To Z14
Genesis Direct-Stick Cuttings42, 86
Rooting Stations113
Your Sales Rep114
Product Forms121
Culture Guides122, 124



REAL SERIES: All varieties in a series have the same habit, vigor and flowering time for high-density production.



SEASON EXTENDERS:

Proven heat performance and late-season color to extend the Summer selling season.



GENESIS: Varieties are available as direct-stick callused cuttings for a shortened crop time.



GROWER'S CHOICE: Indicates varieties within a series that share uniform timing and habit.



NEW Archangel Cherry Red Angelonia, page 14





SHAKE IT UP

"Your retail customers can stir up excitement and bring shoppers back in during the short window between Mother's Day and Memorial Day by varying their color combinations with MixMasters. Changing out from pinks and pastels to bold and bright colors will create a dramatic visual effect and make shoppers think: 'There's something new here for me to see.'"

Monique Hakkert
Marketing Manager

MOTHER'S DAY



Eye Caramba



Berry Basket p. 4



Sweet Escape p. 8



NEW I Heart Pink



Sundance p. 12

MEMORIAL DAY



Color Theory



NEW Feelin' Lucky



NEW Laguna Beach Improved p. 10



NEW Power Play p. 8



Pop Culture p. 8

Colorful combos that rock!

NEW Lucky

Charm


NEW Summer

Blues

NEW Feelin'

Lucky

MixMasters stays at the top of the charts with 13 new and improved combinations. Every MixMasters "recipe" has been thoroughly trialed and monitored to ensure consistency and efficiency. Combining perfectly mastered colors and greater genetic diversity, MixMasters offers rock star home garden performance every time.



NEW Summer Bouquet



Bejeweled

MULTI-SPECIES MIXES •

A Grape Fit!

Petunia Sun Spun Lavender Star Verbena Aztec Violet Calibrachoa Cabaret Hot Pink

Bejeweled

Petunia Sun Spun Burgundy Verbena Aztec Blue Velvet Calibrachoa Cabaret Deep Yellow

Berry Basket

Petunia Sun Spun Burgundy Verbena Aztec Burgundy Wink Calibrachoa Cabaret White

Circus Parade

Bidens Sunbeam Lobelia Waterfall Blue Verbena Aztec Red Velvet

Color Magic

Calibrachoa Cabaret Deep Yellow Lobelia Early Springs Dark Blue Verbena Aztec Dark Red

Color Theory

Petunia Sun Spun Blue Verbena Aztec Dark Red Calibrachoa Can-Can Apricot

Comic Relief

Petunia Sun Spun Yellow Lobelia Early Springs Lavender Pink Verbena Aztec Violet

NEW Cotton Tail

Calibrachoa Cabaret White Petunia Sun Spun White NEW Verbena Firehouse™ White

Do You Lilac It?

Petunia Sun Spun Silver Lobelia Early Springs Lavender Pink Verbena Aztec Blue Velvet

Eye Caramba

Petunia Flash Mob Bluerific Verbena Aztec Violet Wink Calibrachoa Cabaret White



A Grape Fit!



Circus Parade





Color Magic

Eye Caramba







NEW Cotton Tail



Do You Lilac It?



Color Theory



NEW Gimme Some Sugar



NEW Fashionista

NEW Fashionista

Lobelia Early Springs Dark Blue Petunia Sun Spun Burgundy NEW Verbena Firehouse Hot Pink

Flower Child

Petunia Sun Spun Burgundy Verbena Aztec White Lobelia Early Springs Sky Blue

NEW Gimme Some Sugar

Lobelia Early Springs Dark Blue Petunia Sun Spun Yellow NEW Verbena Firehouse Hot Pink

Heartland

Petunia Sun Spun White Verbena Aztec Dark Red Lobelia Early Springs Sky Blue

NEW I Heart Pink

Calibrachoa Cabaret Light Pink Petunia Sun Spun Pink NEW Verbena Firehouse Hot Pink

NEW Jazzberry Jam

Calibrachoa Cabaret White Petunia Sun Spun Burgundy Verbena Aztec Blue Velvet

Over The Top

Petunia Sun Spun Blue Verbena Aztec Burgundy Wink Calibrachoa Cabaret Deep Yellow



Flower Child





NEW Jazzberry Jam

NEW I Heart Pink







Over The Top







Pop Culture

Pink Outside The Box

Petunia Sun Spun Lavender Star Verbena Aztec Lavender Lobelia Early Springs Lavender Pink

Pop Culture

Petunia Sun Spun Yellow Verbena Aztec Dark Red Lobelia Early Springs Sky Blue

NEW Power Play

Calibrachoa Cabaret White Petunia Sun Spun Red Verbena EnduraScape Red

Santa Fe Sunset

Bidens Sunbeam Calibrachoa Can-Can Terracotta Verbena Aztec Blue Velvet

Sunday Best

Petunia Sun Spun White Verbena Aztec Burgundy Wink Verbena Aztec Violet Wink

NEW Sunnyside

Calibrachoa Cabaret Deep Yellow Petunia Sun Spun Yellow NEW Verbena Firehouse White

Sweet Escape

Petunia Sun Spun Yellow Verbena Aztec Burgundy Wink Calibrachoa Cabaret Light Pink



Sunday Best





NEW Sunnyside

NEW Power Play



Santa Fe Sunset



Sweet Escape

ALL-CALIBRACHOA MIXES Cherry Plum Tart

Calibrachoa Cabaret Bright Red Calibrachoa Cabaret Deep Blue Calibrachoa Cabaret Hot Pink

NEW Fruit Cocktail Improved

Calibrachoa Cabaret Deep Yellow Calibrachoa Cabaret Hot Pink NEW Calibrachoa Cabaret Orange

NEW Laguna Beach Improved

Calibrachoa Cabaret Bright Red NEW Calibrachoa Cabaret Sky Blue Calibrachoa Can-Can Apricot

Panorama

Calibrachoa Cabaret White Calibrachoa Cabaret Rose Calibrachoa Cabaret Purple

Playdate

Calibrachoa Cabaret Deep Yellow Calibrachoa Cabaret Rose Calibrachoa Cabaret Purple

Spirits United

Calibrachoa Cabaret White Calibrachoa Cabaret Bright Red Calibrachoa Cabaret Deep Blue



NEW Laguna Beach Improved



NEW Fruit Cocktail Improved





Panorama







Playdate

Spirits United





Sprinkles on Top

Sundance

Sprinkles On Top

Calibrachoa Cabaret Deep Yellow Calibrachoa Cabaret Bright Red Calibrachoa Cabaret Deep Blue

Sundance

Calibrachoa Cabaret Deep Blue Calibrachoa Cabaret Deep Yellow Calibrachoa Cabaret Hot Pink

Sweet Melody

Calibrachoa Cabaret Light Pink Calibrachoa Cabaret Hot Pink Calibrachoa Cabaret Deep Blue



Sweet Melody





NEW Summer Blues



NEW Summer Bouquet



NEW Lucky Charm

NEW HEAT-LOVING MIXMASTERS

NEW Feelin' Lucky

Lantana Lucky Flame Lantana Lucky Lemon Glow Lantana Lucky Pot of Gold

NEW Lucky Charm

Lantana Lucky Flame Lantana Lucky Pot of Gold Lantana Lucky Sunrise Rose

NEW Summer Blues

Angelonia AngelMist Spreading Blue Angelonia AngelMist Spreading Dark Purple Angelonia AngelMist Spreading White

NEW Summer Bouquet

Angelonia AngelMist Spreading Blue Angelonia AngelMist Spreading Pink Angelonia AngelMist Spreading White





Kris Carlsson
Product Launch and
Assortment Manager

QUENCH THE THIRST FOR SUMMER COLOR

"Extend the Summer selling season with long-lasting mixed combo planters. They grab consumer attention and will stand up to the heat once they get home. Archangel Angelonia makes the ideal thriller in these two heat-busting planter ideas."





OPTION 1:

A. Archangel Dark Rose Angelonia B. SolarPower Black Ipomoea C. Little Lucky Hot Pink Lantana D. Goldilocks Lysimachia





OPTION 2:

A. NEW Archangel Cherry Red Angelonia B. Lucky Sunrise Rose Lantana C. NEW Spotlight Red Ipomoea



ANGELMIST® SPREADING

Heavenly display in baskets and landscapes





Spreading White

AngelMist Spreading®

Height: 4 to 10 in. (10 to 25 cm) **Spread:** 12 to 20 in. (30 to 51 cm)

Extreme heat, humidity and drought are no match for these super-spreading varieties.

Low-growing variety makes a unique groundcover.

Makes a big impact in mixed baskets and as a cascading element in mixed combos.



Spreading Pink



Spreading Blue



Spreading Dark Purple

NEW GRANDESSA™

Makes a royal splash with big, beautiful blooms





NEW Pink Halo, White and Yellow



NEW Grandessa Yellow is almost twice the size of standard argyranthemums



NEW White



NEW Pink Halo



NEW Yellow



NEW Red

ARGYRANTHEMUM O Argyranthemum intergeneric

New Grandessa™

Height: 18 to 24 in. (46 to 61 cm) **Spread:** 18 to 24 in. (46 to 61 cm)

This new series of intergeneric argyranthemum is all about the WOW factor.

With larger, brightly colored daisy-like flowers, this high-impact, "grab-n-go" item will fly off the retail shelf.

Compared to standard argyranthemums, Grandessa produces substantially larger blooms across the entire series.

Grandessa has a larger, more vigorous overall habit, making it ideal for bigger pots.

The perfect early-Spring patio decoration.


Blooms feature rich, saturated color for high impact at retail.

Culture Tip

After transplanting, allow plants to become established for 2 to 3 weeks at 60 to 65°F (16 to 18°C). Once plants are established, begin growing at recommended cool, 44 to 55°F (7 to 13°C) night temperatures. After 4 to 6 weeks of cool conditions, plants can be forced in 6 to 8 weeks.

GRANDESSA is a trademark of Suntory Flowers Limited.









White

Double White





Deep Pink

Primrose

Crested Yellow



Madeira™

Height: 12 to 18 in. (30 to 46 cm) **Spread:** 16 to 20 in. (41 to 51 cm)

Wide color range, multiple flower forms, superior uniformity.

The well-matched habit, early flowering and branching make Madeira ideal for bench-run programs.

Vigorous, upright plants work well in full-sun gardens, landscapes, mixed containers and planters.

Low-energy cool crop is great for Spring programs.

For 6-in. (15-cm) pots to gallons and larger.

Also available as Genesis directstick cuttings.

MADEIRA is a U.S. trademark of Bonza Botanicals, Pty., Ltd.





Crested Violet



Deep Pink



Crested Hot Pink







Crested Merlot



Butterfly Argyranthemum



Red Threads Alternanthera



Scopia Double Indigo Bacopa



Scopia Gulliver Dynamic White Bacopa



Enduring Blue Brachyscome



Radiant Magenta Brachyscome



Scopia Double Snowball Bacopa



Scopia Gulliver Blue Bacopa



Amethyst Brachyscome



Basket Bon Bon Bracteantha

Butterfly

Height: 14 to 18 in. (36 to 46 cm) **Spread:** 12 to 16 in. (30 to 41 cm)

Upright, mounded and wellbranched plants with long-lasting yellow flowers. Perfect for Summer and Fall programs. Also available as Genesis direct-stick cuttings.

ALTERNANTHERA O Alternanthera ficoidea

Red Threads

Height: 10 to 12 in. (25 to 30 cm) **Spread:** 16 to 18 in. (41 to 46 cm)

Unique, easy-to-grow foliage plant adds distinctive color and texture to sun and shade combos. Densely branched, with compact, tightly mounded habit – requires only one pinch in finishing. Thrives in heat, holds up at retail in shady conditions.

BACOPA Sutera grandiflora

A "2 for 1" series – pay for one unrooted cutting, get two to plant. See inside back cover.

Scopia® Double

Height: 4 to 6 in. (10 to 15 cm) **Spread:** 12 to 18 in. (30 to 46 cm)

Unique double flowers paired with an upright habit make this series ideal for both small and large pots. They add depth and texture to early-season combo plantings in the landscape.

Scopia® Gulliver

Height: 4 to 6 in. (10 to 15 cm) **Spread:** 12 to 18 in. (30 to 46 cm)

Danziger breeding brings you gigantic flowers – some of the largest you'll see in a bacopa – and a nicely controlled habit.
Compact, densely branched plant looks great in small pots up to baskets.

SCOPIA is a registered trademark of Danziger "DAN" Flower Farm.



Amethyst

Height: 12 to 18 in. (30 to 46 cm) **Spread:** 10 to 14 in. (25 to 36 cm)

The small, lavender blue flowers contrast beautifully with dark green foliage. Best in early-season containers, or landscapes in cooler coastal areas.

A "2 for 1" product – pay for one unrooted cutting, get two to plant. See inside back cover.

Enduring Blue

Height: 4 to 6 in. (10 to 15 cm) **Spread:** 8 to 12 in. (20 to 30 cm)

Finely textured foliage and small blue flowers on upright, mounded plants. More compact than Amethyst, Enduring Blue is a great performer in mixed containers and landscapes in cooler coastal areas.

Radiant Magenta

Height: 5 to 7 in. (13 to 18 cm) **Spread:** 6 to 8 in. (15 to 20 cm)

The brightest magenta brachyscome on the market, with superior iron uptake for healthier plants and dark green foliage. Makes a great gift item. Compact variety is excellent for pot-tight production, with no PGRs or pinching required. Best for 4-in. (10-cm) pots and quarts.

BRACTEANTHA OBracteantha bracteatum

Basket Bon Bon

Height: 6 to 8 in. (15 to 20 cm) **Spread:** 10 to 12 in. (25 to 30 cm)

Strong lateral branching and unique spreading habit make this strawflower great for hanging baskets. Perfect for Fall programs.

For more bracteantha, see page 26.



NEW MEGACOPATM

Blockbuster blooms power through the heat





Ben Winslow

BIG BLOOMS BEAT THE HEAT

"New MegaCopa beats the competition when it comes to superior heat performance. In Summer trials, MegaCopa's habit stayed controlled, and its early season color held up all the way through the Texas Summer heat."



Texas Trials in May – leading heat-performance variety (left) vs. NEW MegaCopa White (right)



NEW White



NEW Versa White





NEW Blue



New MegaCopa™

Height: 4 to 6 in. (10 to 15 cm) **Spread:** 12 to 18 in. (30 to 46 cm)

This new series of bacopa is notable for its well-branched habits, large flowers and improved heat performance. It replaces the . Abunda™ Series.

Controlled habit is grower-friendly and offers better centerfill than Abunda™.

Largest flower size in the industry, with showy blooms that cover the plant, driving impulse sales at retail.

NEW Versa White: Ideal for growers that want to finish a quart or 4-in. (10-cm) pot earlier. It hides older flowers better than other varieties and has more flower cover in a smaller container. (Replaces Abunda Colossal White.)

NEW White: The choice for baskets, and the heat performance is much better than the industry standard. Good for mixes, too. (Replaces Abunda Giant White.)

NEW Blue, NEW Pink and NEW Sky Blue match NEW White for habit.

A "2 for 1" series - pay for one unrooted cutting, get two to plant. See inside back cover.



NEW Pink

NEW Sky Blue



BIDENS OBIDENS Bidens ferulifolia

New Bee Alive

Height: 8 to 10 in. (20 to 25 cm) **Spread:** 18 to 24 in. (46 to 61 cm)

Controlled habit is ideal for small pots up to hanging baskets. Easy production for retail.

Exciting novelty color and pattern for Spring and Fall.

Great color that can be produced during the heat of Summer for Fall sales – also works in Fall mixed combos!

Flowers attract pollinators, such as bees and butterflies.



Manda Vuksanaj Product Representative

MAKE FALL DÉCOR COME ALIVE

"While bidens are mainly produced for Spring, NEW Bee Alive bidens has the perfect colors for Fall sales. Featured as a standalone in an 8-in. (20-cm) decorative pot, or in a combination with other bold, vibrant varieties, these bright, bee-friendly flowers provide instant Fall décor."



NEW Bee Alive Bidens, Cabaret Deep Blue Calibrachoa and ColorGrass® Carex Red Rooster



NEW Sun Drop Improved



NEW Sun Drop Compact



Sunbeam

Sunbeam

Height: 10 to 14 in. (25 to 36 cm) **Spread:** 18 to 28 in. (46 to 71 cm)

High vigor, early-season color and cool growing options make Sunbeam a must-have for large basket and combination programs.

New Sun Drop Improved

Height: 12 to 18 in. (30 to 46 cm) **Spread:** 12 in. (30 cm)

Top-selling bidens features large flowers and a controlled habit that won't fall apart at retail. Early flowering and densely branched, with big, eye-catching blooms. Works well in mixed baskets and patio containers. Features a more upright habit than original Sun Drop.

New Sun Drop Compact

Height: 8 to 10 in. (20 to 25 cm) **Spread:** 12 in. (30 cm)

Smaller version of Sun Drop Improved. Perfect for small pot production and plays nice in mixed containers. Also best for the southern region.



BRACTEANTHA O

Bracteantha bracteatum

Dreamtime®

Height: 10 to 12 in. (25 to 30 cm) **Spread:** 10 to 12 in. (25 to 30 cm)

More controlled and mounded plants hold their shape from greenhouse to garden.


Makes a high-impact retail display.


Excellent tolerance for cool temperatures.

Ideal for high-density programs in 4 and 4.5-in. (10 and 11-cm) pots.


Also available as Genesis directstick cuttings.

DREAMTIME is a U.S. registered trademark of Bonza Botanicals Pty., Ltd.





Jumbo Rose



Jumbo Pure White



Jumbo Red

$\boldsymbol{CONGA}^{^{\mathsf{TM}}}$

The conga line starts here for compact color bowls





NEW Deep Yellow



NEW White



Pink Kiss



Sun Kiss



Coral Kiss



Orange



Rose Kiss

CALIBRACHOA O Calibrachoa hybrida

Conga™

Height: 6 to 10 in. (15 to 25 cm) **Spread:** 10 to 12 in. (25 to 30 cm)

Naturally compact habit is perfect for pot-tight production and no PGRs needed.

Easy to grow – very uniform.


Excellent pH tolerance and profuse flowering give Conga superior hold at retail.

Flowers one week earlier than Cabaret series.

Great choice for quarts, color bowls and window boxes.

NEW Deep Yellow: Replaces Yellow with improved habit, earlier flowering, better flower coverage and better overall performance in a solid yellow color.

NEW White: Pure white color replaces Blush, featuring better in-ground performance, a tighter habit and matches the series better.



"Cabaret calibrachoa's super-uniform habit makes it perfect for all-calibrachoa combos. Try our **Take 3 Challenge** – choose any 3 colors from the Cabaret series and we guarantee all 3 will be in color to ship to retail at the same time."









Sweet Melody p. 12

Cabaret®

Height: 6 to 10 in. (15 to 25 cm) **Spread:** 10 to 12 in. (25 to 30 cm)

Super-uniform in habit and flower timing, so you can mix all colors in the series.

All varieties flower with 11-hour days and stay open and in flower under low light conditions – a big plus at retail.

Well-branched with full centers.

Works well in 4.5 to 6-in. (11 to 15-cm) pots up to large baskets.

NEW Lavender Improved: A darker lavender color, plus the flowers stay open in low light without cupping.

NEW Lemon Yellow: A nice yellow color for mixes.

NEW Orange: A new color addition that shows the most distinct true orange color in the greenhouse; shows more pink outside.

NEW Pink Star: The first Cabaret novelty color has a stable pattern and is well-matched to the series habit and uniformity.

NEW Scarlet Improved: A more true scarlet color and matches the series better.

NEW Sky Blue: Extends the line with a light blue color.



CAN-CAN®

Kicks up larger baskets with cool colors and patterns





NEW Pink Flamingo



Apricot



Height: 10 to 15 in. (25 to 38 cm) **Spread:** 10 to 15 in. (25 to 38 cm)

One-of-a-kind colors and strong vigor for full-bodied mixed containers.

Flowers stay open under the lowest light conditions – look fresh at retail!

Strong adaptability: specially selected to stand up to harsh conditions.

Well-suited for 6-in. (15-cm) pots up to large hanging baskets.

NEW Magenta Kiss: Magenta flower features a purple eye. Great flower power!

NEW Pink Flamingo: A unique pink color that offers excellent performance, a great habit and is ideal for mixed and mono baskets.



Red Splash



Neon Pink



Orange




Hot Pink Star



Terracotta



Dark Purple



COLEUS • Solenostemon scutellarioides

Stunning colors and patterns for full sun and shade.

Versatile, premium varieties are very late to never flowering.

Low-maintenance, high-impact plants are perfect for large pot programs and landscaping.



Jason Twaddell Product Representative

FOCUS ON THE VIGOR

"We've grouped our premium coleus by vigor to assist in variety selection, and it helps provide trouble-free planning for landscapes and containers."

COMPACT

NEW Ruby Slipper Mint Mocha Special Effects

MEDIUM

Campfire
NEW Inferno
Indian Summer
Electric Lime
Henna
Coleosaurus

VIGOROUS

Wasabi Redhead Trusty Rusty NEW French Quarter Vino







Special Effects



NEW Ruby Slipper

COMPACT

New Ruby Slipper

Height: 14 to 24 in. (36 to 61 cm) **Spread:** 14 to 16 in. (36 to 41 cm)

Darker, more red version of Redhead. More compact and better branched than other red varieties. Works well in-ground and in containers in full sun and full shade.

Mint Mocha

Height: 14 to 24 in. (36 to 61 cm) **Spread:** 14 to 16 in. (36 to 41 cm)

Ducksfoot-type foliage is green with mottled yellow and red flecks. For best patterns, avoid high light.

Special Effects

Height: 14 to 24 in. (36 to 61 cm) **Spread:** 14 to 16 in. (36 to 41 cm)

Compact, densely branched coleus shines in small container production. Bold foliage colors and unique leaf shape are great in mixed containers – excellent landscape performance, too.







Indian Summer




Campfire



Electric Lime



Coleosaurus



Henna

MEDIUM

New Inferno

Height: 14 to 28 in. (36 to 71 cm) **Spread:** 14 to 24 in. (36 to 61 cm)

Bolder than Campfire. Saturated orange coloration and textured leaves give it a "wow" factor. Superior orange coloration and later-flowering than the competition. More consistent orange color, even in shady conditions.

Henna

Height: 14 to 28 in. (36 to 71 cm) **Spread:** 14 to 16 in. (36 to 41 cm)

Very uniform with serrated foliage in chartreuse to copper with dark burgundy undersides.

Indian Summer

Height: 14 to 28 in. (36 to 71 cm) **Spread:** 14 to 16 in. (36 to 41 cm)

Multi-color earthtones in red, green and brown deepen in high light.

Campfire

Height: 14 to 28 in. (36 to 71 cm) **Spread:** 14 to 24 in. (36 to 61 cm)

Features eye-catching orange foliage and proven performance in the landscape similar to Redhead and Wasabi. Stays vibrant in sun and shade. Late flowering, with a similar habit to Henna.

Electric Lime

Height: 14 to 28 in. (36 to 71 cm) **Spread:** 16 to 24 in. (41 to 61 cm)


Bright lemon-lime leaves electrify the shade and don't fade in sun.

ELECTRIC LIME is a registered trademark of Florida Foundation Seed Producers, Inc.

Coleosaurus

Height: 14 to 28 in. (36 to 71 cm) **Spread:** 24 to 36 in. (61 to 91 cm)

Controlled, well-branched habit is easy to produce in small containers and requires little pinching. Similar in vigor to Redhead and Henna.





NEW French Quarter

VIGOROUS

Wasabi

Height: 18 to 36 in. (46 to 91 cm) Spread: 16 to 28 in. (41 to 71 cm)

Durable and rugged for a coleus, Wasabi's serrated chartreuse leaves hold their brilliant color without fading.

Redhead

Height: 18 to 36 in. (46 to 91 cm) Spread: 16 to 28 in. (41 to 71 cm)

Redhead displays bright red leaves that are the truest red color of our collection.

Trusty Rusty

Height: 18 to 36 in. (46 to 91 cm) **Spread:** 16 to 28 in. (41 to 71 cm)

Copper leaves are outlined in golden yellow. Large-leafed and vigorous. Ships well as unrooted cuttings and liners.

New French Quarter

Height: 18 to 36 in. (46 to 91 cm) **Spread:** 24 to 28 in. (61 to 71 cm)

Adds depth to coleus programs with the addition of a pink. Features pink, magenta and green leaves. Familiar pattern of seed coleus, but more vigorous and much later-flowering.

Vino

Height: 18 to 30 in. (46 to 76 cm) **Spread:** 24 to 28 in. (61 to 71 cm)

Eye-catching plant has deep winecolored leaves that grow darker in the sun. Upright, medium habit.







Vino



Trusty Rusty





Angela Storm
Product Representative

SUREFIRE FILLER

"Despite the fiery name, FlameThrower coleus actually works very well as a filler in mixed containers due to its more compact habit and foliage shape and size. It adds maintenance-free multicolor foliage and a unique texture from the serrated edges. It also behaves well in quarts."






Season Extender Mixed Container

A. Little Zin Hibiscus

B. FlameThrower Spiced Curry Coleus

C. EnduraScape Red Verbena

D. AngelMist Spreading White Angelonia







NEW Habanero



Burgundy Wedding Train



Chipotle



Lava Rose

Solenostemon hybrida

Burgundy Wedding Train

habit, dark color and unique texture are great for shade

containers and baskets. Hardy

until frost and thrives in the heat.

Height: 6 to 10 in. (15 to 25 cm) **Spread:** 18 to 24 in. (46 to 61 cm)

combos and baskets. The dense, sturdy plants ship well. Great as a low-growing annual groundcover.

Unique mounded and trailing

coleus grows fast and full in

Height: 10 to 12 in. (25 to 30 cm)

Spread: 24 to 36 in. (61 to 91 cm)

Distinctive "wedding train" trailing

COLEUS •

Lava Rose



Florida Sun Rose



NEW Habanero

Chili Pepper

FlameThrower™

Height: 12 to 18 in. (31 to 46 cm) **Spread:** 16 to 18 in. (41 to 46 cm)

Bold foliage colors in a compact habit make this striking coleus ideal for small pots and mixed containers.

Its uniquely colored and shaped leaves add texture in the garden and containers.

Great garden performance in sun and shade.

NEW Habanero: Features fiery orange leaves with a touch of purple at the center and edges.



Chili Pepper



Height: 12 to 18 in. (30 to 46 cm) **Spread:** 12 to 14 in. (30 to 36 cm)

Rose-pink leaves are highlighted with burgundy and green speckles.



Spiced Curry









Allyson Heather Cuphea




Blue Daze Evolvulus



Firecracker Cuphea



Apricot Twist Erysimum



White and Blush

CUPHEA Cuphea hyssopifolia

Allyson Heather

Height: 14 to 16 in. (36 to 41 cm) **Spread:** 16 to 18 in. (41 to 46 cm)

Compact and upright variety is well-suited to mixed containers and landscapes. Small purple flowers over glossy green foliage. Heat and drought tolerant.

A "2 for 1" product – pay for one unrooted cutting, get two to plant. See inside back cover.

Cuphea purpurea

Firecracker

Height: 10 to 14 in. (25 to 36 cm) **Spread:** 12 to 14 in. (30 to 36 cm)

Mounded and trailing plants are useful in baskets, mixed containers and as a groundcover. Bright red and purple flowers top solid green foliage.

ERYSIMUM • Erysimum linifolium

Apricot Twist

Height: 24 in. (61 cm) **Spread:** 10 to 14 in. (25 to 36 cm)

Compact, upright plant has slender, dark silver-green leaves and thin stems. Clusters of bright apricot flowers from June to August have a spicy fragrance.

EVOLVULUS • Evolvulus nuttallianus

Blue Daze

Height: 12 to 14 in. (30 to 36 cm) **Spread:** 18 to 20 in. (46 to 51 cm)

Heat-tolerant, trailing plant works well in combination containers and baskets. True blue flowers are a consumer favorite.

EUPHORBIA • • Blush: Euphorbia hybrida White: Euphorbia hypericifolia

Breathless®

White:

Height: 10 to 15 in. (25 to 38 cm) **Spread:** 24 to 28 in. (61 to 71 cm)

Blush:

Height: 8 to 12 in. (20 to 30 cm) **Spread:** 20 to 24 in. (50 to 60 cm)

Durable Breathless fills in fast.

Long-lasting plants require little water and no deadheading.

Great for sun and shade mixed containers and holiday gift planters.



Blush



White



Romeo White

Juliet Pink With Eye



Romeo White



Romeo Orange



Juliet White





Romeo Bright Pink

BASKET DIASCIA 🔾 🕽 Diascia barberae

Romeo™

Height: 7 to 9 in. (18 to 23 cm) **Spread:** 8 to 10 in. (20 to 25 cm)

Vigorous and mounding, perfect for baskets.

The best-matched diascia on the market for size and flower timing, Romeo requires low energy input and no PGRs if grown cool.

Romeo extends the season for early and late sales.

Suitable for 4 to 6-in. (10 to 15-cm) pots, 10 to 12-in. (25 to 30-cm) containers.

A "2 for 1" series - pay for one unrooted cutting, get two to plant. See inside back cover.



Juliet Red



Juliet Pink With Eye



Juliet Light Pink



DIASCIA O Diascia barberae

Juliet™

Height: 6 to 8 in. (15 to 20 cm) Spread: 4 to 6 in. (10 to 15 cm)

Compact and upright series is great for high-density pot programs.

Super-uniform across all varieties for habit and timing.

Tidy plants won't tangle, so they need less bench space and no PGRs - easier to ship, too.

Suitable for 4 to 6-in. (10 to 15-cm) pots, 10 to 12-in. (25 to 30-cm) containers.

A "2 for 1" series - pay for one unrooted cutting, get two to plant. See inside back cover



Genesis Offers Fantastic Benefits

LESS LABOR - Genesis can be direct-stuck into a finished container.

SHORTENED CROP TIME – The comparison below proves the time savings.

LESS SHRINK - All Genesis cuttings arrive presorted for uniformity and primed for the best consistency in propagation.

REDUCED INPUT COST – It can be direct-stuck in cold frames and minimal heat environments.

BETTER BRANCHING AND MORE FLOWERS – Direct-sticking allows for maximum light penetration, leading to more branches, and therefore more color on the plant.



Rick Mast

GENESIS CUTS DOWN ON MIST

"We have seen many growers use Genesis cuttings in liners due to the 100% rooting success and the fact you can take it off of mist multiple days earlier."

The following chart shows the mist recommendations for a Genesis geranium.

TYPE OF PROPAGATION	DAY 1	DAY 2	DAY 3	DAY 4	DAY 5
Genesis - Automated mist in Prop Zone with bottom heat	Day: Once/ 15 Min. Night: Once/45 Min.	Day: Once/ 20 Min. Night: Once/60 Min.	Day: Once/60 Min. Night: Once/3 Hours	Hand mist as needed	Off mist

Retail-ready plants in as few as 6 weeks!

Genesis cuttings offer the same speedy finish and the same top-quality plants as rooted liners, but two weeks faster than unrooted liners. In trials with **night temperatures of 55°F (13°C)**, here is a comparison of Genesis direct-stick vs. traditional unrooted liners.



Available as Genesis Direct-stick Callused Cuttings:

Argyranthemum Butterflyp 21	Geranium, Zonal Allure™p 50	Osteospermum Serenity™p 88
Argyranthemum Madeira™p 20	Geranium, Ivy Focus™p 52	Scaevola Blue Fanp 104
Bracteantha Dreamtime®p 26	Geranium, Ivy Precision™p 54	Scaevola Bondi™p 104
Geranium, Zonal Presto™p 44	Osteospermum Blue Eyed Beauty p 87	Scaevola Brilliantp 104
Geranium, Zonal Fantasia®p 46	Osteospermum Voltage™ Yellowp 90	Scaevola White Sparklep 104
Geranium, Zonal Dynamo™p 48	Osteospermum Voltage™ Whitep 90	

transplant

is ready to ship

PRESTO™

Try to keep up with this compact, dark-leafed series








TM			
Presto™	- COM	PACT	HABIT

VARIETY	FLOWER TIMING	LEAF TYPE	HABIT		
Brilliant Red TOP SELLER	medium	dark	compact		
Dark Fuchsia	medium	dark	compact		
Dark Red TOP SELLER	medium	dark	compact		
Dark Salmon TOP SELLER	medium	dark	compact		
NEW Deep Scarlet Improved	medium	dark	compact		
Light Salmon	medium	dark	compact		
Pink TOP SELLER	medium	dark	compact		
Pink+Eye	medium	dark	compact		
Pink Sizzle	medium	dark	compact		
Rose Sizzle	medium	dark	compact		
Violet TOP SELLER	medium	dark	compact		
White	medium	dark	compact		
DEAL SERVICE. All variation in a parish have the page babit vigar and flavoring time for high density production					











Dynamo™

Height: 12 to 14 in. (30 to 36 cm) **Spread:** 12 to 14 in. (30 to 36 cm) **Medium vigor, green leaf.**

Dynamo is the powerhouse among zonal geraniums: all the key colors you need in a uniform series.


Matches for habit, flower timing and branching to ship all at once.

Powerful first flush of color with more continuous blooms per plant.

NEW White Improved: Has a darker leaf than the original.

Also available as Genesis directstick cuttings.











IVY GERANIUM O Pelargonium peltatum

Focus™

Height: 8 to 10 in. (20 to 25 cm) **Spread:** 12 to 14 in. (30 to 36 cm) **Compact, dark leaf.**

The only compact, dark-leafed ivy geranium series on the market.

Habit stays tight and controlled for growing in pot-tight basket production.

Naturally compact habit simplifies small pot and quart production.

Dark leaves add attractive contrast for greater appeal and value.

Perfect uniformity across all four colors.

Also available as Genesis directstick cuttings.





Precision™


Height: 10 to 12 in. (25 to 30 cm) **Spread:** 14 to 18 in. (36 to 46 cm) **Medium vigor, green leaf.**

Specially selected for early flowering and excellent uniformity.

Oedema-resistant for clean foliage at retail and better show throughout the season.

Well-suited for 4.5-in. (11-cm) pots and large baskets.

Also available as Genesis directstick cuttings.



Belleza Dark Pink



Belleza White



Belleza Compact Light Pink



Belleza Dark Pink



Siskiyou Pink



USDA Hardiness Zones: All are temperate perennials in Zones 6 to 10.

Belleza™

Height: 12 to 16 in. (30 to 41 cm) **Spread:** 16 to 20 in. (41 to 51 cm)

A great companion plant, Belleza features excellent branching with short flower stems. Upright habit, with the exception of Compact Light Pink, which has a mounding habit.

Siskiyou Pink

Height: 24 to 36 in. (61 to 91 cm) **Spread:** 30 to 36 in. (76 to 91 cm)

Heat and humidity-tolerant variety produces clusters of bright redpink flowers with white stamens, atop willowy foliage.

HELICHRYSUM O

Helichrysum petiolare

Licorice

Height: 8 to 10 in. (20 to 25 cm) **Spread:** 18 to 24 in. (46 to 61 cm)

Low-growing and semi-trailing, silvery green-leafed plant is useful as an accent in containers and baskets.

Silver Star

Height: 8 to 10 in. (20 to 25 cm) **Spread:** 18 to 24 in. (46 to 61 cm)


Attractive silver foliage draws attention to this densely branched variety in pots and mixed containers. Adds "pop" and contrast for an upscale look without a lot of added cost. Easy to grow in both small and large pots.



Licorice Helichrysum



Silver Star Helichrysum



Patchwork Cosmic Orange





Fusion Glow Yellow



Fusion Heat Coral



Patchwork Cosmic Orange

Patchwork Cosmic Burgundy



Patchwork Peach Prism



Patchwork Pink Shades

EXOTIC IMPATIENS • Impatiens walleriana

Patchwork™ Collection

Height: 10 to 16 in. (25 to 41 cm) **Spread:** 12 to 14 in. (30 to 36 cm)

Nothing else has these unique novelty patterns and colors!

Low-maintenance, grower-friendly impatiens require no special culture.

Best for premium 12 to 14-in. (30 to 35-cm) baskets and large container programs. Also suitable for 6-in. (15-cm) pots, quarts and gallons.

EXOTIC IMPATIENS Impatiens hawkeri

Fusion™

Height: 10 to 16 in. (25 to 41 cm) **Spread:** 10 to 16 in. (25 to 41 cm)

Heat-tolerant plants shine in the shade with high-voltage colors.

Vigorous and well-branched plants feature uniquely shaped flowers held over the foliage - great for retail.

Fusion can be grown in the same environment as Fiesta varieties.

Can withstand cool temperatures; prefers morning sun/afternoon shade in the garden.

Ideal for large, high-margin containers and baskets.











Pink





Salmon

DOUBLE IMPATIENS • • Impatiens walleriana

Fiesta Bonita™

Height: 10 to 12 in. (25 to 30 cm) **Spread:** 10 to 12 in. (25 to 30 cm)

Extremely uniform series pairs large, colorful blooms with a controlled habit for easy production.

Ideal for 4-in. (10-cm), quart and 2.5-quart containers, as well as 10 to 12-in. (25 to 30 cm) hanging baskets.







INTERSPECIFIC IMPATIENS



Impatiens hawkeri

SunPatiens Vigorous®

Height: 24 to 42 in. (61 to 107 cm) **Spread:** 24 to 30 in. (61 to 76 cm)

Thrives in sun and shade.

Ideal for large areas – produces masses of fast color.

Flourishes in extreme heat, yet tolerates light frost, so it still looks great in the Fall.

Sturdy plants stand up to wind and rain.

SunPatiens Spreading®

Height: 20 to 34 in. (51 to 86 cm) **Spread:** 24 to 36 in. (61 to 91 cm)

Provides twice as much coverage and color as standard bedding plants.

Plants get better looking the longer they're in the garden.

Robust, disease-resistant variety performs right up until hard frost with nonstop color.

NEW Spreading Pink Kiss: Exciting, large, bicolor flower on vigorous spreading habit is great for consumer landscapes.

SUNPATIENS is bred by Sakata. SUNPATIENS is a registered trademark of Sakata.







Compact SunPatiens®

Height: 14 to 28 in. (36 to 71 cm) **Spread:** 14 to 24 in. (36 to 61 cm)

Tolerates all weather, Spring through hard frost.

Unique varieties love sun as well as shade.

Compact series is bred for small pot production and is resistant to disease.

Exceptional outdoor performance.

Roots fast, reduced crop time.

NEW Compact Fire Red, NEW Compact Orange, NEW Compact Orchid and NEW Compact Tropical Rose have been added to the series.

SunPatiens now offers new 3-color mixes that have been trialed and proven to grow well together. The components are packaged and shipped together, so you can stick them in the same container to create these sensational color combos.


NEW Best Friends Mix contains Compact White, Compact Royal Magenta and Compact Lilac impatiens.

NEW Desert Sun Mix contains Compact Hot Coral, Compact Electric Orange and Compact Pink impatiens.

SUNPATIENS is bred by Sakata. SUNPATIENS is a registered trademark of Sakata.









Gail Shaffer


THE RIGHT TIMING

"ClockWork was bred to be extremely uniform in timing and habit, a benefit to the greenhouse grower, because ClockWork can be grown without adjusting the culture. In addition, all colors finish together, so they can be shipped to retail at the same time. This series truly performs like clockwork."



NEW ClockWork White is extremely uniform





NEW Purple





NEW Pink Star



NEW Orange Stripe

NEW GUINEA IMPATIENS Impatiens hawkeri

New Clockwork™

Height: 8 to 10 in. (20 to 25 cm) **Spread:** 10 to 12 in. (25 to 30 cm)

Like clockwork: Series has high uniformity of habit and flower timing across all colors, blooming all in the same week.

Large blooms.


Ideal for quart and gallon containers, and hanging baskets.



NEW Orange



NEW White



Celebrette

Height: 8 to 10 in. (20 to 25 cm) **Spread:** 10 to 12 in. (25 to 30 cm)

Includes 6 Grower's Choice varieties for the most uniform habit and timing across key colors.

Mid-size Celebrette delivers early, continuous flowering, with excellent branching, controlled habit and large blooms.

Thrives in both hot and cool conditions.


Ideal for small pot programs.

NEW Orange Crush Improved: Improved for larger flowers with the same timing.

NEW Grape Crush Improved, NEW Orange Stripe Improved and NEW Orchid Star Improved are improved for larger flowers and earlier flowering.



NEW Orchid Star Improved





Celebration


Height: 10 to 12 in. (25 to 30 cm) **Spread:** 10 to 12 in. (25 to 30 cm)

Big impact for larger container programs.

Vigorous and well branched, fills in fast with fewer plants per pot.

Full color range delivers excellent greenhouse performance.

Large blooms cover the plant even in high heat.



NEW SPOTLIGHT™

A rising star in small pots and mixed combos





Ben Winslow Breeder

SHINE THE SPOTLIGHT ON PINT AND PACK PRODUCTION

"New Spotlight ipomoea has the most compact habit of all ipomoea, so it's ideal for easy, no-tangle 6-packs and pint production. Spotlight offers ease of growing in small pots with no pinch and no PGRs."



NEW Spotlight Lime is perfect for pints.



NEW Spotlight Black Ipomoea, Lucky Red Lantana and EnduraScape Red Verbena







IPOMOEA O
Ipomoea batatas

New Spotlight™

Height: 8 to 10 in. (20 to 25 cm) **Spread:** 12 to 18 in. (30 to 46 cm)

The first compact ipomoea series!

Spotlight's compact, naturally branched habit is ideal for packs and small pots. Great for mixes, too.

The series features three bold, eye-catching colors and holds its color in extreme heat.

A compact solution for southern regions.

NEW Red

NEW Black





Red





Red



SolarPower™

Height: 10 to 12 in. (25 to 30 cm) **Spread:** 24 to 36 in. (61 to 91 cm)

Densely branched SolarPower holds its shape and color in landscape and mixed combos all Summer long, and it works well with companion plants.

Medium vigor and a well-branched habit.

Most efficient in production.

SolarPower's tidy habit allows for more plants per rack at retail. Best for gallon containers, 10 to 12-in. (25 to 30-cm) hanging baskets, mixed containers and landscapes.

A small-pot solution for northern regions.

Black

LITTLE LUCKY™

This one's the charm for pot-tight production





Angela Storm
Product Representative

GROW AN INSTANT WINNER WITH NO PGRS

"Across all colors of Little Lucky Lantana, the simple growing solution is to pinch, and you won't need to use PGRs. We've trialed Little Lucky from start to finish, and as you can see from the photo here, the results prove our claim: it is ideal for low-maintenance, pot-tight production."



Little Lucky Peach Glow grown pot-tight



Red, Peach Glow, Orange and Lemon Cream







Rick Mast

BEST BET FOR THE HEAT

"For mixes that can stand up to the blazing Summer heat, try the two new MixMasters that are perfect for heat-tolerant hanging baskets. New Feelin' Lucky and New Lucky Charm take advantage of heat and drought-loving Lucky lantana to power through the dog days of Summer."



NEW MixMasters Feelin' Lucky contains Lucky Flame, Lucky Lemon Glow and Lucky Pot Of Gold Lantana







EARLY SPRINGS™

Early to rise for Spring sales, but takes the heat, too



LOBELIA O Lobelia hybrida

Early Springs™

Height: 8 to 10 in. (20 to 25 cm) **Spread:** 8 to 14 in. (20 to 36 cm)

Early Springs is a series of highly uniform plants.


Try mixing colors for a great-looking monoculture basket.

Compact habit allows for pot-tight production with minimal PGRs and easy shipping.

Can be grown cool for energy savings, but performs beautifully in heat.


Just one plant fills a quart or gallon container.







Early Springs Magenta





Waterfall Purple



NEW Waterfall White Blush



Early Springs Lavender Pink



Early Springs Sky Blue



Early Springs White

Lobelia erinus Waterfall™

Height: 8 to 12 in. (20 to 30 cm) **Spread:** 24 to 30 in. (61 to 76 cm)

Vigorous, well-branched Waterfall is well-suited to pot-tight growing.

Less pinching is needed to send fast, full plants to market.

Covered with free-flowering blooms, the mounded, semi-trailing plants fill mixed baskets and containers.

Early flowering and daylength neutral for early-Spring programs.

Performs well in many Fall markets for season-extending sales.

NEW White Blush: Extends this free-flowering series.









Blazin' Lime Iresine



Marine Heliotrope



Goldilocks Lysimachia



Purple Trailing Lantana



New Gold Lantana



Dallas Red Lantana

HELIOTROPE Heliotropium arborescens

Marine

Height: 10 to 14 in. (25 to 36 cm) **Spread:** 12 to 18 in. (30 to 46 cm)

Upright plant performs well in landscapes, baskets and patio planters.

HIBISCUS O Hibiscus acetosella

Little Zin

Height: 18 to 24 in. (45 to 60 cm) **Spread:** 18 to 24 in. (45 to 60 cm)

Extend the season with this heat lover. Compact Little Zin holds its shape at retail for a long sales window. Upright habit with eyecatching burgundy color is perfect as a thriller in Summer mixed containers and mass in-ground plantings.

IRESINE Iresine herbstii

Blazin' Lime

Height: 12 to 16 in. (30 to 41 cm) **Spread:** 16 to 20 in. (41 to 51 cm)

Vigorous, upright and full plants feature variegated foliage with vibrant rose stems; shows more chartreuse in higher light. Perfect for large mixed containers, landscapes.

Iresine hybrid 🔍 🌑

Blazin' Rose

Height: 18 to 30 in. (46 to 76 cm) **Spread:** 16 to 20 in. (41 to 51 cm)

Striking multi-color leaves and strong vigor ensure that the plant won't get lost in large mixed plantings; also ideal for landscapes.

LANTANA O Lantana camara

Dallas Red

Height: 15 to 20 in. (38 to 51 cm) **Spread:** 18 to 24 in. (46 to 61 cm)

Mounded; useful in combination plantings. Clusters of red flowers fade to orange and yellow.

New Gold

Height: 15 to 20 in. (38 to 51 cm) **Spread:** 18 to 24 in. (46 to 61 cm)

Mounded and spreading; well-suited to landscapes.

Lantana montevidensis

Purple Trailing

Height: 20 to 24 in. (51 to 61 cm) **Spread:** 15 to 20 in. (38 to 51 cm)

Good selection for combination plantings.

LYSIMACHIA NUMMULARIA



Lysimachia nummularia

Goldilocks

Height: 2 to 4 in. (5 to 10 cm) Spread: 12 in. (30 cm) USDA Hardiness Zones: Temperate perenial in Zones 3 to 10.

Low-care, trailing plant has lime green leaves that turn iridescent in the sun. Self-cleaning. Recommended for use in mixed containers.



Jade Frost Lamium




'Beacon Silver' Lamium



'Anne Greenaway' Lamium



'White Nancy' Lamium



NEW Little Sunshine Mecardonia

LAMIUM • Lamiastrum galeobdolon

Jade Frost

Height: 8 to 10 in. (20 to 25 cm) **Spread:** 36 to 48 in. (91 to 122 cm)

Fast-growing, trailing accent plant is well-suited to mixed planters and baskets.

LAMIUM MACULATUM Lamium maculatum

'Anne Greenaway'

Height: 6 to 8 in. (15 to 20 cm) **Spread:** 36 to 48 in. (91 to 122 cm)

Groundcover features a mixture of green, silver and chartreuse leaves that turn mauve in the Spring.

'Beacon Silver'

Height: 6 to 8 in. (15 to 20 cm) **Spread:** 36 to 48 in. (91 to 122 cm)

Trailing, mounded variety has silver leaves with green margins, and pinkish-purple flowers at the end of the stems all Summer. Prefers evenly moist, well-drained soil.

'White Nancy'

Height: 6 in. (15 cm)

Spread: 36 to 48 in. (91 to 122 cm)

One of the fastest-growing groundcovers has silver and green variegated foliage, and pure white flowers in early Summer.



NEW Little Sunshine Mecardonia

MECARDONIA O Mecardonia hybrida

NEW Little Sunshine

Height: 4 to 6 in. (10 to 15 cm) **Spread:** 14 to 18 in. (35 to 45 cm) **USDA Zones:** to Zone 10

This easy-to-produce variety flowers from Spring to Fall, making it versatile in programs all year long.

It is very tolerant of cool and warm conditions, and it will not cycle out of color at the point of sale.

It works well in 4-in. (10-cm) pots to hanging baskets, and offers great performance in the landscape.





Direct-stick Callused Cuttings

Less labor. Shortened crop time. Less shrink. Reduced input costs. Get retail-ready, top-quality osteospermums in as little as 14 weeks.

Genesis™ Cuttings

All our osteos are also available as Genesis cuttings. For more information on Genesis cuttings, see pages 42-43.



Genesis cuttings arrive ready to direct-stick in the finish container. Genesis cuttings 8 days: With the callus already on, roots initiate quickly. **Genesis cuttings 6 weeks:** Direct-stuck Genesis cuttings branch sooner and stronger for a better-quality finished plant.

Genesis cuttings 14 weeks:

The Genesis osteo is in full bloom, out the door and ready to sell, while the traditional URC osteo is just starting to open flowers.



BLUE EYED BEAUTY

Eye-opening bicolor boosts early-season sales





Monique Hakkert
Marketing Manager

EYE-POPPING SHOW

"To draw out the eye in Blue Eyed Beauty, use a color-matching purple pot. The effect is dramatic and just screams Spring!"





Blue Eyed Beauty

OSTEOSPERMUM •

Osteospermum ecklonis

Blue Eyed Beauty

Height: 10 to 14 in. (25 to 36 cm) **Spread:** 14 to 20 in. (36 to 51 cm)

Change the way you look at osteos – perfect for premium, early Spring sales.

Exceptional bicolor has excellent habit, flower presentation and shelf life.

Also available as Genesis directstick cuttings.

SERENITYTM

Low-stress production with high-interest color





Deep Yellow

Serenity™

Height: 10 to 14 in. (25 to 36 cm) **Spread:** 14 to 20 in. (36 to 51 cm)

Exceptional habit and uniform timing for early-season bench-run production.

"Magic" colors change as flowers fully open – a plus in consumers' eyes!


Low-energy crop produces full, mounded plants with tighter bench spacing and fewer PGRs.

All varieties feature the same excellent branching.

Well-suited to cool-season containers and landscapes: a full-season performer in coastal markets.

Also available as Genesis directstick cuttings.





Voltage White

OSTEOSPERMUM Osteospermum hybrid

Voltage™ White

Height: 12 to 18 in. (30 to 45 cm) **Spread:** 14 to 20 in. (35 to 50 cm)

The best Summer-performing osteo is great for growing in all climates.

Traditional daisy has white petals with a bright yellow center.

Blooms a little later than Voltage Yellow, with a more compact habit.

Also available as Genesis directstick cuttings.

Voltage™ Yellow

Height: 10 to 16 in. (25 to 41 cm) **Spread:** 24 to 28 in. (61 to 71 cm)

First osteo in bloom is also the last out of bloom - vibrant color shouts SPRING!

Mounded habit with flexible stems that sleeve, ship and show well.

Needs fewer PGRs to produce naturally full and compact plants.

Ideal for large baskets, quarts and gallons.

Also available as Genesis directstick cuttings.





MixMasters Eye Caramba contains Flash Mob Bluerific Petunia, Cabaret White Calibrachoa and Aztec Violet Wink Verbena



Pinkceptional



Redtastic



Bluerific

TRAILING PETUNIA OPetunia x hybrida

Flash Mob

Height: 10 to 16 in. (25 to 41 cm) **Spread:** 20 to 30 in. (51 to 76 cm)

Superstar "morn" colors now in a vegetative trailing petunia!

Early flowering varieties have mounded/trailing habit and medium vigor.

Perfect for pots and hanging baskets.





Jason Twaddell Product Representative

LEADING THE PACK

"The top 3 tips to produce Sun Spun in a 6-pack are:


- 1. Direct-stick with 70°F (21°C) bottom heat.
- 2. Use a 3,500 ppm Daminozide Spray 4-5 weeks after sticking.
- 3. Finish with ADT of 65°F (18°C), and high light at 10-20 mols."



Raspberry Star



Pink







Ocean Blue



Cappuccino

PETUNIA • • Petunia x hybrida

Glow

Height: 8 to 10 in. (20 to 25 cm) **Spread:** 16 to 22 in. (41 to 56 cm)


Medium-vigor series is well-suited for gallon and larger production. The colors also make great additions to mixed containers and medium-size hanging baskets.

Early flowering.

Proven greenhouse performance under lower light and low temperature production.











Gail Shaffer

TRIED AND TRIED AGAIN FOR LANDSCAPE SUCCESS

"As part of our selection process at Ball FloraPlant, we perform multiple trials of plants we are looking to introduce before they are launched. We make sure they will perform for growers and their customers the same way they perform for us. So, after intense trialing in the ground in various climates, these trial photos show that ColorRush Petunias live up to their promise—to provide huge mounds of vibrant color."



ColorRush Pink trialed in the ground.



NEW Pink Star

NEW Pink



NEW Blue

PETUNIA Petunia x hybrida

New ColorRush™

Height: 10 to 12 in. (25 to 30 cm) **Spread:** 24 to 36 in. (61 to 91 cm)

This new series is notable for big vigor and big garden performance.

Our most vigorous line is ideal for 12-in. (30-cm) and larger containers and baskets, as well as landscapes.

Mounds of color hold up in the heat and rain.

It includes a range of bright, eyecatching colors and novelties.

These varieties have nicely matched habits, making production planning easier.



PETCHOA

Petunia (Intergeneric hybrid)

SuperCal®

Height: 12 in. (30 cm) **Spread:** 15 in. (38 cm)

The best characteristics of petunias and calibrachoas in one exceptional collection.

Unique, vibrant colors, large blooms and high pH tolerance.

Early-flowering varieties can be grown cool for cost-efficient production.


Excellent heat tolerance and weather recovery.

SuperCal now offers a new 3-color mix that has been trialed and proven to grow well together. The components are packaged and shipped together, so you can stick them in the same container to create this sensational color combo.

NEW Garden Magic Mix contains Blue, Light Yellow and Cherry Petchoa.

SUPERCAL is bred by Sakata.
SUPERCAL is a registered trademark of Sakata.







Cha-Ching Cherry



Pinstripe



Black Magic



Phantom



Cascadias Indian Summer



Lime Light

PETUNIA Petunia x hybrida

Cha-Ching Cherry

Height: 10 to 16 in. (25 to 41 cm) **Spread:** 16 to 20 in. (41 to 51 cm)

Exciting multi-color variety wows with cherry red blooms and creamy yellow star pattern. Easy to grow – times with other Ball FloraPlant novelty petunia varieties. Mounding habit, vigor and timing match other Ball FloraPlant novelty varieties like Pinstripe for efficient production. Mixes well with other species in combinations.

Black Magic

Height: 10 to 16 in. (25 to 41 cm) **Spread:** 16 to 20 in. (41 to 51 cm)

The blackest black petunia on the market! Features stable, nonstriping blooms with excellent flower form and a controlled, mounded, trailing habit.

Pinstripe

Height: 8 to 12 in. (20 to 30 cm) **Spread:** 8 to 12 in. (20 to 30 cm)

Adds a stylish and sophisticated look to mixed containers. Each of the dark purple blooms shows off a creamy white star pattern. Easy-to-grow mounded habit matches Sun Spun.

Phantom

Height: 8 to 12 in. (20 to 30 cm) **Spread:** 8 to 12 in. (20 to 30 cm)

A must-have for any petunia program – alone or in combos. Phantom shows off a black base color with a distinctive yellow star pattern. It's the perfect companion to Black Magic and Pinstripe at retail and in the garden.

Cascadias™ Indian Summer

Height: 10 to 12 in. (25 to 30 cm) **Spread:** 12 to 18 in. (30 to 46 cm)

Striking blooms open orange and mature to salmon pink – sure to drive impulse sales. Well-branched habit is ideal for 12-in. (30-cm) hanging baskets and patio pots. Unique color option pairs with excellent garden performance.

Lime Light

Height: 8 to 12 in. (20 to 30 cm) **Spread:** 8 to 12 in. (20 to 30 cm)

This distinctive compact variety has trumpet-shaped blooms in rose with a lime border. Lime Light is early blooming and highly floriferous, with a mounding habit. With its premium, sought-after color on cost-effective, grower friendly plants, Lime Light is perfect for small pots and hanging baskets. Extremely sensitive to any PGR treatment.



DOUBLE WAVE®

Double Wave Red

Ragtime



Ragtime

Height: 12 to 18 in. (30 to 46 cm) **Spread:** 24 to 48 in. (61 to 122 cm)

Excellent purple and white picotee flowered petunia pairs nicely with Rhythm and Blues. Early-flowering variety has a trailing, vigorous habit for dramatic displays in hanging baskets at retail and in the garden.

Rhythm And Blues

Height: 8 to 12 in. (20 to 30 cm) **Spread:** 12 to 16 in. (30 to 41 cm)

This mounded, spreading and very free-flowering petunia is adaptable to cold finishing programs, making it a low-energy input item. Rhythm and Blues has a stable white rim and excellent vigor, and is easy to grow for early-season premium baskets and containers.



Double Wave Pink



Double Wave White



Double Wave Purple



Double Wave Rose



Double Wave Blue Vein



Double Wave Blue Velvet

SPREADING DOUBLE PETUNIA Potunia v. hybrida

Petunia x hybrida

Double Wave®

Height: 6 to 8 in. (15 to 20 cm) **Spread:** 18 to 24 in. (46 to 61 cm)

Delivers the same high performance and versatile uses that have made the entire Wave® family the most asked-for-by-name plant brand ever! Fully double flowers in vibrant colors cover the mounded and spreading, dark green-leafed plants to make outstanding mixed containers, baskets and gardens.







NEMESIA

Nemesia fruticans

Aromatica™

Height: 12 to 14 in. (30 to 36 cm) Spread: 10 to 12 in. (25 to 30 cm)

The best-matched nemesias for size and flower timing, with a wider color array. Very freeflowering, well-branched plants are economical and easy to produce. Compact, upright, fragrant plants.

A "2 for 1" series - pay for one unrooted cutting, get two to plant. See inside back cover.

PLECTRANTHUS • Plectranthus coleoides

Nico

Height: 8 to 10 in. (20 to 25 cm) Spread: 12 to 36 in. (30 to 91 cm)

Vigorous accent plant is known for its dark green foliage and semiprostrate habit. Useful in combos, patio planters and landscapes.

Nicolleta

Height: 8 to 10 in. (20 to 25 cm) **Spread:** 12 to 36 in. (30 to 91 cm)

Fuzzy, silvery gray leaves make this a stunning container accent plant.

Variegata

Height: 8 to 10 in. (20 to 25 cm) Spread: 12 to 18 in. (30 to 46 cm)

Trailing and vigorous, this whiteedged foliage plant is useful in combination combos and baskets.

SCAEVOLA • Scaevola hybrid

Brilliant

Height: 12 to 20 in. (30 to 51 cm) **Spread:** 24 to 28 in. (61 to 71 cm)

Well-branched plants with medium, controlled vigor won't fall apart in final stages of production. Habit complements White Sparkle. Also available as Genesis directstick cuttings.

BRILLIANT is bred by J&H Westhoff Interpel.



White Sparkle

Height: 12 to 20 in. (30 to 51 cm) **Spread:** 24 to 28 in. (61 to 71 cm)

Starts flowering white, then displays light blue stripes later in the season. Medium, controlled vigor means plants won't fall apart in final stages of production. Ideal for 1-gallon pots and hanging baskets. Also available as Genesis direct-stick cuttings.

WHITE SPARKLE is bred by Kings Park and Botanic Garden, Western Australia.



SCAEVOLA Scaevola aemula

Bondi™

Height: 6 to 10 in. (15 to 25 cm) **Spread:** 12 to 18 in. (30 to 46 cm)

Compact series is easy to grow in small pots for high-density production. Upright habit and good branching keep Bondi looking neat and tidy at retail. Ideal for Summer heat programs - nice in hanging baskets and mixed containers. Also available as Genesis direct-stick cuttings.

BONDI is bred by Kings Park and Botanic Garden,



Blue Fan

Height: 12 to 14 in. (30 to 36 cm) **Spread:** 8 to 10 in. (20 to 25 cm)

Trailing variety is well-suited to baskets, containers and landscapes. Also available as Genesis direct-stick cuttings.



Bondi Blue Scaevola



Aromatica White Nemesia



Bondi White Scaevola



Aromatica Royal Blue Nemesia



Aromatica Rose Pink Nemesia



Nicolleta



Variegata Plectranthus



Nico Plectranthus



Blue Fan Scaevola



Brilliant Scaevola



White Sparkle Scaevola



RIO GRANDE™ SEASON EXTENDER





Río Grande Scarlet Purslane

Nío Grande Yellow Purslane



Río Grande Orange Purslane

Río Grande White Purslane





Magilla Purple Perilla



Mona Lavender Plectranthus

PURSLANE • Portulaca oleracea

Rio Grande™

Height: 3 to 4 in. (8 to 10 cm) Spread: 10 to 12 in. (25 to 30 cm)

All-new genetics produce varieties that are well-matched in vigor, controlled habit and good branching. Exceptionally large flowers in a vibrant range of core colors - beautiful in baskets. Rugged performer thrives in heat and keeps flowering all Summer.

Portulaca grandiflora

Fairytales Cinderella

Height: 4 to 8 in. (10 to 20 cm) Spread: 14 to 16 in. (36 to 41 cm)

The largest double blooms on the market. Heat and drought-tolerant, this easy-care, low-spreading plant works well in baskets, large containers, landscapes and rock gardens.

PERILLA 🔍 🌑 Perilla frutescens

Magilla® Purple

Height: 24 to 36 in. (61 to 91 cm) **Spread:** 12 to 18 in. (30 to 46 cm)

Striking, multi-color accent plant stands out in a crowd. Extremely well-branched and vigorous, so fewer inputs are needed. Fills in mixed containers fast, and delivers great heat tolerance and Summer performance.

PLECTRANTHUS • Plectranthus x hybrida

Mona Lavender

Height: 12 to 16 in. (30 to 41 cm) **Spread:** 24 to 36 in. (61 to 91 cm)

Easy to program for flower timing. Versatile Mona Lavender stands up to high heat in production - it's a terrific northern Fall product and a staple in the South. Requires short days to flower.

KIRSTENBOSCH is a U.S. registered trademark of the South African National Biodiversity Institute.






Persian Shield Strobilanthes



Black & Blue Salvia



Persian Shield

Height: 18 to 24 in. (46 to 61 cm) **Spread:** 24 in. (61 cm)

Very vigorous with excellent heat tolerance, Persian Shield works well in mixed containers, baskets and window boxes.

SALVIA 🔵

Salvia longispicata X farinacea

Mystic Spires Blue

Height: 18 to 24 in. (46 to 61 cm) **Spread:** 12 to 18 in. (30 to 46 cm)

Covered with true blue flowers all season...2009 Texas Superstar Variety. A premium variety that can command a higher price point. The sturdy, dark green-leafed plants are naturally compact, well-branched and very free-flowering. Heat-hardy plants are great for late Spring/Summer programs. This dwarf 'Indigo Spires' type is well-suited to landscapes and mixed containers.



Mystic Spires Blue Salvia

Salvia guaranitica

Black & Blue

Height: 24 to 36 in. (61 to 91 cm) **Spread:** 12 to 18 in. (30 to 46 cm)

Very vigorous, well-branched plants show off large, dark blue flowers over dark green, velvety leaves. Heat-hardy plants are great for late Spring/Summer programs.

Black & Bloom

Height: 36 to 48 in. (91 to 122 cm) **Spread:** 36 to 48 in. (91 to 122 cm)

Makes a big impact with a thicker leaf, bigger bloom and darker stem than Black & Blue. Tough as nails – it thrives in heat, drought and humidity. Very fast to finish and easy to grow, requiring very little attention. Desirable deep blue color against a black stem stands out in every landscape or container. Ideal for 4-in. (10-cm), 1-gallon and 2-gallon pots.



Black & Bloom Salvia



Black & Blue (left) and Black & Bloom Salvia (right)





Arizona Glow



Lemon Star



Lemon Star


THUNBERGIA O Thunbergia alata

Sunny™

Height: 60 to 96 in. (152 to 244 cm) **Spread:** 16 to 24 in. (41 to 61 cm)

Ball FloraPlant is the only source for in-demand unrooted thunbergia cuttings. This vigorous vine produces very large, brightly colored flowers all Summer. Sunny has a short crop time under warm conditions. Great for baskets, large containers and upright vining areas.

Ball Flora Plant.






Kris Carlsson
Product Launch and
Assortment Manager

THE TOUGHER VERBENA

"This breakout landscape verbena battles extremes – stays in flower and keeps its color longer in the heat. Plus, it's the first verbena series that's hardy to the low teens (Zone 7b) and reblooms in Spring. EnduraScape's cold hardiness allows for it to be brought outside earlier in the season. Definitely tougher than the rest."



°F
120 ----100 ----80 ----60 ----40 ----20 ----







NEW Pink Bicolor



W Pink Bicolor trialed NEW Purple Improved



NEW Magenta



VERBENA O Verbena peruviana

EnduraScape™

Height: 8 to 12 in. (20 to 30 cm) **Spread:** 18 to 24 in. (46 to 61 cm)

The first verbena that's hardy in the hottest days of Summer, but can take the cold down to the low teens and still re-bloom in Spring.

EnduraScape revs up the color with eight high-octane varieties.

Superior branching: finished product has full habit with high bloom count in gallon containers.

Excellent powdery mildew resistance.

NEW Magenta: Extends the series with a vibrant color.

NEW Pink Bicolor: Adds a novelty to the series with a bright pink flower and white edges.

NEW Purple Improved: Offers better branching.







Dark Purple

AZTEC®

Legendary color for baskets and combos



VERBENA O Verbena peruviana

Aztec®

Height: 8 to 10 in. (20 to 25 cm) **Spread:** 12 to 18 in. (30 to 46 cm)

Excellent powdery mildew resistance – needs fewer chemical applications.

Fast off the bench and on to retail shelves.

Expanded color range for easy "one-stop" shopping.

Performs beautifully in baskets, mono and mixed containers.





Foliage detail

Aztec Magic™

Height: 8 to 10 in. (20 to 25 cm) **Spread:** 12 to 18 in. (30 to 46 cm)

The best trailing verbenas.

Distinguished by their fine, serrated foliage, the bright and colorful plants thrive in heat and sun.

Delivers a quick crop time, uniform flowering and the same exceptional powdery mildew resistance as Aztec.

Ideal for early to mid-season pots and baskets.

NEW Red: A strong red expands the series.







Silver




Orchid



Plum



Magenta



CALIFORNIA

Ball Tagawa Growers Arroyo Grande, California (SG, MM)

COLORADO

Tagawa Greenhouse Brighton, Colorado (GE, SG, MM)

GEORGIA

Sunbelt Greenhouses, Inc. Douglas, Georgia (SG, MM)

MARYLAND

Greenstreet Growers Lothian, Maryland (SG, MM)

MICHIGAN

Mast Young Plants Grand Rapids, Michigan (GE, SG, MM)

Tuinier Brothers Greenhouses Kalamazoo, Michigan (GE, SG)

MINNESOTA

Wagner Greenhouses Minneapolis, Minnesota (GE, SG, MM)

NEW HAMPSHIRE

D.S. Cole Growers Loudon, New Hampshire (SG, MM)

NEW YORK

Dickman Farms Auburn, New York (GE, SG, MM)

Van de Wetering Greenhouses, Inc. Jamesport, New York (GE, SG, MM)

Amos Zittel & Sons Eden, New York (GE, SG)

OREGON

Al's Garden Center & Greenhouse Woodburn, Oregon (SG)

Fessler Nursery Woodburn, Oregon (SG, GE, MM)

WASHINGTON

(Also Western Canada)

Van Wingerden Greenhouses Blaine, Washington (GE, SG, MM)

CANADA

BRITISH COLUMBIA

West Coast Floral - Surrey (GE)

ONTARIO

George Sant & Sons – Kleinburg (SG, GE, MM)

QUEBEC

Willy Haeck et Fils, Inc. Saint-Rémi (GE)

GE = Geraniums SG = Specialty Garden Plants MM = MixMasters Multiliners

TOP QUALITY. ON TIME. YOUR COMPLETE ORDER.

Every Ball FloraPlant liner you order is grown and shipped to you by one of the top-rated members of the Ball Regional Supplier Network.

- **Highest order fill rate:** We work with our suppliers to ensure **99**% of our orders are filled on time, with highest quality and in full.
- 87% of orders are shipped via our suppliers' climatecontrolled truck delivery system.
- This is the most economical and efficient way to receive your order.
- Top-quality, always-fresh liners are delivered to your door when you need them.

Check instant up-to-the-minute availability and place your order for all Ball FloraPlant products 24-7 with Ball WebTrack® at **ballseed.com**, or contact your Ball Seed sales rep.



Ball Seed Sales Reps

If you have any questions regarding the Ball Seed sales rep serving your area, please call **800 879-BALL** today for more information.





Jim KennedyDirector of North
American Sales



Ron Brum
Regional Sales Director



John Alexander
Arroyo Grande, CA
805 720-0654
Fax: 866 634-9595
jalexander@ballhort.com
Central California –
Peninsula and South Bay
to Santa Barbara and east
to the Sierra Nevadas



John Crisp Wilsonville, OR 541 604-0533 Fax: 630 520-9157 jcrisp@ballhort.com Western and Central Oregon



Brian Harned
Temecula, CA
951 312-9463
Fax: 630 520-9102
bharned@ballhort.com
California – Orange,
Riverside and San
Bernardino Counties;
Hawaii



Don Humphries
St. George, UT
435 668-3306
Fax: 630 520-9103
dhumphries@ballhort.com
Arizona; Eastern Nevada;
Utah; far western counties
of Wyoming



Miriam Levy
Carlsbad, CA
760 929-0681
Fax: 760 929-0684
Cellular: 760 522-1899
mlevy@ballhort.com
California – San Diego and
Imperial Counties



Jose Sanchez
Anaheim, CA
805 223-1785
Fax: 630 520-9118
jsanchez@ballhort.com
California – Kern, Kings,
Los Angeles, Tulare and
Ventura Counties in the
south; North Bay and
Northern California;
Western Newada



P.O. Box 129
Nine Mile Falls, WA 99026
509 599-0281
Fax: 630 520-9124
dsontag@ballhort.com
Alaska; Idaho; Montana;
Eastern Oregon; Western
South Dakota; Eastern
Washington; Northern
Wyoming





Craig Yoshida
Redmond, WA
425 836-4550
Fax: 630 520-9134
Cellular: 503 481-7680
cyoshida@ballhort.com
Western Washington

MIDWEST



Ron Brum
Regional Sales Director



Greg Bogart
537 Sunset Drive
Hartford, WI 53027
262 673-0266
Fax: 262 673-0160
gbogart@ballhort.com
Michigan's Upper
Peninsula; Eastern
Wisconsin



Coy H. Butner III
9625 Brightwater Dr.
Johnston, IA 50131
816 262-1865
Fax: 630 520-9090
cbutner@ballhort.com
Northern and Western
lowa; Northwestern
Missouri; Eastern
Nebraska



535 Rowena Curve New Market, MN 55054 **952 461-6501** Fax: 630 520-9091 Cellular: 612 978-3194 bcashman@ballhort.com

Southeastern Minnesota

Bob Cashman

South Central and



922 W. Maywood Street Wichita, KS 67217 316 258-0032 Fax: 316 462-5529 mderee@ballhort.com Kansas; West Central and Southwestern Missouri; Central Nebraska

Mike DeRee



Emerson
3526 10th Street South
Fargo, ND 58104
701 297-5911
Fax: 630 520-9096
Cellular: 701 261-1175
remerson@ballhort.com
North Dakota; Eastern
South Dakota; Northern
and Western Minnesota;

Northwestern Wisconsin

Russell K.



Derek Schrof 3042 Bella Vista Ct. Highland, IL 62249 618 654-4574 Fax: 630 520-9121 dschrof@ballhort.com Southern Illinois; Eastern Missouri



Tom Seery

1600 Red Oak Drive
Coralville, IA 52241
319 541-2809
Fax: 319 351-6951
tseery@ballhort.com
Eastern lowa;
Southwestern Wisconsin



Susan Stauber
Parker, CO
303 551-2515
Fax: 630 520-9127
sstauber@ballhort.com
Colorado; Western
Nebraska; Northern New
Mexico; Wyoming, except
for western and northern
counties



SOUTHWEST



Glenn WilsonRegional Sales Director



Michele André
New Orleans, LA
504 554-9737
Fax: 630 520-9081
mandre@ballhort.com
Southern Louisiana;
Southern Mississippi



Maria Bolinger

1004 Falling Leaf Lane
Hendersonville, TN 37075
615 308-1049
Fax: 630 520-9088
mbolinger@ballhort.com
Western Kentucky;
Tennessee



3950 CR 422 Ripley, MS 38663 662 587-5472 Fax: 630 520-9092 schilds@ballhort.com Arkansas; Northern Louisiana; Northern

Mississippi; Eastern

Texas

Oklahoma; Northeastern

Sabrina Childs



George A. Freas
P.O. Box 1362
Glen Rose, TX 76043
254 897-3696
Fax: 254 897-3198
Cellular: 254 326-8144
gfreas@ballhort.com
Southern New Mexico;
Southwestern Texas



Susannah McCoy
Northlake, TX
940 391-6983
Fax: 630 520-9168
smccoy@ballhort.com
Western Oklahoma;
Texas – Dallas and
counties northwest to the
Oklahoma border, and
select counties east to the
Louisiana border



Bill Wilson

400 Juniper Trail
Kingsland, TX 78639
512 751-7351
Fax: 630 520-9132
bwilson@ballhort.com
South-Central Texas



GREAT LAKES



Yves Cournoyer
Regional Sales Director



Jason C. Adams 2325 Chartwell St. Carmel, IN 46032 317 442-0778 Fax: 317 245-2100 jadams@ballhort.com Indiana



Chris Bernacchi
Marysville, OH
937 644-5050
Fax: 630 520-9086
cbernacchi@ballhort.com
Central and Southwestern
Ohio



Matt Freeman
5315 Angling Road
Portage, MI 49024
269 760-8616
Fax: 269 344-7941
mfreeman@ballhort.com
Southwestern Michigan



Doug Gortsema
222 Howard Ave.
Grand Haven, MI 49417
616 292-4886
Fax: 630 520-9101
dgortsema@ballhort.com
Northwestern section
of Michigan's Lower
Peninsula



Ginny Hodgson

114 S. Sunrise St.
Roanoke, IL 61561

217 801-0811

Fax: 630 520-9159
ghodgson@ballhort.com
Central and Northwestern
Illinois



Clay Johnson
51279 Westwood Drive
Macomb, MI 48042
586 232-4446
Fax: 630 520-9152
Cellular: 810 459-4394
ClayJohnson@ballhort.com
Northeastern section
of Michigan's Lower
Peninsula



Sara Sturt
Swanton, OH
419 356-4240
Fax: 630 520-9073
ssturt@ballhort.com
Southeastern Michigan



Laura Thomas-Stachon 6N179 Old Farm Lane St. Charles, IL 60175 630 945-3348 Fax: 630 945-3349 Ithomas@ballhort.com Chicagoland area of Illinois



NORTHEAST



Jerry Mahoney
Regional Sales Director
P.O. Box 329
Southbury, CT 06488
630 291-4176
Fax: 630 293-2549
jmahoney@ballhort.com
Fairfield County, Connecticut;
New York – Rockland and
Westchester Counties,
Metropolitan New York City,
Long Island



Epsom, NH
603 724-1361
Fax: 630 520-9149
Iblye@ballhort.com
Maine; Essex County,
Massachusetts;
New Hampshire; Clinton,
Essex, Franklin, Warren
and Washington Counties,
New York; Vermont



Andy Brown
4520 Crooked Hill Road
Harrisburg, PA 17110-3404
717 540-9709
Fax: 717 540-9756
Cellular: 717 579-7123
abrown@ballhort.com
Maryland panhandle;
Central Pennsylvania;
Eastern West Virginia;
Frederick County, Virginia



John Jensen
Pittsford, NY
585 330-5751
Fax: 630 520-9104
jjensen@ballhort.com
Upstate New York,
except Clinton, Essex,
Franklin, Rockland,
Warren, Washington and
Westchester Counties



Bob Luczai
8 Gould Road
Bedford, MA 01730
508 935-8264
Fax: 781 275-8668
bluczai@ballhort.com
Eastern Massachusetts,
except Essex County



Jeremy Mahoney
Westchester, PA
203 233-3634
Fax: 630 520-9137
jeremymahoney@
ballhort.com
Southern New Jersey;
Eastern Pennsylvania



Mitchell Rand
Guilford, CT
203 453-5567
Fax: 630 520-9080
Cellular: 203 506-7783
mrand@ballhort.com
Connecticut, except
Fairfield County;
Western Massachusetts;
Rhode Island



Gene Stickley
Yardley, PA
610 952-1159
Fax: 215 750-1461
gstickley@ballhort.com
Northern and Central
New Jersey



Ken Swimkosky
20 Schuler Lane
Coraopolis, PA 15108
412 264-0078
Fax: 412 264-0079
Cellular: 412 491-8175
kswimkosky@ballhort.com
Eastern Ohio; Western
Pennsylvania; Northern
West Virginia



SOUTHEAST



Glenn WilsonRegional Sales Director



Ryan Brandt
Charlotte, NC
919 606-5560
Fax: 630 562-7990
rbrandt@ballhort.com
Western North Carolina;
Central and Northeastern
South Carolina



Chris Corwin
3700 Chaneyville Road
Owings, MD 20736
410 286-9774
Fax: 630 520-9093
Cellular: 301 366-3235
or 412 398-2762
ccorwin@ballhort.com
Delaware; Maryland, except
the western panhandle;
Delmarva Peninsula,
Virginia; Washington DC



Matt Higgs
Cincinnati, OH
513 464-1355
Fax: 630 562-7622
mhiggs@ballhort.com
Eastern Kentucky;
Western Virginia; Southern
West Virginia



Nathan D. King
P.O. Box 6462
Athens, GA 30604
706 540-1613
Fax: 630 520-9106
nking@ballhort.com
Georgia; Northwestern
and Southeastern
South Carolina



John McBryde

4351 Bell Road

Montgomery, AL

36116-2205

334 324-7399

Fax: 630 520-9111

jmcbryde@ballhort.com


Alabama; Florida,
except Broward, Collier,
Miami-Dade and Monroe
Counties



Al Newsom
Raleigh, NC
919 832-9776
Fax: 630 520-9114
anewsom@ballhort.com
Florida—Broward, Collier,
Miami-Dade and Monroe
Counties; Eastern North
Carolina



Peter Scherzer
2396 Manakintown
Ferry Road
Midlothian, VA 23113
804 363-5550
Fax: 804 897-4440
pscherzer@ballhort.com
Eastern Virginia, except Delmarva
Peninsula and Frederick County



CANADA



Yves Cournoyer
Regional Sales Director



Bliss-Cooling
Beamsville, ON
289 668-2810
Fax: 630 520-9075
bbcooling@ballhort.com
Eastern portion of
Ontario's Niagara Region



Mireille Bourgon
1051 Rte. 340
Saint-Telesphore, QC
J0P 1Y0
450 269-2580
Fax: 450 269-1004
mbourgon@ballhort.com
Northern and Eastern
Quebec



45947 Weeden Drive Chilliwack, BC V2R 5X2 **604 997-2737** Fax: 630 520-9107

kabrown@ballhort.com

Eastern Fraser Valley, Northern BC and Yukon

Karen Brown



Carla Crofton

Brenda

4883 42B Avenue
Delta, BC V4K 1A6
604 940-7002
Fax: 604 940-7069
ccrofton@ballhort.com
Vancouver (Lower Mainland);
Okanagan and Kootenays,
British Columbia



Max Epp, Jr.

36 Elite Road Caledon, ON L7K 0L1 519 939-8110 Fax: 630 520-9097 mepp@ballhort.com Eastern and Central Ontario



Rob Fransen

5260 252nd Street Aldergrove, BC V4W 1T1 604 856-8333 Fax: 604 856-8360 rfransen@ballhort.com Selected accounts in British Columbia



Duayne Friesen

165 Camirant Crescent Winnipeg, MB R3X 1T1 204 253-8927 Fax: 630 520-9138 dfriesen@ballhort.com Manitoba; Northwestern Ontario



Joey Gordon

P.O. Box 348 1846 Black River Road Oxford, NS B0M 1P0 902 447-2211 Fax: 902 447-2251 jgordon@ballhort.com Atlantic Provinces



Manon Lemieux

434 Felix Leclerc St.
Saint-Eustache, QC J7P 0A6
450 983-7042
Fax: 866 549-7210
Cellular: 514 799-5259
mlemieux@ballhort.com
Southwestern Quebec



Paul Philp

2934 Holland Rd.
Fonthill, ON LOS 1E6
905 892-1264
Fax: 630 520-9115
Cellular: 905 687-2641
pphilp@ballhort.com
Western portion of
Ontario's Niagara Region



James Robertson

10793 McSween Road Chilliwack, BC V2P 6H5 **604 792-0477** Fax: 604 792-0887 *jrobertson@ballhort.com* Eastern Fraser Valley, British Columbia



John Van Beveren

388 Park Ridge Place Qualicum Beach, BC V9K 2S6 250 668-8525 Fax: 630 520-9130 jvanbeveren@ballhort.com Vancouver Island, British Columbia; Saskatchewan



Allan van Staalduinen

273 Strathcona Drive Burlington, ON L7L 2C9 905 978-2255 Fax: 888 873-2212 astaalduinen@ballhort.com Southwestern Ontario



Geoff Wood

100 Eastcott Drive St. Albert, AB T8N 7G5 780 418-1769 Fax: 630 520-9133 Cellular: 780 218-3898 gwood@ballhort.com Alberta

Product Forms

Ball FloraPlant offers the most flexible options of any producer, including unrooted and Genesis™ cuttings plus several liner choices and pre-finished material. The freshest cuttings and liners from the top regional supply network grow into the most fantastic plants.



UNROOTED CUTTINGS

- Wide range of products from a single supplier... "one-stop shopping"
- · Lowest input cost
- · Cuttings arrive in-line in perforated bags for easy handling
- · Guaranteed freight rates

NOTE: Minimum order of 1,000 quantity for GE and SG cuttings



GENESIS DIRECT-STICK CUTTINGS

- · Shorter crop time than URCs cuts rooting time in half
- · Reduces propagation time and eliminates transplanting labor
- · Faster root development, improved branching, better-quality plants
- · Requires less heat, so input costs are lower



MIXMASTERS MULTILINERS

- · All components sourced from Las Limas
- Three single-stuck cuttings grow together into one healthy multiliner to produce perfectly balanced combos
- Offers 100% complete "recipes" with nothing missing
- Produces more predictable, programmable mixes



STANDARD ROOTED LINERS

- 100% transplantable yield means reduced shrink
- Widest range of products available
- Truck delivery from the Ball Regional Supplier Network assures economical, efficient shipping see more on our rooting stations on page 113. FedEx delivery is also available.
- Many varieties are available in the Ball Spring Speculation program fill your last-minute needs easily and affordably



HIGH-DENSITY LINERS

- 100% transplantable yield means reduced shrink
- · Eliminates handling of unrooted cuttings
- · Freight savings compared to standard liners
- · Similar finish time as standard liners



QUICK TURN LINERS

- · 4-week finish time on 4-in. (10-cm) and guarts for guick turns and added turns
- · Saves energ
- Truck delivery from the Ball Regional Supplier Network assures economical, efficient shipping see more on our rooting stations on page 113



PRE-FINISHED PLANTS

- · Fast finish for quick turns and added turns
- Saves energy
- Reduces costs no transplanting, materials or special handling required, and there is no need for specialized expertise or facility
- Truck delivery from the Ball Regional Supplier Network assures economical, efficient shipping see more on our rooting stations on page 113

BALL FLORAPLANT LINERS

Bring in liners and benefit from a host of advantages, including more uniform rooting and finished product, fewer losses, reduced labor and materials, the ability to propagate in tighter spacing, no specialized expertise or facility needed for handling, and an easy fit to current production methods.

We offer five profitbuilding solutions, all of them versatile enough for 4-in. (10-cm) programs to large container and mixed combo programs.

PROPAGATION GUIDE

Сгор	Tray Size(s) (cells/tray)	Rooting Hormone	Average Days with Mist	Pinch	Average Propagation Time (weeks)	Comments
ALTERNANTHERA	50, 72, 84, 105	No	6-8	Yes	3-4	Pinch to improve branching.
ANGELONIA	50, 72, 84, 105	No	7-9	Yes	3-4	Avoid stretch. Pinch 18-21 days after sticking.
ARGYRANTHEMUM	50, 72, 84, 105	No	4-7	No	3-4	Avoid water stress.
BACOPA (SUTERA)	50, 72, 84, 105	No	6-8	Yes	3	Stick 2 cuttings per cell.
BIDENS	32, 50, 72, 84, 105	No	6-9	Yes	3-4	Reduce and eliminate mist as soon as possible.
BRACHYSCOME	32, 50, 72, 84, 105	Yes	6-8	Yes	4-5	Avoid burying growing point. Reduce mist as soon as possible. Stick 2 cuttings per cell.
BRACTEANTHA	50, 72, 84, 105	No	6-9	No	3	Reduce mist as soon as possible.
CALIBRACHOA	50, 72, 84, 105	No	6-8	Yes	3-4	Avoid wide fluctuations in soil moisture. Apply preventive fungicide drench at 18-21 days after sticking.
COLEUS	50, 72, 84, 105	No	4-6	No	2-3	Avoid stretch. Transplant on time. A B-Nine spray (1,500-2,000 ppm) 10-12 days after stick can help to reduce stem elongation.
CUPHEA	50, 72, 84, 105	No	6-8	Yes	3-4	Stick 2 cuttings per cell for Allyson Heather.
DIASCIA	50, 72, 84, 105	No	6-9	Yes	3-4	Stick 2 cuttings per cell.
ERYSIMUM	32, 50, 72, 84, 105	Yes	7-9	Optional	4-8*	Avoid saturated media.
EUPHORBIA HYPERICIFOLIA	50, 72, 84, 105	Optional	7-10	Yes	3-4	Ethylene sensitive – stick as soon as possible. Flower buds are common in propagation. Reduce mist as soon as possible.
EVOLVULUS	50, 72, 84, 105	Optional	6-10	Yes	3-4	Apply preventive fungicide spray after sticking. Reduce mist as soon as possible.
GAURA	32, 50, 72, 84, 105	No	6-9	Yes	4-9*	Pinch 14-21 days after sticking.
GERANIUM, IVY	See Comments	Optional (increases uniformity/ speed of rooting)	9-13	No	4-5	Stick immediately upon arrival. Geraniums are best rooted in media in strip form to allow for maximum airflow and avoid foliage overlap. Ivy geraniums require 25-30% less mist in propagation compared to zonals. Propagate under separate mist programs. Remove flower buds at transplanting.
GERANIUM, ZONAL	See Comments	Optional (increases uniformity/ speed of rooting)	9-12	No	3-4	Stick immediately upon arrival. Geraniums are best rooted in media in strip form to allow for maximum airflow and avoid foliage overlap. After initial rehydration, careful misting is required to optimize callus and root initiation. Mature leaves should show slight wilting at midday and regain turgor in the late afternoon under ideal mist conditions. Leaf petiole wilting indicates undermisting. Overmisting leads to Botrytis. Remove flower buds at transplanting.
HELICHRYSUM	50, 72, 84, 105	Optional	7-10	Optional	3-4	Propagate in low-volume mist group. Avoid high feed on foliage. High-humidity tents are effective. Pinch as needed to shape plants or hold crop.
HELIOTROPE	50, 72, 84, 105	Optional	6-9	No	3-4	Stick immediately upon arrival. Apply preventive fungicide spray after sticking. Reduce mist as soon as possible.
HIBISCUS	50, 72, 84, 105	Optional	6-8	Yes	3-4	Pinch liners to improve branching.
IMPATIENS, DOUBLE	50, 72, 84, 105	No	5-8	No	2-3	Reduce mist as soon as possible to reduce stretch. Transplant on time.
IMPATIENS, EXOTIC	50, 72, 84, 105	No	5-8	No	3	Avoid saturated media. Reduce mist as soon as possible. To reduce stretch, transplant on time.
IMPATIENS, NEW GUINEA	50, 72, 84, 105	No	7-8	No	3-4	Apply preventive fungicide spray after sticking. Reduce mist as soon as possible. Scout regularly for Botrytis.
SUNPATIENS® IMPATIENS; COMPACT, SPREADING AND VIGOROUS	50, 72, 84, 105	No	6-8	No	3	Reduce mist as soon as possible to reduce stretch. Transplant on time.

Стор	Tray Size(s) (cells/tray)	Rooting Hormone	Average Days with Mist	Pinch	Average Propagation Time (weeks)	Comments
IMPATIENS WALLERIANA	50, 72, 84, 105	No	5-8	No	3	Avoid saturated media. Reduce mist as soon as possible. To reduce stretch, transplant on time.
IPOMOEA	50, 72, 84, 105	No	3-4	Optional	3-4	Move rooted cuttings off of mist quickly to avoid stretch.
IRESINE	50, 72, 84, 105	No	4-7	No	3-4	Apply Bonzi spray 3-5 ppm on Blazin' Rose between Days 7 and 11 to control early stretch.
LAMIUM	32, 50, 72, 84, 105	No	6-9	Yes	3-4*	Reduce mist as soon as possible to reduce stretch. Transplant on time.
LANTANA	50, 72, 84, 105	Optional	7-11	Yes	4-5	Stick immediately upon arrival. Apply preventive fungicide spray after sticking.
LOBELIA	50, 72, 84, 105	Optional	6-9	Optional	4-5	Hormone will improve rooting. Pinch 18-21 days after sticking to improve branching.
LYSIMACHIA	32, 50, 72, 84, 105	No	6-9	Yes	3-4	Reduce mist as soon as possible to reduce stretch. Transplant on time.
MECARDONIA	105, 207	Yes, recommended but not required	6-8	Yes	4	Rooting hormone is recommended but not required.
NEMESIA	50, 72, 84, 105	No	6-9	Yes	3-4	Stick 2 cuttings per cell.
OSTEOSPERMUM	32, 50, 72, 84, 105	Yes	9-12	Optional	3-4	Maintain uniformity in mist and soil temperature. Do not allow cuttings to wilt. Pinch to increase branching.
PERILLA	50, 72, 84, 105	No	4-7	No	2-3	Avoid stretch. Reduce mist as soon as possible to reduce stretch. Transplant on time.
PETCHOA	50, 72, 84, 105	No	6-8	Yes	3-4	Avoid wide fluctuations in soil moisture. Apply preventive fungicide drench at 18-21 days after sticking.
PETUNIA	50, 72, 84, 105	No	6-9	No	3-4	Avoid stretch by moving crop to cooler air temperature in second and third weeks of propagation. Transplant on time.
PLECTRANTHUS	50, 72, 84, 105	No	6-10	Optional	3-4	Apply preventive fungicide spray after sticking.
PURSLANE	50, 72, 84, 105	No	4-7	Yes	2-3	Pinch as needed to remove flower buds and improve habit.
SALVIA GUARANITICA	50, 72, 84, 105	No	6-9	Optional	3-6*	Pinch 14-18 days after sticking to improve branching.
SALVIA LONGISPICATA X FARINACEA	32, 50, 72, 84, 105	No	5-8	Optional	3-6*	Apply B-Nine (2,500 ppm) spray in propagation once between Day 9 and 11. Reapply after transplant if growing under long days.
SCAEVOLA	50, 72, 84, 105	Optional	7-10	Yes	3-4	Reduce mist as soon as possible. Maintain warm soil temperature to optimize rooting.
STROBILANTHES	50, 72, 84, 105	No	7-12	Optional	4-5	Pinch 18-21 days after sticking to improve branching. Allow root system to develop sufficiently before transplanting.
THUNBERGIA	50, 72, 84, 105	No	7-12	Yes	4-5	Stick immediately upon arrival. Spray immediately after sticking with a surfactant such as CapSil to help rehydrate unrooted cuttings. Use night mist for 7-8 days as needed. Avoid wilt during first 24-48 hours.
VERBENA	50, 72, 84, 105	No	6-9	Yes	3-4	Reduce and then eliminate mist as soon as possible. Apply preventive fungicide spray after sticking.

 $^{^*}$ Average propagation time for perennials includes 3-5 weeks to bulk-up the liner before beginning cold treatment when started in late Summer or early Autumn.

ANNUAL CULTURE GUIDE

Crop	Series/Variety	Soil pH	Light Levels (fc)	Temperature Day	Temperature Night	Fertilization (ppm N)	No. of Pinches	
ALTERNANTHERA	Red Threads	5.8-6.2	4,000-8,000	74-85°F (23-29°C)	62-70°F (16-21°C)	175-225	1	
ANGELONIA	AngelMist®	5.8-6.2	6,000-10,000	74-85°F (23-29°C)	62-70°F (16-21°C)	175-225	0-2	
ANGELONIA	Archangel TM	5.8-6.2	6,000-10,000	74-85°F (23-29°C)	62-70°F (16-21°C)	175-225	0-2	
ARGYRANTHEMUM	Madeira™, Butterfly	5.8-6.2	6,000-9,000	65-79°F (18-26°C)	50-61°F (10-16°C)	225-300	0-1	
ARGYRANTHEMUM	Grandessa™	5.8-6.2	6,000-9,000	65-79°F (18-26°C)	50-61°F (10-16°C)	225-300	0-1	
BACOPA	MegaCopa™, Scopia® Double, Scopia Gulliver	5.4-5.8	4,000-8,000	65-76°F (18-24°C)	56-61°F (13-16°C)	175-225	1-2	
BIDENS	Bee Alive	5.8-6.2	5,000-9,000	59-76°F (15-24°C)	53-61°F (11-16°C)	175-225	1-3	
BIDENS	Sun Drop Improved, Sun Drop Compact, Sunbeam	5.8-6.2	5,000-9,000	59-76°F (15-24°C)	53-61°F (11-16°C)	175-225	1-3	
BRACHYSCOME	Amethyst, Enduring Blue	5.8-6.2	5,000-9,000	65-73°F (18-22°C)	56-61°F (13-16°C)	175-225	0-1	
BRACHYSCOME	Radiant Magenta	5.4-5.8	5,000-9,000	65-76°F (18-24°C)	62-67°F (16-19°C)	200-225	0-1	
BRACTEANTHA (STRAWFLOWER)	Basket Bon Bon, Dreamtime®	5.8-6.2	5,000-8,000	65-76°F (18-24°C)	56-61°F (13-16°C)	175-225	0-1	
CALIBRACHOA	Cabaret®, Can-Can®	5.4-5.8	5,000-8,000	71-76°F (21-24°C)	50-58°F (10-14°C)	225-300	1-2	
CALIBRACHOA	Conga™	5.4-5.8	5,000-8,000	71-76°F (21-24°C)	50-58° F (10-14° C)	225-300	1-2	
COLEUS	FlameThrower™, Florida Sun Rose, Lava Rose, Burgundy Wedding Train	5.8-6.2	4,000-10,000	74-85°F (23-29°C)	59-70°F (15-21°C)	175-225	0-2	

Crop Time from Rooted Cutting*

Olop Time nom	. lootod Odtii ig					
4 to 5-in. (10 to 13-cm) Pots	6-in. (15-cm) Pots, Gallons	10 to 12-in. (25 to 30-cm) Pots or Baskets	Plant Growth Regulators (S) spray (D) drench	Pests	Diseases	Comments
1 ppp / 6-8 weeks	1-2 ppp / 8-10 weeks	3-5 ppp / 10-12 weeks	Generally not needed. B-Nine(S) 2,500 ppm can be effective.	Spider mites	None	Pinch for better branching and shape.
1 ppp / 4-6 weeks	1-3 ppp / 7-9 weeks	3-5 ppp / 10-12 weeks	Generally not needed. B-Nine(S) 1,500-3,000 ppm and Cycocel 750-1,000 ppm tank mix(S). Avoid Florel use.	Whitefly, caterpillars	Root rot, Botrytis	High light will significantly improve plant quality by encouraging branching, earlier flowering and the ideal plant habit growth. Best-suited to mid to late Spring and Summer programs.
1 ppp / 5-8 weeks	1-3 ppp / 7-9 weeks	3-5 ppp / 10-12 weeks	Generally not needed. B-Nine(S) 1,500-3,000 ppm and Cycocel 750-1,000 ppm tank mix(S). Avoid Florel use.	Whitefly, caterpillars	Root rot, Botrytis	High light will significantly improve plant quality by encouraging branching, earlier flowering and the ideal plant habit growth. Best-suited to mid to late Spring and Summer programs.
1 ppp / 6-9 weeks	1-3 ppp / 7-10 weeks	3-5 ppp / 9-12 weeks	B-Nine 1,500-2,000 ppm and Cycocel 750-1,000 ppm tank mix(S) or Bonzi(D) 2-5 ppm to control growth.	Whitefly, leafminers, aphids	Root rot, Botrytis	High light and cool temperatures produce high- quality plants.
1 ppp / 6-9 weeks	1-3 ppp / 7-10 weeks	3-5 ppp / 9-12 weeks	B-Nine 1,500-2,000 ppm and Cycocel 750-1,000 ppm tank mix(S) or Bonzi(D) 2-5 ppm to control growth. White is more vigorous and requires more Bonzi, while Pink is more compact and requires less Bonzi.	Whitefly, leafminers, aphids	Root rot, Botrytis	After transplanting, allow plants to become established for 2-3 weeks at 60-65°F (15-18°C). Once plants are well established, begin growing at recommended cool temperatures. After 4-6 weeks of cool conditions, plants can be forced in 6-8 weeks.
1-2 ppp / 5-7 weeks	2-3 ppp / 7-10 weeks	4-5 ppp / 8-12 weeks	Generally not needed. B-Nine(S) 1,000-1,500 ppm can be used sparingly to tone and control spread. FloreI(S) 150-200 ppm will reduce early flowering and increase branching.	Thrips, aphids	Root rot, Botrytis	Pinch as needed to shape. Grow Bacopa bright and cool to maximize branching and encourage best possible habit. Test soil regularly for high pH/iron deficiency.
1 ppp / 5-7 weeks	2-3 ppp / 6-8 weeks	4-5 ppp / 6-9 weeks	PGR is generally not needed, as the genetic is genetically compact. Bee Alive responds well to B-Nine applications at rates below 2,500 ppm.	Fungus gnats	Root and stem rot	Pinch for better branching and shape.
1 ppp / 5-7 weeks	2-3 ppp / 6-8 weeks	4-5 ppp / 6-9 weeks	B-Nine(S) 2,500 ppm. Also responds to Sumagic(S) 3-5 ppm or Sumagic(D) 0.25 ppm.	Fungus gnats	Root and stem rot	Pinch for better branching and shape.
1 ppp / 4-6 weeks	2-3 ppp / 6-8 weeks	4-5 ppp / 12-14 weeks	Generally not needed. Enduring Blue is more naturally compact than Amethyst.	Thrips, whitefly	Botrytis, Thielaviopsis	Cool temperatures and high light will produce the best habit. Amethyst is best-suited for larger finish containers (1 gallon and up), while Enduring Blue is compact and suitable for finish containers up to 1 gallon.
1 ppp / 4-6 weeks	1-2 ppp / 6-8 weeks	4-5 ppp / 12-14 weeks	Generally not needed. Grow plants under high light with warm temperatures to achieve the best quality.	Thrips, whitefly	Botrytis	Supplement fertilizers with extra Fe to avoid yellowing foliage. Avoid cold and wet conditions.
1 ppp / 6-8 weeks	1-2 ppp / 7-9 weeks	3-5 ppp / 10-12 weeks	Generally not needed. Is responsive to Bonzi(S) 20-30 ppm or Sumagic(S) 10-20 ppm to maintain habit as needed.	Thrips, aphids, whitefly	Root and stem rot	High light and cool temperatures will improve plant quality significantly.
1 ppp / 6-9 weeks	1-2 ppp / 7-11 weeks	3-5 ppp / 8-12 weeks	Use B-Nine(S) 2,500-5,000 ppm, Bonzi(D) 3-8 ppm or Florel(S) 300-500 ppm applied 1 time up to 3 times for large baskets to maintain habit as needed.	Thrips, aphids, leafminers	Root rot	Cooler air temperatures and high light will reduce or eliminate any need for plant growth regulators. Maintain pH at 5.2-5.8 to optimize plant health. Crop times will be shortest as days lengthen in Spring. Apply preventative broadspectrum fungicide drench early (7-10 days after transplant). Avoid saturated media and excessive feed levels.
1 ppp / 5-8 weeks	1-3 ppp / 6-10 weeks	3-5 ppp / 8-12 weeks	Plant growth regulators are generally not needed and should only be applied if plants show signs of requiring extra control. B-Nine(S) 1,500-3,000 ppm applied 1 time up to 3 times should provide adequate control.	Thrips, aphids, leafminers	Root rot	Cooler air temperatures and high light will reduce or eliminate any need for plant growth regulators. Maintain pH at 5.2-5.8 to optimize plant health. Crop times will be shortest as days lengthen in Spring. Apply preventative broad-spectrum fungicide drench.
1 ppp / 5-7 weeks	1-2 ppp / 6-8 weeks	3-4 ppp / 8-11 weeks	Generally not needed. Sumagic(S) 5-10 ppm or a B-Nine 2,500-3,500 ppm and Cycocel 1,000-1,500 tank mix(S) can be used to maintain habit as needed.		Root rot	Lava Rose Coleus will generally not require any PGR applications during production. Plants should be pinched only as needed since Lava Rose is extremely free-branching.

 $^{^{\}star}$ ppp=plants per pot ** Perennial varieties that can be grown cold without treatment for Spring and Summer sales.

ANNUAL CULTURE GUIDE

Сгор	Series/Variety	Soil pH	Light Levels (fc)	Temperature Day	Temperature Night	Fertilization (ppm N)	No. of Pinches	
COLEUS	Campfire, Coleosaurus, Electric Lime®, French Quarter, Henna, Indian Summer, Inferno, Mint Mocha, Special Effects, Redhead, Ruby Slipper, Trusty Rusty, Vino, Wasabi	5.8-6.2	4,000-10,000	74-85°F (23-29°C)	59-70°F (15-21°C)	175-225	0-2	
CUPHEA	Allyson Heather	5.4-5.8	6,000-12,000	71-79°F (21-26°C)	59-64°F (15-17°C)	175-225	1-2	
CUPHEA	Firecracker	5.4-5.8	6,000-12,000	71-79°F (21-26°C)	59-64°F (15-17°C)	175-225	1-2	
DIASCIA	Juliet™, Romeo™	5.8-6.2	5,000-8,000	62-76°F (16-24°C)	35-52°F (1-11°C)	175-225	1-2	
ERYSIMUM	Apricot Twist	5.8-6.2	5,000-9,000	62-67°F (16-19°C)	56-61°F (13-19°C)	175-225	0-1	
EUPHORBIA HYPERCIFOLIA	Breathless®	5.8-6.2	6,000-9,000	65-76°F (18-24°C)	59-67°F (15-19°C)	175-225	1	
EVOLVULUS	Blue Daze	5.8-6.2	5,000-9,000	74-79°F (23-26°C)	59-64°F (15-17°C)	175-225	1-2	
GAURA LINDHEIMERI**	Belleza™	5.8-6.2	5,000-9,000	71-76°F (21-24°C)	56-61°F (13-16°C)	175-225	1-2	
GERANIUM, IVY	Focus TM	5.8-6.2	2,500-4,000	65-76°F (18-24°C)	62-67°F (16-19°C)	225-300	1-2	
GERANIUM, IVY	Precision TM	5.8-6.2	2,500-4,000	65-76°F (18-24°C)	62-67°F (16-19°C)	225-300	1-2	
GERANIUM, ZONAL	Allure™	6.2-6.6	3,500-6,000	65-76°F (18-24°C)	62-67°F (16-19°C)	225-300	0	
GERANIUM, ZONAL	Dynamo™	6.2-6.6	3,500-6,000	65-76°F (18-24°C)	62-67°F (16-19°C)	225-300	0	
GERANIUM, ZONAL	Fantasia®	6.2-6.6	3,500-6,000	65-76°F (18-24°C)	62-67°F (16-19°C)	225-300	0	
GERANIUM, ZONAL	Presto™	6.2-6.6	3,500-6,000	65-76°F (18-24°C)	62-67°F (16-19°C)	225-300	0	
HELICHRYSUM	Licorice, Silver Star	5.8-6.2	4,000-9,000	65-76°F (18-24°C)	50-61°F (10-16°C)	175-225	1-2	
HELIOTROPE	Marine	5.8-6.2	5,000-9,000	71-76°F (21-24°C)	50-61°F (10-16°C)	175-225	1-2	
HIBISCUS	Little Zin	5.8-6.2	6,000-10,000	74-85°F (23-29°C)	62-70°F (16-21°C)	175-225	1-2	
IMPATIENS, COMPACT, Spreading and Vigorous	SunPatiens®	5.8-6.2	4,000-9,000	68-79°F (20-26°C)	59-64°F (15-17°C)	75-150	0	

Crop Time from Rooted Cutting*

4 to 5-in. (10 to 13-cm) Pots	6-in. (15-cm) Pots, Gallons	10 to 12-in. (25 to 30-cm) Pots or Baskets	Plant Growth Regulators (S) spray (D) drench	Pests	Diseases	Comments
1 ppp / 5-7 weeks	1-3 ppp / 6-8 weeks	4-5 ppp / 8-11 weeks	Is responsive to B-Nine(S) 2,500-3,500 ppm and Cycocel(S) 1,000-1,500 ppm tank mix or Sumagic(S) 5-10 ppm.	Whitefly, aphids, thrips	_	Pinch early to shape. Scout plants regularly for whitefly. Avoid crowding at all stages.
1-3 ppp / 6-8 weeks	2-5 ppp / 7-9 weeks	3-6 ppp / 10-12 weeks	None	Whitefly, aphids	Botrytis, Root rot	Pinch as needed to shape. Fertilize regularly. Crop times will be shortest under high light.
1-2 ppp / 6-8 weeks	1-2 ppp / 7-9 weeks	3-5 ppp / 10-12 weeks	None	Whitefly, aphids	Botrytis, Oedema, Root rot	Pinch as needed to shape. Keep soil moderately dry and maintain adequate air circulation during finishing to avoid Oedema. Fertilize regularly. Crop times will be shortest under high light.
1 ppp / 5-7 weeks	1-2 ppp / 7-9 weeks	3-4 ppp / 9-11 weeks	Use B-Nine(S) 3,000-5,000 ppm as needed to maintain habit. Florel(S) 200-300 ppm can be used to improve branching.	Thrips, aphids, leafminers	Root rot	If grown cool and with high light levels, Juliet and Romeo Diascia will generally require little, if any, PGRs.
1 ppp / 7-10 weeks	1-2 ppp / 8-12 weeks	3-5 ppp / 14-17 weeks	Generally not needed. Growing under high light and cooler temperatures is the most effective way to control growth and improve plant habit.	Whitefly, aphids	Root and stem rot	Erysimum will start to flower from mid-Spring (in milder climates) to early Summer (in northern areas).
1 ppp / 5-7 weeks	1-3 ppp / 6-9 weeks	3-5 ppp / 9-11 weeks	B-Nine(S) 2,500 ppm, Cycocel(S) 750 ppm tank mix 7-10 days after transplant. Do not use Florel.	_	_	Sensitive to overwatering. Pinch for a better habit especially in larger containers.
1 ppp / 6-8 weeks	1-2 ppp / 8-9 weeks	3-4 ppp / 10-12 weeks	None	Whitefly, aphids	Pythium, Botrytis	Pinch as needed to shape. Fertilize regularly. Avoid extremely high humidity or saturated media, both of which will encourage <i>Botrytis</i> .
1 ppp / 7-10 weeks	1-3 ppp / 9-12 weeks	3-4 ppp / 11-13 weeks	Use B-Nine(S) 3,000-4,000 ppm, Bonzi(S) 30-50 ppm or Sumagic(S) 15- 30 ppm to control final plant height.	Whitefly, aphids	Botrytis, Root rot	Pinch Gaura shortly after transplanting to encourage a full habit at flowering.
1 ppp / 8-10 weeks	1-2 ppp / 9-10 weeks	4-5 ppp / 11-13 weeks	Cycocel(S) 750-1,500 ppm to control growth; Florel(S) 200-300 ppm to improve branching. PGR generally not needed for basket production.	Fungus gnats, thrips, aphids, mites	Botrytis, Oedema, Pythium, Xanthomonas	Avoid drastic swings in soil moisture to reduce Oedema.
1 ppp / 8-10 weeks	1-2 ppp / 9-10 weeks	4-5 ppp / 11-13 weeks	Cycocel(S) 750-1,500 ppm to control growth; Florel(S) 200-300 ppm to improve branching.	Fungus gnats, thrips, aphids, mites	Botrytis, Oedema, Pythium, Xanthomonas	Avoid drastic swings in soil moisture to reduce Oedema.
1 ppp / 8-9 weeks	1-2 ppp / 9-10 weeks	4-5 ppp / 11-13 weeks	Cycocel(S) 750-1,000 ppm to control growth; Florel(S) 200-300 ppm to improve branching.	Fungus gnats, thrips, aphids, mites	Botrytis, Pythium, Xanthomonas	Keep foliage dry. Provide good air circulation.
1 ppp / 8-9 weeks	1-2 ppp / 9-10 weeks	4-5 ppp / 11-13 weeks	Cycocel(S) 750-1,000 ppm to control growth; Florel(S) 200-300 ppm to improve branching.	Fungus gnats, thrips, aphids, mites	Botrytis, Pythium, Xanthomonas	Keep foliage dry. Provide good air circulation.
1 ppp / 8-9 weeks	1-2 ppp / 9-10 weeks	4-5 ppp / 11-13 weeks	Cycocel(S) 750-1,000 ppm to control growth; Florel(S) 200-300 ppm to improve branching.	Fungus gnats, thrips, aphids, mites	Botrytis, Pythium, Xanthomonas	Fantasia Geraniums usually do not require PGRs to produce high-quality plants.
1 ppp / 8-9 weeks	1-2 ppp / 9-10 weeks	4-5 ppp / 11-13 weeks	Generally not needed. Cycocel(S) 750-1,000 ppm to control growth; Florel(S) 200-300 ppm to improve branching.	Fungus gnats, thrips, aphids, mites	Botrytis, Pythium, Xanthomonas	Presto Geraniums usually do not require PGRs to produce high-quality plants. They are naturally compact, well-branched and early to flower.
1 ppp / 5-7 weeks	2-3 ppp / 7-9 weeks	3-5 ppp / 9-11 weeks	None	Fungus gnats, whitefly	Root rot	Avoid saturated media at any time. Pinch regularly to shape.
1 ppp / 6-7 weeks	1-2 ppp / 8-9 weeks	3-5 ppp / 10-12 weeks	Use B-Nine 1,500-3,000 ppm and Cycocel 750-1,000 ppm tank mix(S).	Whitefly, mites, aphids	Root rot	Cool temperatures and high light will reduce or eliminate any need for plant growth regulators.
1 ppp / 6-8 weeks	1-2 ppp / 8-10 weeks	3-5 ppp / 10-12 weeks	Use of 1 to 3 applications of B-Nine 2,500 ppm recommended to tone finished plant habit.	Spider mites, whitefly	None	Provide high light to achieve the best foliage coloration.
1 ppp / 5-7 weeks	1 ppp / 7-9 weeks	3 ppp / 9-12 weeks	B-Nine/Bonzi (S) 1,000 ppm; B-Nine/2 ppm Bonzi (low rate) for Compact series; 1,500 ppm; B-Nine/4 ppm Bonzi (med rate) for Spreading series.	Thrips, aphids, mites	Impatiens Necrotic Spot Virus, Botrytis, Pythium	Dry culture, low to moderate nutrition, and cool temperatures will promote toned plants.

 $^{^{\}star}$ ppp=plants per pot ** Perennial varieties that can be grown cold without treatment for Spring and Summer sales.

ANNUAL CULTURE GUIDE

Crop	Series/Variety	Soil pH	Light Levels (fc)	Temperature Day	Temperature Night	Fertilization	No. of Pinches	
						(ppm N)		
IMPATIENS, DOUBLE	Fiesta™	5.8-6.2	4,000-6,000	68-76°F (20-24°C)	56-61°F (13-16°C)	175-225	0-1	
IMPATIENS, DOUBLE	Fiesta Bonita™	5.8-6.2	4,000-6,000	68-76°F (20-24°C)	56-61°F (13-16°C)	175-225	0-1	
IMPATIENS, EXOTIC	Fusion™	5.8-6.2	4,000-6,000	68-76°F (20-24°C)	56-61°F (13-16°C)	175-225	0-1	
IMPATIENS, NEW GUINEA	Celebration	5.8-6.2	4,000-7,000	68-76°F (20-24°C)	59-64°F (15-17°C)	175-225	0	
IMPATIENS, NEW GUINEA	Celebrette, Clockwork™	5.8-6.2	4,000-7,000	68-76°F (20-24°C)	59-64°F (15-17°C)	175-225	0	
IMPATIENS WALLERIANA	Patchwork TM	5.8-6.2	4,000-6,000	68-76°F (20-24°C)	56-61°F (13-16°C)	175-225	0-1	
IPOMOEA	Spotlight™, SolarPower™	5.8-6.2	6,000-10,000	70-75°F (21-24°C)	65-70°F (18-21°C)	175-225	0-1	
IRESINE	Blazin' Lime, Blazin' Rose	5.8-6.2	4,000-7,000	71-79°F (21-26°C)	62-67°F (16-19°C)	175-225	1-2	
LAMIUM	Jade Frost	5.8-6.2	4,000-8,000	71-79°F (21-26°C)	59-64°F (15-17°C)	175-225	1-2	
LAMIUM	'Anne Greenaway', 'Beacon Silver', 'White Nancy'	5.8-6.2	4,000-8,000	71-79°F (21-26°C)	59-64°F (15-17°C)	175-225	1-2	
LANTANA	Landmark™, Little Lucky™, Lucky™, Dallas Red, New Gold, Purple Trailing	5.8-6.2	5,000-10,000	74-85°F (23-29°C)	62-67°F (16-19°C)	225-300	1-3	

Crop Time from Rooted Cutting*

4 to 5-in. (10 to 13-cm) Pots	6-in. (15-cm) Pots, Gallons	10 to 12-in. (25 to 30-cm) Pots or Baskets	Plant Growth Regulators (S) spray (D) drench	Pests	Diseases	Comments
1 ppp / 6-9 weeks	1-2 ppp / 7-9 weeks	4-5 ppp / 10-12 weeks	Bonzi(S) 5-15 ppm can be used to control habit early; Bonzi(D) 0.5-1.0 ppm applied as crop matures will control final height but not delay flowering or reduce flower size. Florel(S) 100-200 ppm can be used to improve branching but will usually not be needed.	Leafminers, thrips	Impatiens Necrotic Spot Virus, <i>Botrytis</i> , <i>Pythium</i>	Start feeding immediately after transplanting. Avoid water stress in all stages of crop. Avoid cold stress (night temperatures below 65°F/18°C). Maintain EC above 1.0 (SME). Use early PGR applications to achieve ideal finished plants.
1 ppp / 5-7 weeks	1-2 ppp / 6-8 weeks	4-5 ppp / 9-12 weeks	Bonzi(S) 5-10 ppm can be used to control habit early; Bonzi(D) 0.5-1.0 ppm applied as crop matures will control final height but not delay flowering or reduce flower size. Florel(S) 100-200 ppm can be used to improve branching but will usually not be needed.	Leafminers, thrips	Impatiens Necrotic Spot Virus, <i>Botrytis</i> , <i>Pythium</i>	Start feeding immediately after transplanting. Avoid water stress in all stages of crop. Avoid cold stress (night temperatures below 65°F/18°C). Maintain EC above 1.0 (SME). Use early PGR applications to achieve ideal finished plants. Fiesta Bonita Double Impatiens require less PGRs than Fiesta Double Impatiens.
1 ppp / 6-8 weeks	1-2 ppp / 7-9 weeks	3-5 ppp / 10-12 weeks	Bonzi(S) 5-15 ppm is effective for height control. Florel(S) 100-300 ppm can be used to improve branching but will not usually be needed.	Aphids, thrips	Impatiens Necrotic Spot Virus, <i>Botrytis</i> , <i>Pythium</i>	Start feeding immediately after transplanting. Avoid water stress in all stages of crop. Avoid cold stress (night temperatures below 65°F/18°C). Maintain EC above 1.0 (SME). Use early PGR application to achieve ideal finished plants. A light Bonzi drench when plant is three-quarters of finish size will promote flowering above the foliage.
1 ppp / 7-9 weeks	1-2 ppp / 9-10 weeks	3-5 ppp / 10-13 weeks	Bonzi(S) 2-15 ppm can be used to control habit early; Bonzi(D) 0.25-2.0 ppm applied as crop matures will control final height but not delay flowering or reduce flower size. Florel(S) 100-200 ppm can be used to improve branching but will usually not be needed.	Thrips, aphids, mites	Impatiens Necrotic Spot Virus, <i>Botrytis</i> , <i>Pythium</i>	Maintain 68°F (20°C) average daily temperature to optimize bloom size and reduce time to flower. Cooler temperatures will extend crop time. Grow crop somewhat dry to help control growth and hasten flowering. Avoid excess micro-nutrients in the soil. With good cultural practices and environmental conditions, no PGRs will be needed.
1 ppp / 6-8 weeks	1-2 ppp / 7-9 weeks	4-5 ppp / 8-11 weeks	Bonzi(S) 2-10 ppm can be used to control habit early; Bonzi(D) 0.25-1.0 ppm applied as crop matures will control final height but not delay flowering or reduce flower size. Florel(S) 100-200 ppm can be used to improve branching but will usually not be needed.	Thrips, aphids, mites	Impatiens Necrotic Spot Virus, <i>Botrytis</i> , <i>Pythium</i>	Maintain 68°F (20°C) average daily temperature to optimize bloom size and reduce time to flower. Cooler temperatures will extend crop time. Grow crop somewhat dry to help control growth and hasten flowering. Avoid excess micro-nutrients in the soil. With good cultural practices and environmental conditions, no PGRs will be needed.
1 ppp / 6-8 weeks	1-2 ppp / 7-9 weeks	3-5 ppp / 10-12 weeks	Bonzi(S) 5-15 ppm is effective for height control. Florel(S) 100-300 ppm can be used to improve branching but will not usually be needed.	Aphids, thrips	Impatiens Necrotic Spot Virus, <i>Botrytis</i> , <i>Pythium</i>	Start feeding immediately after transplanting. Avoid water stress in all stages of crop. Avoid cold stress (night temperatures below 65°F18°C). Maintain EC above 1.0 (SME). Use early PGR application to achieve ideal finished plants. A light Bonzi drench when plant is three-quarters of finish size will promote flowering above the foliage.
1 ppp / 4-5 weeks	1 ppp / 5-6 weeks	3-5 ppp / 8-10 weeks	Generally not required. B-Nine (S) 2,500-3,500 ppm can be effective at controlling growth.	Aphids, whitefly	Pseudomonas	Avoid cold and wet conditions.
1 ppp / 7-9 weeks	2-3 ppp / 8-10 weeks	4-5 ppp / 10-13 weeks	Generally not needed. Responsive to Bonzi.	Whitefly	_	Pinch regularly to encourage branching and improve habit.
1 ppp / 4-5 weeks	2-3 ppp / 5-8 weeks	3-5 ppp / 8-10 weeks	Generally not needed. Soil moisture and cool temperatures are the most effective way to control growth.	Aphids, whitefly	Root and stem rot	Pinch plants to encourage branching and improve habit.
1 ppp / 4-5 weeks	2-3 ppp / 5-8 weeks	3-5 ppp / 8-10 weeks	Generally not needed. Soil moisture and cool temperatures are the most effective way to control growth.	Aphids, whitefly	Root and stem rot	Pinch plants to encourage branching and improve habit.
1-2 ppp / 6-7 weeks	1-3 ppp / 7-8 weeks	3-6 ppp / 10-12 weeks	Lantana is responsive to a B-Nine 2,500-5,000 ppm and Cycocel 1,000-1,500 ppm tank mix(S) as well as Florel(S) 300-400 ppm, Bonzi(S) 20-40 ppm and Sumagic(S) 10-20 ppm. Little Lucky should not need growth regulators due to its naturally compact habit.	Whitefly, leafminer, aphids	Root rot	Allow plants to dry regularly between waterings. Pinch as needed to shape. Feeding at recommended levels will promote vigorous plants that will continue to actively grow and flower. Lucky varieties are naturally compact and free-branching, while Landmark varieties are more vigorous.

 $^{^{\}star}$ ppp=plants per pot ** Perennial varieties that can be grown cold without treatment for Spring and Summer sales.

ANNUAL CULTURE GUIDE

Crop	Series/Variety	Soil pH	Light Levels (fc)	Temperature Day	Temperature Night	Fertilization (ppm N)	No. of Pinches	
LOBELIA	Waterfall™	5.8-6.2	5,000-8,000	71-76°F (21-24°C)	56-61°F (13-16°C)	175-225	1-2	
LOBELIA	Early Springs™	5.8-6.2	5,000-8,000	71-76°F (21-24°C)	56-61°F (13-16°C)	175-225	1-2	
LYSIMACHIA NUMMULARIA**	Goldilocks	5.8-6.2	4,000-8,000	71-79°F (21-26°C)	59-64°F (15-17°C)	175-225	1-2	
MECARDONIA	Little Sunshine	5.5-6.0	3,500-6,000	68-77°F (20-25°C)	68°F (20°C)	150-200	2 for pot sizes over 6 in. (15 cm)	
NEMESIA	Aromatica™	5.8-6.2	4,000-7,000	65-76°F (18-24°C)	35-52°F (1-11°C)	175-225	1-2	
OSTEOSPERMUM	Serenity™, Blue Eyed Beauty	5.8-6.2	5,000-9,000	59-76°F (15-24°C)	44-55°F (6-12°C)	225-300	1	
OSTEOSPERMUM	Voltage™ Yellow, Voltage White	5.8-6.2	5,000-9,000	59-76°F (15-24°C)	44-55°F (6-12°C)	225-300	0-1	
PERILLA	Magilla® Purple	5.8-6.2	4,000-10,000	74-85°F (23-29°C)	59-70°F (15-21°C)	175-225	0-1	
PETCHOA	SuperCal®	5.4-5.9	5,000-8,000	60-70° F (16-21° C)	50-58° F (10-14° C)	200-250	1 or 2	
PETUNIA	Cascadias™ Indian Summer, ColorRush™, Double Wave®, Suncatcher™	5.4-5.8	5,000-8,000	59-76°F (15-24°C)	53-61°F (11-16°C)	225-300	0-1	
PETUNIA	Phantom, Pinstripe, Sun Spun®	5.4-5.8	5,000-8,000	59-76°F (15-24°C)	53-61°F (11-16°C)	225-300	0-1	
PETUNIA	Glow	5.4-5.8	5,000-8,000	59-76° F (15-24° C)	53-61° F (11-16° C)	225-300	0-1	
PETUNIA	Black Magic	5.4-5.8	5,000-8,000	59-76° F (15-24° C)	53-61° F (11-16° C)	225-300	0-1	

Crop Time from Rooted Cutting*

4 to 5-in. (10 to 13-cm) Pots	6-in. (15-cm) Pots, Gallons	10 to 12-in. (25 to 30-cm) Pots or Baskets	Plant Growth Regulators (S) spray (D) drench	Pests	Diseases	Comments
1 ppp / 9-10 weeks	2-3 ppp / 10- 11 weeks	4-5 ppp / 10-13 weeks	Generally not needed.	Thrips	Botrytis	Blue has a mounded, trailing habit, while Lavender has a trailing habit. Ideal for Spring and Summer throughout North America. Will flower in Autumn, Winter and early Spring in the Sunbelt.
1 ppp / 7-9 weeks	1 ppp / 9-11 weeks	4-5 ppp / 10-12 weeks	Generally not needed.	Aphids, thrips	Botrytis	Transplant 24-28 days after stick, and optional pinch again 10-14 days after transplant. 4-in. (10-cm) size may skip second pinch. Keep on dry side.
1 ppp / 4-5 weeks	2-3 ppp / 5-8 weeks	3-5 ppp / 8-10 weeks	Generally not needed. Pinching is best for shaping the plant.	_	_	Lysimachia Goldilocks is grown primarily for its foliage.
1 ppp / 6-8 weeks	2-3 ppp / 6-8 weeks	5-6 ppp / 10-12 weeks	Plant Growth Regulators not needed when grown in high light.	Aphids, fungus gnats, slugs/ snails	Root and stem rot, <i>Botrytis</i>	Mecardonia is heat and drought tolerant in the landscape. Generally, finished production pots can be produced with little to no maintenance required.
1 ppp / 5-7 weeks	2-3 ppp / 7-9 weeks	3-4 ppp / 9-11 weeks	Grow cool and bright to improve habit. Nemesia is responsive to B-Nine(S) 2,500-4,000 ppm, Sumagic(S) 20-30 ppm, and Florel(S) 200-300 ppm.	Thrips, aphids, leafminer	Root rot	If grown cool and with high light levels, Aromatica will generally require little, if any, PGRs. Avoid water-logged media.
1 ppp / 10-13 weeks	2-3 ppp / 11- 14 weeks	3-4 ppp / 11-15 weeks	Is responsive to B-Nine(S) 2,500-4,000 ppm alone or as a tank mix(S) with Cycocel 750-1,000 ppm. Bonzi(S) 15-30 ppm is also effective.	Aphids, whitefly, thrips	Root and stem rot, <i>Botrytis</i>	After transplanting, allow plants to become established for 1-2 weeks at 60-65°F (15-18°C). Once plants are well established, begin growing at recommended cool temperatures. After 4-6 weeks of cool conditions, plants can be forced in 6-8 weeks.
1 ppp / 8-11 weeks	1-2 ppp / 8-11 weeks	3-5 ppp / 8-11 weeks	Is responsive to B-Nine(S) 2,500-4,000 ppm alone or as a tank mix(S) with Cycocel 750-1,000 ppm. Bonzi(S) 15-30 ppm is also effective.	Aphids, whitefly, thrips	Root and stem rot, <i>Botrytis</i>	After transplanting, allow plants to become established for 1-2 weeks at 60-65°F (15-18°C). Once plants are well established, pinch and begin growing at recommended cool temperatures. Pinch optional. After 4-6 weeks of cool conditions, plants can be forced in 6-8 weeks.
1 ppp / 5-7 weeks	1-2 ppp / 6-8 weeks	3-4 ppp / 8-11 weeks	B-Nine(S) 2,000-4,000 ppm, applied 1-3 times, can be used to control habit.	Thrips, aphids, whitefly	Root rot	Plants should be pinched as needed to control habit. Crop times will be shorter under long days or warmer temperatures.
1 ppp / 6-8 weeks	1-3 ppp / 7-9 weeks	3-5 ppp / 9-12 weeks	Foliar sprays of A-Rest 10-30 ppm or sprays of B-Nine/Bonzi tank mix, B-Nine 2,500-5,000 ppm/Bonzi 10-30 ppm. Drench of A-Rest 1-3 ppm, or drench of Bonzi 1-4 ppm.	Whitefly, thrips, leafminers, aphids, mites	Botrytis, Crown rot, Tobacco Mosaic Virus	Blue, Purple, Terracotta, Velvet are high vigor. Artist Rose, Blushing Pink, Cherry, Neon Rose, Pink Ice, Violet are medium vigor. Cool temperatures and high light reduce need for PGR.
1 ppp / 6-8 weeks	2-3 ppp / 7-9 weeks	3-5 ppp / 9-12 weeks	B-Nine(S) 1,500-2,500 ppm, applied 2-4 times, can be used to control habit early; Bonzi(D) 0.25-1.0 ppm applied as crop matures will control final height but not delay flowering or reduce flower size.	Whitefly, thrips, leafminers	Botrytis, Root rot, Tobacco Mosaic Virus	Cool temperatures and high light will reduce or eliminate any need for PGRs. Monitor regularly for high pH and possible iron deficiency. Flowering will be best as days lengthen in late Spring and Summer. Daylength of more than 14 hours will hasten flowering.
1 ppp / 5-7 weeks	2-3 ppp / 6-8 weeks	3-5 ppp / 8-11 weeks	B-Nine(S) 1,500-2,500 ppm, applied 2-4 times, can be used to control habit early. Bonzi(D) 0.25-1.0 ppm applied as crop matures will control final height but not delay flowering or reduce flower size. B-Nine applications late in the crop time can cause instability in flower color.	Whitefly, thrips, leafminers	Botrytis, Root rot, Tobacco Mosaic Virus	Cool temperatures and high light will reduce or eliminate any need for PGRs. Monitor regularly for high pH and possible iron deficiency. Flowering will be best as days lengthen in late Spring and Summer. Daylength of more than 14 hours will hasten flowering.
1 ppp / 5-7 weeks	2-3 ppp / 6-8 weeks	3-5 ppp / 8-11 weeks	B-Nine(S) 1,500-2,500 ppm, applied 2-4 times, can be used to control habit early. Bonzi(D) 0.25-1.0 ppm applied as crop matures will control final height but not delay flowering or reduce flower size.	Whitefly, thrips, leafminers	Botrytis, Root rot, Tobacco Mosaic Virus	Cool temperatures and high light will reduce need for PGRs. Monitor regularly for high and possible iron deficiency.
1 ppp / 5-7 weeks	2-3 ppp / 6-8 weeks	3-5 ppp / 8-11 weeks	B-Nine(S) 1,500-2,500 ppm, applied 2-4 times, can be used to control habit early. Bonzi(D) 0.25-1.0 ppm applied as crop matures will control final height but not delay flowering or reduce flower size.	Whitefly, thrips, leafminers	Botrytis, Root rot, Tobacco Mosaic Virus	Cool temperatures and high light will reduce or eliminate any need for PGRs. Monitor regularly for high pH and possible iron deficiency.

 $^{^{\}star}$ ppp=plants per pot ** Perennial varieties that can be grown cold without treatment for Spring and Summer sales.

ANNUAL CULTURE GUIDE

				1				
Crop	Series/Variety	Soil pH	Light Levels (fc)	Temperature Day	Temperature Night	Fertilization (ppm N)	No. of Pinches	
PETUNIA	Cha-Ching Cherry	5.4-5.8	5,000-8,000	59-76° F (15-24° C)	53-61° F (11-16° C)	225-300	0-1	
PETUNIA	Ragtime	5.8-6.2	5,000-8,000	59-76° F (15-24° C)	53-61° F (11-16° C)	225-300	0-1	
PETUNIA	Flash Mob	5.4-5.8	5,000-8,000	59-76° F (15-24° C)	53-61° F (11-16° C)	225-300	0-1	
PETUNIA	Lime Light	5.8-6.2	5,000-8,000	59-76° F (15-24° C)	53-61° F (11-16° C)	225-300	0-1	
PETUNIA	Rhythm and Blues	5.8-6.2	5,000-8,000	59-76° F (15-24° C)	53-61° F (11-16° C)	225-300	0-1	
PLECTRANTHUS	Mona Lavender	5.8-6.2	4,000-7,000	74-79°F (23-26°C)	59-64°F (15-17°C)	175-225	0-1	
PLECTRANTHUS	Nico, Nicolleta, Variegata	5.8-6.2	5,000-8,000	71-79°F (21-26°C)	56-61°F (13-16°C)	175-225	1-2	
PURSLANE	Fairytales, Río Grande™	5.8-6.2	5,000-10,000	71-79°F (21-26°C)	62-67°F (16-19°C)	225-300	1-2	
SALVIA GUARANITICA	Black & Blue, Black & Bloom	5.4-5.8	6,000-9,000	71-79°F (21-26°C)	59-64°F (15-17°C)	175-225	1-2	
SALVIA LONGISPICATA X FARINACEA	Mystic Spires Blue	5.8-6.2	6,000-10,000	71-79°F (21-26°C)	62-67°F (16-19°C)	175-225	1-2	
SCAEVOLA	Blue Fan, Bondi™, Brilliant, White Sparkle	5.8-6.2	5,000-9,000	74-79°F (23-26°C)	59-64°F (15-17°C)	175-225	1-2	
STROBILANTHES	Persian Shield	5.8-6.2	3,000-6,000	74-79°F (23-26°C)	59-64°F (15-17°C)	175-225	1-3	
THUNBERGIA	Sunny™	5.8-6.2	5,000-8,000	71-79°F (21-26°C)	59-64°F (15-17°C)	175-225	1-3	
VERBENA	Aztec®, Aztec Magic™	5.8-6.2	5,000-8,000	71-79°F (21-26°C)	62-64°F (16-17°C)	225-300	1-2	
VERBENA	EnduraScape™	5.8-6.2	5,000-8,000	71-79°F (21-26°C)	62-64°F (16-17°C)	225-300	1-2	

Crop Time from Rooted Cutting*

4 to 5-in. (10 to 13-cm) Pots	6-in. (15-cm) Pots, Gallons	10 to 12-in. (25 to 30-cm) Pots or Baskets	Plant Growth Regulators (S) spray (D) drench	Pests	Diseases	Comments
1 ppp / 5-7 weeks	2-3 ppp / 6-8 weeks	3-5 ppp / 8-11 weeks	B-Nine(S) 1,500-2,500 ppm, applied 2-4 times, can be used to control habit early. Bonzi(D) 0.25-1.0 ppm applied as crop matures will control final height but not delay flowering or reduce flower size. B-Nine applications late in the crop time can cause instability in flower color.	Whitefly, thrips, leafminers	Botrytis, Root rot, Tobacco Mosaic Virus	Cool temperatures and high light will reduce or eliminate any need for PGRs. Monitor regularly for high pH and possible iron deficiency. First blooms in low light/short day will have less star; as crop matures, color pattern intensifies.
1 ppp / 6-8 weeks	1-3 ppp / 7-9 weeks	3-5 ppp / 9-12 weeks	Early applications of growth regulators are required. B-Nine 1,500-2,000 ppm/ Cycocel 750-1,000 ppm spray, Bonzi 2-3 ppm drench. Apply 2-3 times early in the crop cycle.	Whitefly, thrips, leafminers	Botrytis, Root rot, Tobacco Mosaic Virus	This is a vigorous variety that branches well. Early growth regulator applications help with tone and branching.
1 ppp / 5-7 weeks	2-3 ppp / 6-8 weeks	3-5 ppp / 8-11 weeks	B-Nine(S) 1,500-2,500 ppm, applied 2-4 times, can be used to control habit early. Bonzi(D) 0.25-1.0 ppm applied as crop matures will control final height but not delay flowering or reduce flower size. B-Nine applications late in the crop time can cause instability in flower color.	Whitefly, thrips, leafminers	Botrytis, Root rot, Tobacco Mosaic Virus	Cool temperatures and high light will reduce or eliminate any need for PGRs. Monitor regularly for high pH and possible iron deficiency. Flowering will be best as days lengthen in late Spring and Summer. Daylength of more than 14 hours will hasten flowering.
1 ppp / 5-7 weeks	2-3 ppp / 6-8 weeks	3-5 ppp / 8-11 weeks	Generally not needed.	Whitefly, thrips, leafminers	Botrytis, Root rot, Tobacco Mosaic Virus	This variety is extremely sensitive to growth regulators, and it is naturally well-branched and compact.
1 ppp / 6-8 weeks	1-3 ppp / 7-9 weeks	3-5 ppp / 9-12 weeks	Early applications of growth regulators are required. B-Nine 1,500-2,000 ppm/ Cycocel 750-1,000 ppm spray, Bonzi 2-3 ppm drench. Apply 2-3 times early in the crop cycle.	Whitefly, thrips, leafminers	Botrytis, Root rot, Tobacco Mosaic Virus	This is a vigorous variety that branches well. Early growth regulator applications help with tone and branching.
1 ppp / 6-8 weeks	1-2 ppp / 7-9 weeks	3-5 ppp / 9-12 weeks	B-Nine 1,500-2,500 ppm and Cycocel 750-1,000 ppm tank mix(S) or Bonzi(S) 5-20 ppm applied as needed is effective.	Whitefly, worms	Root rot	Mona Lavender requires a short-day treatment to flower. Natural-day crops can be finished in southern climates for January to March sales. Spring, Summer and Fall crops can be achieved using black cloth/short days in all regions.
1 ppp / 6-8 weeks	1-3 ppp / 7-10 weeks	3-5 ppp / 9-12 weeks	Generally not needed.	Whitefly	Botrytis, Pythium, Rhizoctonia	Regularly allow the media to dry between waterings. Pinch regularly to improve habit.
1-2 ppp / 5-6 weeks	2-3 ppp / 6-8 weeks	3-5 ppp / 9-12 weeks	Generally not needed.	Whitefly	Root rot	Regularly allow the media to dry moderately between waterings, especially in cool periods. Regular pinching and constant feeding will improve habit and flowering.
1 ppp / 7-9 weeks	1-2 ppp / 8-10 weeks	2-3 ppp / 10-12 weeks	A B-Nine 2,000-3,500 ppm and Cycocel 1,000-1,500 ppm tank mix(S) will help control height.	Whitefly, fungus gnats, thrips	Botrytis, Pythium, Rhizoctonia	Regularly allow the media to dry between waterings, particularly during cool periods. Salvia Black & Blue prefers warm conditions to ensure early flowering.
1 ppp / 4-8 weeks	2-3 ppp / 6-10 weeks	4-5 ppp / 8-12 weeks	Responsive to B-Nine 2,500-3,000 ppm. Increase rates as days lengthen in late Spring and Summer.	Whitefly	_	Regularly allow the media to dry moderately between waterings, especially in cool periods. Proper pinching and moderate feeding will improve habit and flowering.
1 ppp / 5-7 weeks	1-2 ppp / 7-8 weeks	3-5 ppp / 10-12 weeks	Generally not needed. Bonzi(D) 1-3 ppm or Bonzi(S) 20-40 ppm will control growth.	Whitefly	Pythium, Rhizoctonia	Scaevola prefers a well-drained soil. Allow the media to dry between waterings. Night temperatures lower than recommended will significantly slow the crop and lead to problems with root rot.
_	1-2 ppp / 8-10 weeks	3-5 ppp / 10-13 weeks	Generally not needed.	Whitefly	Root rot	Moderate light levels produce more colorful foliage. Pinch early to shape. Feed regularly to maintain growth.
1 ppp / 6-8 weeks	1-2 ppp / 7-9 weeks	4-5 ppp / 10-12 weeks	Generally not needed.	Mites, whitefly, thrips	Botrytis	Thunbergia is a warm-season crop that prefers night temperatures above 60°F (15°C). Pinch regularly to shape.
1 ppp / 5-7 weeks	1-3 ppp / 7-8 weeks	weeks	Responsive to a B-Nine 2,500-3,500 ppm/Cycocel 750-1,000 ppm tank mix(S) and Florel(S) 250-300 ppm to control growth and improve plant habit.	Whitefly, leafminers, aphids	Root rot	Regularly allow plants to dry between waterings. Pinch as needed to shape.
1 ppp / 5-7 weeks	1-3 ppp / 7-8 weeks	4-5 ppp / 10-13 weeks	Responsive to a B-Nine 2,500-3,500 ppm/Cycocel 750-1,000 ppm tank mix(S) and Florel(S) 250-300 ppm to control growth and improve plant habit.	Whitefly, leafminers, aphids	Root rot	Regularly allow plants to dry between waterings. Pinch as needed to shape. EnduraScape varieties may require more PGR use under normal conditions.

^{*} ppp=plants per pot
** Perennial varieties that can be grown cold without treatment for Spring and Summer sales.

Ball Horticultural Company Tag and Photography Policy

All finished Ball FloraPlant® vegetative varieties must be sold with a Ball Horticultural Company supplied or approved plant label or tag. All materials promoting Ball FloraPlant varieties must include the following:

- Full commercial name to include trademark, as applicable; and full variety
- U.S. Plant Patent number or PPAF (Plant Patent Applied For), as applicable; and/or U.S. Utility Patent number or UPAF (Utility Patent Applied For), as applicable.
- · "Propagation is Prohibited" or "Propagation Prohibited."

Note: please refer to the Ball Horticultural Company website for current U.S. patent information.

All images featuring Ball products are to be used for promotional materials, including but not limited to point-of-purchase items, advertising, brochures, etc. They may not be used on plant tags or containers without permission from Ball.

All images loaned by Ball are copyrighted and are the property of Ball Horticultural Company. They are loaned to customers for promotional use only and are not to be reserved for future use. Images may not be licensed or resold. Any unauthorized use is prohibited. All loaned images must be used in connection with the proper trademarks. The correct commercial name and variety name must be listed on all images in connection with any reproduction.

For more information, please contact Ball's Image Archive Library at 630 231-3600 or photolibrary@ballhort.com.

BFP Cancellation Policy

No cancellations or order reductions based on the schedule below. Exceptions to this policy will be reviewed on a case-by-case basis

No cancellations within:

- · 2 weeks of ship date for unrooted cuttings
- 4 weeks of ship date for Genesis cuttings New/add-on orders: As always, new orders and order additions of unrooted cuttings are still possible within 2 weeks of

BFP Production: Floricultura, Guatemala; Las Limas, Nicaragua

Important Plant Protection and Licensing Information

Plant Protection

All Ball FloraPlant varieties listed herein are covered by the terms and conditions of the Flowering-Only License Agreement. Many are also protected by U.S. Patents and/or Plant Breeders' Rights.

Licensing

A Flowering-Only License is enclosed with the packing list of all orders of unrooted and rooted Ball FloraPlant varieties. By opening the box, customers signify agreement with the terms and conditions as stated on the Flowering-Only License. A copy of the Flowering-Only License is also available on our website as well as from Royalty Administration International® (RAI) in the U.S. at 800 472-4724. RAI has been appointed as our licensing agent in the U.S.

A Self-Propagation License is only available for Ball FloraPlant Geranium and New Guinea Impatiens varieties via our licensing agents. Please see opposite page for more information.

Flowering-Only Terms

- · Allows for the growing and selling of "Finished Plants," defined as plants grown for at least five weeks in a 3-in. (7.5-cm) size pot/container or larger for at least four (4) weeks from planting of a rooted cutting, and seven (7) weeks from planting of an unrooted cutting.
- · All finished product must be sold with
- a Ball supplied or approved label or tag.
- Sale of rooted or unrooted cuttings to any other company or individual is strictly prohibited as is propagation and/or the taking of tip cuttings.

Flowering-Only Licensed Varieties

COMMERCIAL NAME VARIFTY NAME

Angelonia

Angeliviist" Spreading blue	balangsiu
AngelMist® Spreading Dark Purple	Balangsparkl
AngelMist® Spreading Pink	Balangbakin
AngelMist® Spreading White	Balangspri
Archangel™ Blue Bicolor	Balarclubi
Archangel™ Cherry Red	Balarcher
Archangel™ Dark Purple	Balarckle
Archangel™ Dark Rose	Balarcose
Archangel™ Light Pink	Balarclipi
Archangel™ Pink Improved	Balarcorpin
Archangel™ Purple	Balarcpur
Archangel™ Raspberry	Balarcaspim
Archangel™ White	Balarcwite

Argyranthemum

Grandessa™ Pink Halo	Bonmax 9163
Grandessa™ Red	Bonmax 1354
Grandessa™ White	Bonmax 0983
Grandessa™ Yellow	Bonmax 1022
Madeira™ Crested Hot Pink	Bonmad 11277
Madeira™ Crested Merlot	Bonmadmerlo
Madeira™ Crested Violet	Bonmad 11276
Madeira™ Crested Yellow	Bonmadcrel
Madeira™ Deep Pink	Bonmadrosepi
Madeira™ Double White	Ohmadcama
Madeira™ Primrose	Bonmadprose
Madeira™ Red	Bonmadre
Madeira™ White	Bonmadwitim

Bacopa/Sutera

MegaCopa™ Blue Balmecoblu MegaCopa™ Pink Balmecopin MegaCopa™ Sky Blue Balmecosklu MegaCopa™ Versa White Balmecoversi MegaCopa™ White Balmecowite Scopia® Double Indigo Dcopdbindg Scopia® Double Snowball Dancop48 Scopia® Gulliver Blue Dancop37 Scopia® Gulliver Dynamic White

Bidens Bee Alive

Bee Alive KLEBF07003 Sunbeam Sun Drop Compact Sun Drop Compact Sun Drop Improved Sun Drop Improved

Brachyscome

Enduring Blue Enduring Blue Radiant Magenta

Bracteantha

Basket Bon Bon Sun Yellow Bon Bon Dreamtime® Jumbo Pure White Bondrepuho Dreamtime® Jumbo Red Bondre 11100 Dreamtime® Jumbo Rose Bondre 1051 Dreamtime® Jumbo Yellow Ohb003790

Calibrachoa

Cabaret® Bright Red Balcabrite Cabaret® Deep Blue Balcabdebu Cabaret® Deep Yellow Balcabdepy Cabaret® Hot Pink Balcabhopi Cabaret® Lavender Improved Balcablavim Cabaret® Lemon Yellow Balcablemy Cabaret® Light Pink Balcablinkim Cabaret® Mango Tango Balcabango Cabaret® Orange Balcaborg Cabaret® Pink Star Balcahinsta Cabaret® Purple Balcabpurim Cabaret® Rose Balcabrosim Cabaret® Scarlet Improved Balcabscarim Cabaret® Sky Blue Balabsklu Cabaret® White Balcabwhite Can-Can® Apricot Balcanapt Can-Can® Dark Purple Balcanark Can-Can® Hot Pink Star Balcanosar Can-Can® Magenta Kiss Balcanmiss Can-Can® Neon Pink Balcaneoni Can-Can® Orange Balcanoran Can-Can® Pink Flamingo Balcanpingo Can-Can® Red Splash Balcanrelas Can-Can® Terracotta Balcantera Conga™ Coral Kiss Balcongcriss Conga™ Deep Yellow Balcongdel Conga™ Orange Conga™ Pink Kiss Balcongor Balconginkiss Conga™ Rose Kiss Balcongosiss Conga™ Sun Kiss Balconguniss Conga™ White

Coleus

Burgundy Wedding Train Kakegawa CE10 UF12221 Campfire Coleosaurus UF104512 Electric Lime® UF04335 FlameThrower™ Chili Pepper UF81910 FlameThrower™ Chipotle UF12823 FlameThrower™ Habanero UF9837 FlameThrower™ Spiced Curry UF12735 French Quarter UF134827 Henna Balcenna Indian Summer Balcinsu Inferno UF13267 Lava Rose Kakegawa CE1 Mint Mocha Balcimoa Redhead UF0646 Ruby Slipper UF13424 Trusty Rusty UF06419 Vino Wasabi UF0843

Cuphea Firecracker

Diascia Juliet™ Light Pink Baliulink .luliet™ Orange Baliulor Juliet™ Pink with Eye Baljulpiney Juliet™ Red Baljuled Juliet™ White Baljulite Romeo™ Bright Pink Balromink Romeo™ Orange

Romeo™ White Euphorbia

Breathless® Blush Balbreblus Breathless® White Balbrewite

Balromor

Balwinwite

Weshechrisisti

Belleza™ Compact Light Pink KI FGI 06261 Belleza™ Dark Pink KLEAU04263 KLEGL10716

Helichrysum Silver Star

Hibiscus Little Zin Little Zin

Impatiens, Compact

SunPatiens® Compact Blush Pink SAKIMP013 SunPatiens® Compact Coral Pink SAKIMP042 SunPatiens® Compact Deep Rose SAKIMP017 SunPatiens® Compact Electric Orange SAKIMP025 SunPatiens® Compact Fire Red SAKIMP039 SunPatiens® Compact Hot Coral SAKIMP026 SunPatiens® Compact Lilac SAKIMP012 SunPatiens® Compact Neon Pink SAKIMP033 SunPatiens® Compact Orange SAKIMP011 SunPatiens® Compact Orchid SAKIMP041 SunPatiens® Compact Pink SAKIMP019 SunPatiens® Compact Red SAKIMP030 SunPatiens® Compact Royal Magenta SAKIMP029 SunPatiens® Compact Tropical Rose SAKIMP037 SunPatiens® Compact White SAKIMP027

Impatiens, Double

Fiesta™ Appleblossom Balfieplos Fiesta™ Burgundy Balfiebur Fiesta™ Deep Orange Balfiedeor Fiesta™ Lavender Orchid Lavender Orchid Fiesta™ Pink Ruffle Pink Ruffle Fiesta™ Purple Balfieprim Fiesta™ Salsa Red Balfiesaled Balfiespray Fiesta™ Sparkler Cherry Fiesta™ Sparkler Hot Pink Balfiesink Fiesta™ Stardust Pink Balolestop Fiesta™ Stardust Purple Balfiestaro Fiesta™ Sunrise Red Balfiesunre Fiesta™ White Balfiewite Fiesta™ Bonita Burgundy Balbonibura Fiesta™ Bonita Cherry Balbonicher Fiesta™ Bonita Pink Balbonipink Fiesta™ Bonita Rose Balbonirose Fiesta™ Bonita Salmon Balbonisal Fiesta™ Bonita Stardust Lavender Balbonistar Fiesta™ Bonita White Balboniwite

Impatiens, Exotic Fusion™ Glow Yellow

Balfusimalo Fusion™ Heat Coral Balfusheat Impatiens, New Guinea

Clockwork™ Appleblossom

DANCEL 877 Clockwork™ Orange Balclocano Clockwork™ Orange Stripe Balclocorai Clockwork™ Pink Star Balclocinstar Clockwork™ Purple Balclocurp Clockwork™ Red Balcloced Clockwork™ White Balcebfro

Impatiens, Spreading

Firecracker

SunPatiens® Spreading Carmine Red SAKIMP022 SunPatiens® Spreading Clear Orange SAKIMP040 SunPatiens® Spreading Clear White SAKIMP036 SunPatiens® Spreading Corona SAKIMP008 SunPatiens® Spreading Lavender SAKIMP034 SAKIMP031 SunPatiens® Spreading Pink Flash SunPatiens® Spreading Pink Kiss SunPatiens® Spreading Salmon V/L SAKIMP005 SunPatiens® Spreading Scarlet Red SAKIMP032 SunPatiens® Spreading Shell Pink SAKIMP035 SunPatiens® Spreading Tropical Orange SAKIMP038 SunPatiens® Spreading White V/L SAKIMP018

		D 11 W 8 D 1/:	IC: "B II BI V	0		All TM O I	Ball
Impatiens, Vigorous	OALGIMEDOOO	Double Wave® Blue Vein	Kirimaji Double Blue Vein	Scaevola	D.71	Allure™ Salmon	Ballursal
SunPatiens® Vigorous Lavender	SAKIMP006		Grimaji Double Blue Velvet	Brilliant	Brillant	Allure™ Scarlet	Ballurscim
SunPatiens® Vigorous Magenta	Misato FG3	Double Wave® Pink	Kirimaji Double Pink Vein	Bondi™ Blue	Kingscablin	Allure™ Tangerine	Ballurtang
SunPatiens® Vigorous Orange	Misato FG2	Double Wave® Purple	Kirimaji Double Purple	Bondi™ White	Kingscabowi	Allure™ True Red	Ballurtre
SunPatiens® Vigorous White	SAKIMP010	Double Wave® Red	Kirimaji Double Red	White Sparkle	Kingscawite	Allure™ White	Ballurwhi
		Double Wave® Rose	Kirimaji Double Rose			Dynamo™ Dark Red	BFP-838 Dark Red
Impatiens walleriana		Double Wave® White	Kirimaji Double White	Thunbergia		Dynamo™ Dark Salmon	Sil Gatwig
Patchwork™ Cosmic Burgundy	Balpacurn	FlashMob Bluerific		Sunny™ Arizona Glow	VOLTHU 1007	Dynamo™ Hot Pink	Designer Hot Pink
Patchwork™ Cosmic Orange	Balpacorg	FlashMob Pinkceptional	Pinkceptional	Sunny™ Lemon Star	Lemon Star	Dynamo™ Light Pink	Sil Gesa
Patchwork™ Peach Prism	Balpapesmi	FlashMob Redtastic	Redtastic Improved	Sunny™ Orange Wonder	Orange Wonder	Dynamo™ Purple	Sil Merle
Patchwork™ Pink Shades	Balpapinade	Glow Amethyst	Glow Amethyst			Dynamo™ Raspberry Sizzle	KLEPZ07197
		Glow Blue Stardust	Glow Blue Stardust	Verbena		Dynamo™ Red	Baldyned
Ipomoea		Glow Blue Vein	Flortunbluve	Aztec® Blue Velvet	Balazvelu	Dynamo™ Salmon	Tosdynsal
SolarPower™ Black	Balsolablack	Glow Bright Red	Glow Bright Red	Aztec® Burgundy Wink	Florbenacher	Dynamo™ Scarlet	SIL Friesia
SolarPower™ Lime	Balsolalime	Glow Cappuccino		Aztec® Coral	Balazcoral	Dynamo™ Violet	Tosdynio
SolarPower™ Red	Balsolared	Glow Fire	Glow Fire	Aztec® Dark Red	Balazdare	Dynamo™ White Improved	Tosdynwitim
Spotlight™ Black	Balspotack	Glow Fluor Rose	Glow Fluor Rose	Aztec® Lavender	Balazlavi	Fantasia® Appleblossom	Tosfanbloss
Spotlight™ Lime	Balspotime	Glow Hot Pink	Glow Hot Pink	Aztec® Pink	Balazpink	Fantasia® Cardinal Red	Balfanimcar
Spotlight™ Red	Balspotred	Glow Lavender Shades	Glow Lavender Shades	Aztec® Red Velvet	Balazreve	Fantasia® Coral	Balfancori
		Glow Ocean Blue	Glow Ocean Blue	Aztec® Violet	Balazvimp	Fantasia® Cranberry Sizzle	Tosfancriz
Lantana		Glow Peach Morn	Flortunpemo	Aztec® Violet Wink	KLEVP12449	Fantasia® Dark Red	Sil Magnus
Landmark™ Blaze	Balandlae	Glow Picotee Blue		Aztec® White	Balazwite	Fantasia® Flamingo Rose Improved	Tosfanflam
Landmark™ Citrus	Balandcit	Glow Pink Morn	Flortunpimorn	Aztec [®] Wild Rose	Balazwilro	Fantasia® Neon Rose	Balfanero
Landmark™ Gold	Balandgold	Glow Purple		Aztec Magic™ Magenta	Balazmagma	Fantasia® Pink	Tosfanpink
Landmark™ Peach Sunrise	Balandimpea	Glow Rose Blush	Glow Rose Blush	Aztec Magic™ Orchid	Balazorchma	Fantasia® Purple Sizzle	Sil Baldo 448
Landmark™ Rose Glow	Balandroglim	Glow Rose Stardust	Flortuniarostar	Aztec Magic™ Plum	Balazplum	Fantasia® Raspberry Twizzle	Balfanrazl
Landmark™ Sunrise Rose	Balandrosim	Glow Sky Blue		Aztec Magic™ Purple	Balazpurmai	Fantasia® Salmon	Sil Sören
Landmark™ White	Balucwhit	Glow Snowy White		Aztec Magic™ Silver	Balazsilma	Fantasia® Scarlet Improved	Tosfanscarim
Landmark™ Yellow	Balucyell	Lime Light	Balpelite	Aztec Magic™ White	Balazmawite	Fantasia® Shocking Pink	Balfanshoci
Little Lucky™ Hot Pink				EnduraScape™ Blue	Balendlu	Fantasia® Strawberry Sizzle	Sil Claudio
,	Flortanapi	Phantom	Balpephan			*	
Little Lucky™ Lemon Cream	Ballucream	Pinstripe	Balpepin	EnduraScape™ Dark Purple	Balendakle	Fantasia® Violet	Balfanimvio
Little Lucky™ Orange	Ballucor	Rhythm and Blues	Balperblues	EnduraScape™ Hot Pink	Balendopin	Fantasia® White	Balfanwite
Little Lucky™ Peach Glow	Balluceagl	Sun Spun® Blue	Balspunlu	EnduraScape™ Magenta	Balendmag	Focus™ Burgundy	Florpeltburg
Little Lucky™ Pot of Gold	Balucgold	Sun Spun® Burgundy	Balspunburg	EnduraScape™ Pink Bicolor	Balendpibi	Focus™ Hot Pink	Tosfohopi
Little Lucky™ Red	Balluced	Sun Spun® Coral	Balspuncor	EnduraScape™ Purple Improved	Balendurim	Focus™ Red Ice	Tosforice
Lucky™ Flame	Balucraim	Sun Spun® Lavender Star	Balspunlar	EnduraScape™ Red	Balendred	Focus™ Rose	Florpeltpipu
Lucky™ Lavender	Baluclav	Sun Spun® Neon Pink	Balspunepi	EnduraScape™ White Blush	Balendish	Precision™ Burgundy	Balcolbugi
Lucky™ Lemon Glow	Balucemlow	Sun Spun® Pink	KLEPH11199	·		Precision™ Burgundy Ice	Sil Nixe Red
Lucky™ Peach	Balucpea	Sun Spun® Pink Ice	Balspunpice	Self-Propagation Licer	ise	Precision™ Dark Burgundy	KLEP01042
Lucky™ Pot of Gold	Balucgold	Sun Spun® Purple Star	Balspunurst			Precision™ Dark Salmon	KLEPP08218
Lucky™ Pure Gold				A Self-Propagation Lic		Precision™ Lavender Blue	
	Balucpure	Sun Spun® Raspberry Star	Balspunrast	available for Ball FloraPla			Florpeltlav
Lucky™ Red	Balucred	Sun Spun® Red	Balspunredim	and New Guinea Impatie	ns varieties.	Precision™ Light Pink	Toseprelipim
Lucky™ Sunrise Rose	Balandrise	Sun Spun® Silver	Balspunsil	Propagation of these vari	eties without a	Precision™ Pink	Balcolink
Lucky™ White	Balucwite	Sun Spun® White	Balspunwhi	license is strictly prohibite		Precision™ Red Ice	Sil Chris
Lucky™ Yellow	Balucimyel	Sun Spun® Yellow	Balspunyel			Precision™ Ruby	Sil Ruben
		Suncatcher™ Blue Burst	Balsunurlu	Propagation License is a	, ,	Precision™ Scarlet Red	KLEPP08207
Lobelia		Suncatcher™ Burgundy	Balsunbur	license that must be sign	ed and returned	Precision™ White Red Eye	Sil Insa
Early Springs™ Dark Blue	KLELE12472	Suncatcher™ Hot Pink	Balsunhopi	to receive stock plants. To	o obtain a Self-	Presto™ Brilliant Red	KLEPZ08224
Early Springs™ Lavender Pink	KLELE12474	Suncatcher™ Midnight Blue	Balsunmibu	Propagation License, ple		Presto™ Dark Fuchsia	KLEPZ05137
Early Springs™ Magenta	Balspringma	Suncatcher™ Plum Burst	Balsunurpm			Presto™ Dark Red	Tospresdared
Early Springs™ Sky Blue	KLELE12471	Suncatcher™ Purple Rose	Balsunprose	in the U.S. at 800 472-47		Presto™ Dark Salmon	KLEPZ08220
Early Springs™ White	KLELE12473	Suncatcher™ Red	Balsuncared	Canada at 800 265-1629).	Presto™ Deep Scarlet Improved	Tospresdesc
Waterfall™ Blue	Balobwablu	Suncatcher™ Vintage Rose	Balsunvinta			Presto™ Light Salmon	KLEPZ09251
Waterfall™ Purple	Balwapur	Suncatcher™ White	Balsunwhite	Self-Propagation Term	9	Presto™ Pink	Balshopink
			Balsunelim	 Any cuttings taken from 		Presto™ Pink+Eye	
Waterfall™ White Blush					thogo plonto		
	Balwawish	Suncatcher™ Yellow	Dalodi lolli I				KLEP01007
	Balwawish		Balanomi	must be used for finished		Presto™ Pink Sizzle	Sil Linus
Nemesia		Petunia x calibrachoa (Petchoa)			production only.	Presto™ Pink Sizzle Presto™ Rose Sizzle	Sil Linus Balshorozle
Aromatica™ Rose Pink	Balarropi	Petunia x calibrachoa (Petchoa) SuperCal® Artist Rose	SAKPXC010	must be used for finishedAny and all growing do	production only. ne under this	Presto™ Pink Sizzle Presto™ Rose Sizzle Presto™ Violet	Sil Linus Balshorozle KLEPZ07200
Aromatica™ Rose Pink Aromatica™ Royal Blue	Balarropi Balaroyble	Petunia x calibrachoa (Petchoa) SuperCal® Artist Rose SuperCal® Blue	SAKPXC010 SAKPXC006	must be used for finished • Any and all growing do License must be perform	production only. ne under this ed solely at the	Presto™ Pink Sizzle Presto™ Rose Sizzle	Sil Linus Balshorozle
Aromatica™ Rose Pink	Balarropi	Petunia x calibrachoa (Petchoa) SuperCal® Artist Rose	SAKPXC010 SAKPXC006 SAKPXC008	must be used for finished Any and all growing do License must be perform ship to address as show	production only. ne under this ed solely at the wn on the shipping	Presto™ Pink Sizzle Presto™ Rose Sizzle Presto™ Violet Presto™ White	Sil Linus Balshorozle KLEPZ07200
Aromatica™ Rose Pink Aromatica™ Royal Blue	Balarropi Balaroyble	Petunia x calibrachoa (Petchoa) SuperCal® Artist Rose SuperCal® Blue	SAKPXC010 SAKPXC006 SAKPXC008 SAKPXC012	must be used for finished • Any and all growing do License must be perform "ship to" address as show documents accompanyir	production only. ne under this ed solely at the wn on the shipping g this License	Presto™ Pink Sizzle Presto™ Rose Sizzle Presto™ Violet	Sil Linus Balshorozle KLEPZ07200
Aromatica™ Rose Pink Aromatica™ Royal Blue	Balarropi Balaroyble	Petunia x calibrachoa (Petchoa) SuperCal® Artist Rose SuperCal® Blue SuperCal® Blushing Pink	SAKPXC010 SAKPXC006 SAKPXC008	must be used for finished • Any and all growing doi License must be perform "ship to" address as shown documents accompanyir and only for the purpose	production only. ne under this ed solely at the wn on the shipping g this License of producing a	Presto™ Pink Sizzle Presto™ Rose Sizzle Presto™ Violet Presto™ White	Sil Linus Balshorozle KLEPZ07200
Aromatica™ Rose Pink Aromatica™ Royal Blue Aromatica™ White	Balarropi Balaroyble	Petunia x calibrachoa (Petchoa) SuperCal [®] Artist Rose SuperCal [®] Blue SuperCal [®] Blushing Pink SuperCal [®] Cherry	SAKPXC010 SAKPXC006 SAKPXC008 SAKPXC012	must be used for finished • Any and all growing do License must be perform "ship to" address as show documents accompanyir	production only. ne under this ed solely at the wn on the shipping g this License of producing a	Presto™ Pink Sizzle Presto™ Rose Sizzle Presto™ Violet Presto™ White New Guinea Impatiens	Sil Linus Balshorozle KLEPZ07200 Sil Cato
Aromatica™ Rose Pink Aromatica™ Royal Blue Aromatica™ White Osteospermum	Balarropi Balaroyble Balarwitim	Petunia x calibrachoa (Petchoa) SuperCal [®] Artist Rose SuperCal [®] Blue SuperCal [®] Blushing Pink SuperCal [®] Cherry SuperCal [®] Light Yellow	SAKPXC010 SAKPXC006 SAKPXC008 SAKPXC012 SAKPXC017	must be used for finished • Any and all growing double to the perform ship to address as shown documents accompanying and only for the purpose flowering (finished) crop was a shown on the purpose flowering (finished) crop was a shown of the pu	production only. ne under this ed solely at the wn on the shipping g this License of producing a	Presto™ Pink Sizzle Presto™ Rose Sizzle Presto™ Notel Presto™ White New Guinea Impatiens Celebration Apricot	Sil Linus Balshorozle KLEPZ07200 Sil Cato Balcelapt
Aromatica™ Rose Pink Aromatica™ Royal Blue Aromatica™ White Osteospermum Blue Eyed Beauty	Balarropi Balaroyble Balarwitim Balostlueye	Petunia x calibrachoa (Petchoa) SuperCal® Artist Rose SuperCal® Blushing Pink SuperCal® Blushing Pink SuperCal® Cherry SuperCal® Light Yellow SuperCal® Neon Rose	SAKPXC010 SAKPXC006 SAKPXC008 SAKPXC012 SAKPXC017 Kakegawa S89	must be used for finished. • Any and all growing dol License must be perform "ship to" address as show documents accompanyir and only for the purpose flowering (finished) crop will Canada.	production only. ne under this ed solely at the yn on the shipping ig this License of producing a within the U.S. and	Presto™ Pink Sizzle Presto™ Rose Sizzle Presto™ Violet Presto™ White New Guinea Impatiens Celebration Apricot Celebration Bright Salmon	Sil Linus Balshorozle KLEPZ07200 Sil Cato Balcelapt Balcelbrisal
Aromatica™ Rose Pink Aromatica™ Royal Blue Aromatica™ White Osteospermum Blue Eyed Beauty Sereinly™ Bronze	Balarropi Balaroyble Balarwitim Balostlueye Balseronze	Petunia x calibrachoa (Petchoa) SuperCal® Artist Rose SuperCal® Blue SuperCal® Blushing Pink SuperCal® Cherry SuperCal® Light Yellow SuperCal® Neon Rose SuperCal® Pink SuperCal® Pink SuperCal® Pink Ice	SAKPXC010 SAKPXC006 SAKPXC008 SAKPXC012 SAKPXC017 Kakegawa S89 SAKPXC016	must be used for finished • Any and all growing dol License must be perform "ship to" address as shoy documents accompanyir and only for the purpose flowering (finished) crop v Canada. • "Finished Plants" are de	production only. ne under this ed solely at the vn on the shipping ig this License of producing a vithin the U.S. and effined as plants	Presto™ Pink Sizzle Presto™ Rose Sizzle Presto™ Molet Presto™ White New Guinea Impatiens Celebration Apricot Celebration Bright Salmon Celebration Deep Red	Sil Linus Balshorozle KLEPZ07200 Sil Cato Balcelapt Balcelbrisal BFP-523 Deep Red
Aromatica™ Rose Pink Aromatica™ Royal Blue Aromatica™ White Osteospermum Blue Eyed Beauty Serenity™ Bronze Serenity™ Dark Purple Serenity™ Deep Yellow	Balarropi Balaroyble Balarwitim Balostlueye Balseronze Balserdarp Balserdelo	Petunia x calibrachoa (Petchoa) SuperCal® Artist Rose SuperCal® Blue SuperCal® Blushing Pink SuperCal® Cherry SuperCal® Light Yellow SuperCal® Neon Rose SuperCal® Pink SuperCal® Pink ce SuperCal® Pink ce SuperCal® Puple	SAKPXC010 SAKPXC006 SAKPXC008 SAKPXC012 SAKPXC017 Kakegawa S89 SAKPXC016 SAKPXC009 Kakegawa S90	must be used for finished • Any and all growing doi License must be perform "ship to" address as show documents accompanyir and only for the purpose flowering (finished) crop w Canada. • "Finished Plants" are de grown for at least five (5)	production only. ne under this ed solely at the wn on the shipping g this License of producing a within the U.S. and efined as plants weeks in a 3-in.	Presto™ Pink Sizzle Presto™ Rose Sizzle Presto™ Nose Sizzle Presto™ White New Guinea Impatiens Celebration Apricot Celebration Apricot Celebration Desp Red Celebration Deep Red Celebration Icet Rose Celebration Icy Blue	Sil Linus Balshorozle KLEPZ07200 Sil Cato Balcelapt Balcelbrisal BFP-523 Deep Red Balcelelro Balcebibu
Aromatica™ Rose Pink Aromatica™ Royal Blue Aromatica™ White Osteospermum Blue Eyed Beauty Serenity™ Bronze Serenity™ Dark Purple Serenity™ Dark Purple Serenity™ Lavender Frost	Balarropi Balaroyble Balarwitim Balostlueye Balseronze Balserdarp Balserdelo Balserlavosim	Petunia x calibrachoa (Petchoa) SuperCal® Artist Rose SuperCal® Blushing Pink SuperCal® Dheny SuperCal® Cherry SuperCal® Light Yellow SuperCal® Pink SuperCal® Pink SuperCal® Pink loe SuperCal® Pink loe SuperCal® Pupple SuperCal® Salmon Glow	SAKPXC010 SAKPXC006 SAKPXC008 SAKPXC012 SAKPXC017 Kakegawa S89 SAKPXC016 SAKPXC009 Kakegawa S90 SAKPXC001	must be used for finished • Any and all growing dol License must be perform "ship to" address as shoy documents accompanyir and only for the purpose flowering (finished) crop v Canada. • "Finished Plants" are de	production only. ne under this ed solely at the wn on the shipping g this License of producing a within the U.S. and efined as plants weeks in a 3-in.	Presto™ Pink Sizzle Presto™ Rose Sizzle Presto™ Mose Sizzle Presto™ White New Guinea Impatiens Celebration Apricot Celebration Pright Salmon Celebration Deep Red Celebration Electric Rose Celebration Icy Blue Celebration Lavender Glow	Sil Linus Balshorozle KLEPZ07200 Sil Cato Balcelapt Balcelibrisal BFP-523 Deep Red Balcelelro Balcebilvu Balcelavgo
Aromatica™ Rose Pink Aromatica™ Royal Bible Aromatica™ White Osteospermm Blue Eyed Beauty Serenity™ Bronze Serenity™ Dark Purple Serenity™ Deep Yellow Serenity™ Lewnoder Frost Serenity™ Lemonade	Balarropi Balaroyble Balarwitim Balostlueye Balseronze Balserdarp Balserdelo Balserlavosim Balserlam	Petunia x calibrachoa (Petchoa) SuperCal® Artist Rose SuperCal® Blueshing Pink SuperCal® Blushing Pink SuperCal® Chery SuperCal® Light Yellow SuperCal® Neon Rose SuperCal® Pink SuperCal® Pink SuperCal® Pink SuperCal® Salmon Glow SuperCal® Salmon Glow SuperCal® Terracotta	SAKPXC010 SAKPXC006 SAKPXC008 SAKPXC012 SAKPXC017 Kakegawa S89 SAKPXC016 SAKPXC009 Kakegawa S90 SAKPXC014 Kakegawa S91	must be used for finished • Any and all growing doi License must be perform "ship to" address as show documents accompanyir and only for the purpose flowering (finished) crop w Canada. • "Finished Plants" are de grown for at least five (5) (7.5-cm) size pot/contain	production only. ne under this ed solely at the wn on the shipping g this License of producing a within the U.S. and effined as plants weeks in a 3-in. er or larger for	Presto™ Pink Sizzle Presto™ Rose Sizzle Presto™ Rose Sizzle Presto™ Molet Presto™ White New Guinea Impatiens Celebration Apricot Celebration Bright Salmon Celebration Deep Red Celebration Electric Rose Celebration Ley Blue Celebration Ly Blue Celebration Ly Blue Celebration Loy Blue Celebration Loy Bney Celebration Lavender Glow Celebration Orange	Sil Linus Balshorozle KLEPZO7200 Sil Cato Balcelapt Balcelinisal BFP-523 Deep Red Balcelibu Balcebibu Balcebibu Balcevogo BFP-605 Orange
Aromatica™ Rose Pink Aromatica™ Royal Blue Aromatica™ White Osteospermum Blue Eyed Beauty Serenity™ Bronze Serenity™ Dark Purple Serenity™ Deep Yellow Serenity™ Lavender Frost Serenity™ Lewonder Frost Serenity™ Lemonade Serenity™ Pink	Balarropi Balaroyble Balarwitim Balostlueye Balseronze Balserdarp Balserdelo Balserlavosim Balserlem Balserpinkim	Petunia x calibrachoa (Petchoa) SuperCal® Artist Rose SuperCal® Blue SuperCal® Blushing Pink SuperCal® Cherry SuperCal® Light Yellow SuperCal® Neon Rose SuperCal® Pink SuperCal® Pink loe SuperCal® Pink loe SuperCal® Salmon Glow SuperCal® Terracotta SuperCal® Terracotta SuperCal® Velvet	SAKPXC010 SAKPXC006 SAKPXC008 SAKPXC012 SAKPXC017 Kakegawa S89 SAKPXC016 SAKPXC016 SAKPXC0016 SAKPXC0014 Kakegawa S90 SAKPXC014 Kakegawa S81 Kakegawa S88	must be used for finished • Any and all growing doutlicense must be perform "ship to" address as show documents accompanying and only for the purpose flowering (finished) crop vocanada. • "Finished Plants" are dogrown for at least five (5) (7.5-cm) size pot/contain at least four (4) weeks fro	production only. ne under this ed solely at the wn on the shipping g this License of producing a within the U.S. and sfined as plants weeks in a 3-in. er or larger for m planting of a	Presto™ Pink Sizzle Presto™ Rose Sizzle Presto™ Rose Sizzle Presto™ White New Guinea Impatiens Celebration Apricot Celebration Bright Salmon Celebration Deep Red Celebration Electric Rose Celebration Icy Blue Celebration Levender Glow Celebration Crange Celebration Pink	Sil Linus Balshorozle KLEPZ07200 Sil Cato Balcelapt Balcelbrisal BFP-523 Deep Red Balcelibu Balcebibu Balcebibu Balcelof Orange BFP-605 Orange
Aromatica™ Rose Pink Aromatica™ Royal Blue Aromatica™ White Osteospermum Blue Eyed Beauty Serenity™ Bronze Serenity™ Dark Purple Serenity™ Dark Purple Serenity™ Lavender Frost Serenity™ Lemonade Serenity™ Emonade Serenity™ Pink Serenity™ Pink	Balarropi Balaroyble Balarwitim Balostlueye Balseronze Balserdarp Balserdelo Balserlavosim Balserlem Balserpinikim	Petunia x calibrachoa (Petchoa) SuperCal® Artist Rose SuperCal® Blueshing Pink SuperCal® Blushing Pink SuperCal® Chery SuperCal® Light Yellow SuperCal® Neon Rose SuperCal® Pink SuperCal® Pink SuperCal® Pink SuperCal® Salmon Glow SuperCal® Salmon Glow SuperCal® Terracotta	SAKPXC010 SAKPXC006 SAKPXC008 SAKPXC012 SAKPXC017 Kakegawa S89 SAKPXC016 SAKPXC009 Kakegawa S90 SAKPXC014 Kakegawa S91	must be used for finished • Any and all growing dol License must be perform "ship to" address as show documents accompanyir and only for the purpose flowering (finished) crop v Canada. • "Finished Plants" are de grown for at least five (5) (7.5-cm) size pot/contain at least four (4) weeks fro rooted cutting, and sever	production only. ne under this ed solely at the wn on the shipping g this License of producing a within the U.S. and efined as plants weeks in a 3-in. er or larger for m planting of a n (7) weeks from	Presto™ Pink Sizzle Presto™ Rose Sizzle Presto™ Nose Sizzle Presto™ White New Guinea Impatiens Celebration Apricot Celebration Apricot Celebration Deep Red Celebration Electric Rose Celebration Icy Blue Celebration Icy Blue Celebration Crange Celebration Torange Celebration Pink Celebration Purple	Sil Linus Balshorozle KLEPZ07200 Sil Cato Balcelapt Balcelbrisal BFP-523 Deep Red Balcelelrio Balcebibu Balcelavgo BFP-605 Orange Balcelimpur
Aromatica™ Rose Pink Aromatica™ Royal Blue Aromatica™ White Osteospermum Blue Eyed Beauty Serenity™ Bronze Serenity™ Den Pellow Serenity™ Mery Pellow Serenity™ Lewonder Frost Serenity™ Lewonder Serenity™ Pink Serenity™ Pink Serenity™ Pink Serenity™ Pink Magic Serenity™ Pelo	Balarropi Balaroyble Balarwitim Balostlueye Balseronze Balserdarp Balserdarlo Balserlavosim Balserlam Balserpinkim Balserpina Balserpina	Petunia x calibrachoa (Petchoa) SuperCal® Artist Rose SuperCal® Blueshing Pink SuperCal® Blushing Pink SuperCal® Cherry SuperCal® Light Yellow SuperCal® Neon Rose SuperCal® Pink SuperCal® Pink SuperCal® Pink SuperCal® Purple SuperCal® Salmon Glow SuperCal® Terracotta SuperCal® Yelvet SuperCal® Velvet SuperCal® Volet	SAKPXC010 SAKPXC006 SAKPXC008 SAKPXC012 SAKPXC017 Kakegawa S89 SAKPXC016 SAKPXC016 SAKPXC0016 SAKPXC0014 Kakegawa S90 SAKPXC014 Kakegawa S81 Kakegawa S88	must be used for finished • Any and all growing dou License must be perform "ship to" address as show documents accompanyir and only for the purpose flowering (finished) crop v Canada. • "Finished Plants" are de grown for at least five (5) (7.5-cm) size pot/contain at least four (4) weeks fro rooted cutting, and sever planting of an unrooted of	production only. ne under this ed solely at the wn on the shipping ng this License of producing a within the U.S. and efined as plants weeks in a 3-in. er or larger for m planting of a 1 (7) weeks from utting.	Presto™ Prink Sizzle Presto™ Rose Sizzle Presto™ Rose Sizzle Presto™ Molet Presto™ White New Guinea Impatiens Celebration Apricot Celebration Bright Salmon Celebration Deep Red Celebration Electric Rose Celebration Ly Blue Celebration Ly Blue Celebration Orange Celebration Prink Celebration Prink Celebration Prink Celebration Purple	Sil Linus Balshorozle KLEPZO7200 Sil Ceto Balcelapt Balcelinisal BFP-523 Deep Red Balceleiro Balceliblu Balcelavgo BFP-605 Orange Balcelimpik Balcelimpir Balcelimpur Balcelimpur
Aromatica™ Rose Pink Aromatica™ Royal Blue Aromatica™ White Osteospermum Blue Eyed Beauty Serenity™ Bronze Serenity™ Dark Purple Serenity™ Deep Yellow Serenity™ Lenonade Serenity™ Lemonade Serenity™ Pink Serenity™ Pink Magic Serenity™ Pink Magic Serenity™ Rose Magic	Balarropi Balaroyble Balarwitim Balostlueye Balseronze Balserdap Balserdalo Balserfawosim Balserem Balserpinkim Balserpinka Balseroma	Petunia x calibrachoa (Petchoa) SuperCal® Artist Rose SuperCal® Blushing Pink SuperCal® Cherry SuperCal® Cherry SuperCal® Neon Rose SuperCal® Neon Rose SuperCal® Pink SuperCal® Pink loe SuperCal® Pink loe SuperCal® Pink loe SuperCal® Salmon Glow SuperCal® Terracotta SuperCal® Velvet SuperCal® Velvet SuperCal® Velvet	SAKPXC010 SAKPXC006 SAKPXC008 SAKPXC012 SAKPXC012 SAKPXC016 SAKPXC016 SAKPXC009 Kakegawa S90 SAKPXC014 Kakegawa S91 Kakegawa S91 Kakegawa S91	must be used for finished • Any and all growing dou License must be perform "ship to" address as show documents accompanyir and only for the purpose flowering (finished) crop w Canada. • "Finished Plants" are de grown for at least five (5) (7.5-cm) size pot/contain at least four (4) weeks fro rooted cutting, and sever planting of an unrooted c • Licensee is not allowed	production only. ne under this ed solely at the wn on the shipping g this License of producing a within the U.S. and efined as plants weeks in a 3-in. er or larger for m planting of a n (7) weeks from utting.	Presto™ Pink Sizzle Presto™ Rose Sizzle Presto™ Rose Sizzle Presto™ Molet Presto™ White New Guinea Impatiens Celebration Apricot Celebration Bright Salmon Celebration Deep Red Celebration Electric Rose Celebration Ilectric Rose Celebration Lavender Glow Celebration Lavender Glow Celebration Purple Celebration Purple Celebration Purple Celebration Purple Celebration Rurple Celebration Rose Star	Sil Linus Balshorozle KLEPZO7200 Sil Cato Balcelapt Balcelorisal BFP-523 Deep Red Balcelelro Balcelelro Balceloro Balcelavgo BFP-605 Ovange Balcelimpur Balcelimpur Balcelimpur Balcelimpur Balcelrost
Aromatica™ Rose Pink Aromatica™ Royal Blue Aromatica™ White Osteospermum Blue Eyed Beauty Serenity™ Bronze Serenity™ Dark Purple Serenity™ Dark Purple Serenity™ Lavender Frost Serenity™ Lavender Frost Serenity™ Lemonade Serenity™ Pink Serenity™ Pink Serenity™ Red Serenity™ Red Serenity™ Red Serenity™ Spring Day	Balarropi Balaroyble Balarwitim Balostlueye Balseronze Balserdarp Balserdarp Balserdarosim Balserjakim Balserpinkim Balserpinkim Balserpina Balseroma Balseroma Balseroma	Petunia x calibrachoa (Petchoa) SuperCal® Artist Rose SuperCal® Blue SuperCal® Blushing Pink SuperCal® Cherry SuperCal® Light Yellow SuperCal® Light Yellow SuperCal® Pink SuperCal® Pink SuperCal® Pink SuperCal® Pink SuperCal® Salmon Glow SuperCal® Terracotta SuperCal® Velvet SuperCal® Volet Plectranthus Nico	SAKPXC010 SAKPXC006 SAKPXC008 SAKPXC012 SAKPXC017 Kakegawa S89 SAKPXC016 SAKPXC0016 SAKPXC009 Kakegawa S90 SAKPXC014 Kakegawa S91 Kakegawa S91 Kakegawa S91 Kakegawa S91 Kakegawa S91	must be used for finished • Any and all growing dou License must be perform "ship to" address as show documents accompanyir and only for the purpose flowering (finished) crop v Canada. • "Finished Plants" are de grown for at least five (5) (7.5-cm) size pot/contain at least four (4) weeks fro rooted cutting, and sever planting of an unrooted of	production only. ne under this ed solely at the wn on the shipping g this License of producing a within the U.S. and efined as plants weeks in a 3-in. er or larger for m planting of a n (7) weeks from utting.	Presto™ Pink Sizzle Presto™ Rose Sizzle Presto™ Nose Sizzle Presto™ Wolet Presto™ White New Guinea Impatiens Celebration Apricot Celebration Apricot Celebration Desp Red Celebration Desp Red Celebration ID Electric Rose Celebration Izentic Rose Celebration Lavender Glow Celebration Drange Celebration Pink Celebration Pink Celebration Purple Celebration Purple Celebration Purple Celebration Rose Star Celebration Tropical Peach	Sil Linus Balshorozle KLEPZ07200 Sil Cato Balcelapt Balcelbrisal BFP-523 Deep Red Balcelelro Balcelolro Balcelolro Balceloloy BFP-605 Orange Balcelimpur Balcelimpur Balcelimpur Balceliropt Balcelrost Balcelrost
Aromatica™ Rose Pink Aromatica™ Royal Blue Aromatica™ White Osteospermum Blue Eyed Beauty Screnity™ Bronze Screnity™ Dark Purple Screnity™ Dep Yellow Screnity™ Lemonade Screnity™ Mink Screnity™ Pink Screnity™ Pink Screnity™ Pink Screnity™ Pink Screnity™ Rose Magic Screnity™ Rose Magic Screnity™ Rose Magic Screnity™ Spring Day Screnity™ White	Balarropi Balaroyble Balarwitim Balostlueye Balseronze Balserdarp Balserdalo Balserlavosim Balserpinkim Balserpinima Balserpima Balseroma Balseringda Balserimyda	Petunia x calibrachoa (Petchoa) SuperCal® Artist Rose SuperCal® Blueshing Pink SuperCal® Blushing Pink SuperCal® Cherry SuperCal® Light Yellow SuperCal® Pink SuperCal® Pink SuperCal® Pink SuperCal® Pink SuperCal® Pink SuperCal® Purple SuperCal® Salmon Glow SuperCal® Yelvet SuperCal® Velvet SuperCal® Velvet SuperCal® Velvet SuperCal® Volet Plectranthus Nico Nicolleta	SAKPXC010 SAKPXC006 SAKPXC006 SAKPXC017 Kakegawa S89 SAKPXC017 Kakegawa S89 SAKPXC009 Kakegawa S90 SAKPXC014 Kakegawa S91 Kakegawa S81 Kakegawa S88 SAKPXC011	must be used for finished Any and all growing doi License must be perform "ship to" address as show documents accompanyir and only for the purpose flowering (finished) crop w Canada. "Finished Plants" are de grown for at least five (5) (7.5-cm) size pot/contain at least four (4) weeks fro rooted cutting, and sever planting of an unrooted co Licensee is not allowed to any party unrooted cut	production only. ne under this ed solely at the wn on the shipping g this License of producing a within the U.S. and effined as plants weeks in a 3-in. er or larger for m planting of a n (7) weeks from utting. to sell or transfer tings, rooted	Presto™ Pink Sizzle Presto™ Rose Sizzle Presto™ Rose Sizzle Presto™ Molet Presto™ White New Guinea Impatiens Celebration Apricot Celebration Bright Salmon Celebration Deep Red Celebration Betric Rose Celebration Flore Celebration Pupla Celebration Purple Celebration Purple Celebration Purple Celebration Purple Celebration Purple Celebration Tropical Peach Celebration Tropical Peach Celebration White	Sil Linus Balshorozle KLEPZO7200 Sil Ceto Balcelapt Balcelorisal BFP-523 Deep Red Balceleiro Balceloribu Balcelavgo BFP-605 Orange Balcelimpik Balcelimpit Balcelimput Balcelorost Balceltop Balceltop
Aromatica™ Rose Pink Aromatica™ Royal Blue Aromatica™ White Osteospermum Blue Eyed Beauty Serenity™ Denk Serenity™ Denk Serenity™ Deep Yellow Serenity™ Lemonade Serenity™ Lemonade Serenity™ Pink Serenity™ Pink Serenity™ Pink Serenity™ Pink Serenity™ Rose Magic Serenity™ Rose Magic Serenity™ Spring Day Serenity™ Spring Day Serenity™ White Voltage™ White	Balarropi Balaroyble Balarwitim Balostlueye Balseronze Balserdarp Balserdarp Balserdarosim Balserjakim Balserpinkim Balserpinkim Balserpina Balseroma Balseroma Balseroma	Petunia x calibrachoa (Petchoa) SuperCal® Artist Rose SuperCal® Blue SuperCal® Blushing Pink SuperCal® Cherry SuperCal® Light Yellow SuperCal® Light Yellow SuperCal® Pink SuperCal® Pink SuperCal® Pink SuperCal® Pink SuperCal® Salmon Glow SuperCal® Terracotta SuperCal® Velvet SuperCal® Volet Plectranthus Nico	SAKPXC010 SAKPXC006 SAKPXC008 SAKPXC012 SAKPXC017 Kakegawa S89 SAKPXC016 SAKPXC0016 SAKPXC009 Kakegawa S90 SAKPXC014 Kakegawa S91 Kakegawa S91 Kakegawa S91 Kakegawa S91 Kakegawa S91	must be used for finished • Any and all growing dout cense must be perform "ship to" address as shown documents accompanyir and only for the purpose flowering (finished) crop vocanada. • "Finished Plants" are degrown for at least five (5) (7.5-cm) size pot/contain at least four (4) weeks from the cutting, and sever planting of an unrooted out contain at least four (4) weeks from the cutting, and sever planting of an unrooted out to any party unrooted cuttings, or young (prefinity should be supported to the cuttings, or young (prefinity should be supported to the cuttings, or young (prefinity should be supported to the cuttings, or young (prefinity should be supported to the cuttings).	production only. ne under this ed solely at the wn on the shipping g this License of producing a within the U.S. and sfined as plants weeks in a 3-in. er or larger for m planting of a 1 (7) weeks from utting. to sell or transfer tings, rooted shed) plants of	Presto™ Pink Sizzle Presto™ Rose Sizzle Presto™ Nose Sizzle Presto™ Wolet Presto™ White New Guinea Impatiens Celebration Apricot Celebration Apricot Celebration Desp Red Celebration Desp Red Celebration ID Electric Rose Celebration Izentic Rose Celebration Lavender Glow Celebration Drange Celebration Pink Celebration Pink Celebration Purple Celebration Purple Celebration Purple Celebration Rose Star Celebration Tropical Peach	Sil Linus Balshorozle KLEPZ07200 Sil Cato Balcelapt Balcelbrisal BFP-523 Deep Red Balcelelro Balcelolro Balcelolro Balceloloy BFP-605 Orange Balcelimpur Balcelimpur Balcelimpur Balceliropt Balcelrost Balcelrost
Aromatica™ Rose Pink Aromatica™ Royal Blue Aromatica™ White Osteospermum Blue Eyed Beauty Screnity™ Bronze Screnity™ Dark Purple Screnity™ Dep Yellow Screnity™ Lemonade Screnity™ Mink Screnity™ Pink Screnity™ Pink Screnity™ Pink Screnity™ Pink Screnity™ Rose Magic Screnity™ Rose Magic Screnity™ Rose Magic Screnity™ Spring Day Screnity™ White	Balarropi Balaroyble Balarwitim Balostlueye Balseronze Balserdarp Balserdalo Balserlavosim Balserpinkim Balserpinima Balserpima Balseroma Balseringda Balserimyda	Petunia x calibrachoa (Petchoa) SuperCal® Artist Rose SuperCal® Blueshing Pink SuperCal® Blushing Pink SuperCal® Cherry SuperCal® Light Yellow SuperCal® Pink SuperCal® Pink SuperCal® Pink SuperCal® Pink SuperCal® Pink SuperCal® Purple SuperCal® Salmon Glow SuperCal® Yelvet SuperCal® Velvet SuperCal® Velvet SuperCal® Velvet SuperCal® Volet Plectranthus Nico Nicolleta	SAKPXC010 SAKPXC006 SAKPXC006 SAKPXC017 Kakegawa S89 SAKPXC017 Kakegawa S89 SAKPXC009 Kakegawa S90 SAKPXC014 Kakegawa S91 Kakegawa S81 Kakegawa S88 SAKPXC011	must be used for finished Any and all growing doi License must be perform "ship to" address as show documents accompanyir and only for the purpose flowering (finished) crop w Canada. "Finished Plants" are de grown for at least five (5) (7.5-cm) size pot/contain at least four (4) weeks fro rooted cutting, and sever planting of an unrooted co Licensee is not allowed to any party unrooted cut	production only. ne under this ed solely at the wn on the shipping g this License of producing a within the U.S. and sfined as plants weeks in a 3-in. er or larger for m planting of a 1 (7) weeks from utting. to sell or transfer tings, rooted shed) plants of	Presto™ Pink Sizzle Presto™ Rose Sizzle Presto™ Rose Sizzle Presto™ Molet Presto™ White New Guinea Impatiens Celebration Apricot Celebration Bright Salmon Celebration Deep Red Celebration Betric Rose Celebration Flore Celebration Pupla Celebration Purple Celebration Purple Celebration Purple Celebration Purple Celebration Purple Celebration Tropical Peach Celebration Tropical Peach Celebration White	Sil Linus Balshorozle KLEPZO7200 Sil Ceto Balcelapt Balcelorisal BFP-523 Deep Red Balceleiro Balceloribu Balcelavgo BFP-605 Orange Balcelimpik Balcelimpit Balcelimput Balcelorost Balceltop Balceltop
Aromatica™ Rose Pink Aromatica™ Royal Blue Aromatica™ White Osteospermum Blue Eyed Beauty Serenity™ Denk Serenity™ Denk Serenity™ Deep Yellow Serenity™ Lemonade Serenity™ Lemonade Serenity™ Pink Serenity™ Pink Serenity™ Pink Serenity™ Pink Serenity™ Rose Magic Serenity™ Rose Magic Serenity™ Spring Day Serenity™ Spring Day Serenity™ White Voltage™ White	Balarropi Balaroyble Balarwitim Balostlueye Balseronze Balserdap Balserdalo Balserlavosim Balserpinkim Balserpinkim Balseroma Balseroma Balseroma Balserimyda Balserimydbi Balserimydbi Balserimydbi Balserimydbi	Petunia x calibrachoa (Petchoa) SuperCal® Artist Rose SuperCal® Blueshing Pink SuperCal® Blushing Pink SuperCal® Cherry SuperCal® Light Yellow SuperCal® Pink SuperCal® Pink SuperCal® Pink SuperCal® Pink SuperCal® Pink SuperCal® Purple SuperCal® Salmon Glow SuperCal® Yelvet SuperCal® Velvet SuperCal® Velvet SuperCal® Velvet SuperCal® Volet Plectranthus Nico Nicolleta	SAKPXC010 SAKPXC006 SAKPXC006 SAKPXC017 Kakegawa S89 SAKPXC017 Kakegawa S89 SAKPXC009 Kakegawa S90 SAKPXC014 Kakegawa S91 Kakegawa S81 Kakegawa S88 SAKPXC011	must be used for finished • Any and all growing dout cense must be perform "ship to" address as shown documents accompanyir and only for the purpose flowering (finished) crop vocanada. • "Finished Plants" are degrown for at least five (5) (7.5-cm) size pot/contain at least four (4) weeks from the cutting, and sever planting of an unrooted out contain at least four (4) weeks from the cutting, and sever planting of an unrooted out to any party unrooted cuttings, or young (prefinity should be supported to the cuttings, or young (prefinity should be supported to the cuttings, or young (prefinity should be supported to the cuttings, or young (prefinity should be supported to the cuttings).	production only. ne under this ed solely at the wn on the shipping g this License of producing a within the U.S. and sfined as plants weeks in a 3-in. er or larger for m planting of a 1 (7) weeks from utting. to sell or transfer tings, rooted shed) plants of	Presto™ Pink Sizzle Presto™ Rose Sizzle Presto™ Rose Sizzle Presto™ Molet Presto™ White New Guinea Impatiens Celebration Apricot Celebration Bright Salmon Celebration Deep Red Celebration Electric Rose Celebration Electric Rose Celebration Pipula Celebration Orange Celebration Pink Celebration Purple Celebration Purple Celebration Rose Star Celebration Rose Star Celebration White Celebration White Celebration White Celebration White Celebration Second	Sil Linus Balshorozle KLEPZO7200 Sil Cato Balcelapt Balcelapt Balcelinisal BFP-523 Deep Red Balcelelro Balcelobu Balcelavgo BFP-605 Orange Balcelimpur
Aromatica™ Rose Pink Aromatica™ Royal Blue Aromatica™ White Osteospermum Blue Eyed Beauty Serenity™ Denk Serenity™ Denk Serenity™ Deep Yellow Serenity™ Lemonade Serenity™ Lemonade Serenity™ Pink Serenity™ Pink Serenity™ Pink Serenity™ Pink Serenity™ Rose Magic Serenity™ Rose Magic Serenity™ Spring Day Serenity™ Spring Day Serenity™ White Voltage™ White	Balarropi Balaroyble Balarwitim Balostlueye Balseronze Balserdap Balserdalo Balserlavosim Balserpinkim Balserpinkim Balseroma Balseroma Balseroma Balserimyda Balserimydbi Balserimydbi Balserimydbi Balserimydbi	Petunia x calibrachoa (Petchoa) SuperCal® Artist Rose SuperCal® Blue SuperCal® Blushing Pink SuperCal® Cherry SuperCal® Light Yellow SuperCal® hen Rose SuperCal® Pink SuperCal® Pink loe SuperCal® Peracotta SuperCal® Terracotta SuperCal® Velvet SuperCal® Velvet SuperCal® Volet Plectranthus Nico Nicoleta Mona Lavender	SAKPXC010 SAKPXC006 SAKPXC006 SAKPXC017 Kakegawa S89 SAKPXC017 Kakegawa S89 SAKPXC009 Kakegawa S90 SAKPXC014 Kakegawa S91 Kakegawa S81 Kakegawa S88 SAKPXC011	must be used for finished. • Any and all growing doi License must be perform "ship to" address as show documents accompanyir and only for the purpose flowering (finished) crop w Canada. • "Finished Plants" are de grown for at least five (5) (7.5-cm) size pot/contain at least four (4) weeks fro rooted cutting, and sever planting of an unrooted cut cuttings, or young (prefin these varieties at any time	production only. ne under this ed solely at the wn on the shipping gg this License of producing a within the U.S. and sfined as plants weeks in a 3-in. er or larger for m planting of a (7) weeks from utting. to sell or transfer tings, rooted shed) plants of e.	Presto™ Pink Sizzle Presto™ Rose Sizzle Presto™ Rose Sizzle Presto™ White New Guinea Impatiens Celebration Apricot Celebration Apricot Celebration Desp Red Celebration Desp Red Celebration IBectric Rose Celebration Icy Blue Celebration Lavender Glow Celebration Pink Celebration Pink Celebration Purple Celebration Purple Celebration Purple Celebration Propical Peach Celebration Tropical Peach Celebration White Celebration White Celebration White Celebration White Celebration White Celebration Cappellossom Celebrette Bonfire Orange	Sil Linus Balshorozle KLEPZO7200 Sil Cato Balcelapt Balcelbrisal BFP-523 Deep Red Balcelbrio Balcebibu Balcelbrio Balcebibu Balcelerio Balcelimpur Balcelimpur Balcelimpur Balcelimpur Balcelrost Balceltrop Balceltrop Balceltrop Balceltrop Balceltrop Balcelbono
Aromatica™ Rose Pink Aromatica™ Royal Blue Aromatica™ White Osteospermum Blue Eyed Beauty Serenity™ Moroze Serenity™ Pilow Serenity™ Pink Serenity™ Pink Serenity™ Pink Serenity™ Pink Serenity™ Pink Serenity™ Rose Magic Serenity™ Rose Magic Serenity™ Moroze Serenity™ Moroze Serenity™ White Voltage™ White Voltage™ White Voltage™ Willow Perilla	Balarropi Balaroyble Balarwitim Balostlueye Balseronze Balserdalp Balserdalo Balserlavosim Balserjinkim Balserpinim Balserpina Balseroma Balseroma Balserinyda Balserimythi Balvowite Balvoyelo	Petunia x calibrachoa (Petchoa) SuperCal® Artist Rose SuperCal® Blushing Pink SuperCal® Blushing Pink SuperCal® Cherry SuperCal® Light Yellow SuperCal® Neon Rose SuperCal® Pink SuperCal® Pink loe SuperCal® Pink loe SuperCal® Purple SuperCal® Samon Glow SuperCal® Almon Glow SuperCal® Velvet SuperCal® Velvet SuperCal® Velvet SuperCal® Violet Plectranthus Nico Nicoleta Mona Lavender Pursiane Fairytales Cinderella	SAKPXC010 SAKPXC006 SAKPXC008 SAKPXC017 Kakegawa S89 SAKPXC016 SAKPXC009 Kakegawa S90 SAKPXC014 Kakegawa S91 Kakegawa S81 Kakegawa S88 SAKPXC011 Nico Nicolleta Plepalila	must be used for finished • Any and all growing dout cense must be perform "ship to" address as shown documents accompanyir and only for the purpose flowering (finished) crop vocanada. • "Finished Plants" are degrown for at least five (5) (7.5-cm) size pot/contain at least four (4) weeks from the cutting, and sever planting of an unrooted out contain at least four (4) weeks from the cutting, and sever planting of an unrooted out to any party unrooted cuttings, or young (prefinity should be supported to the cuttings, or young (prefinity should be supported to the cuttings, or young (prefinity should be supported to the cuttings, or young (prefinity should be supported to the cuttings).	production only. ne under this ed solely at the wn on the shipping gg this License of producing a within the U.S. and sfined as plants weeks in a 3-in. er or larger for m planting of a (7) weeks from utting. to sell or transfer tings, rooted shed) plants of e.	Presto™ Pink Sizzle Presto™ Rose Sizzle Presto™ Rose Sizzle Presto™ Molet Presto™ White New Guinea Impatiens Celebration Apricot Celebration Bright Salmon Celebration Deep Red Celebration Electric Rose Celebration Electric Rose Celebration Purple Celebration Orange Celebration Purple Celebration Tropical Peach Celebration Tropical Peach Celebration Tropical Centry Celebrate Appleblossom Celebrate Appleblossom Celebrate Sonfire Orange Celebrate Forange Celebrate Foran	Sil Linus Balshorozle KLEPZO7200 Sil Cato Balcelapt Balcelorisal BFP-523 Deep Red Balcelorio Balcebibu Balceloryo Balcebirup Balcelimpik Balcelimpik Balcelimpur Balcelimpur Balcelimpur Balceliput Balcelovitin DANCEL877 Balcelovitin DANCEL866 Balcebrfro
Aromatica™ Rose Pink Aromatica™ Royal Blue Aromatica™ White Osteospermum Blue Eyed Beauty Serenity™ Bronze Serenity™ Dark Purple Serenity™ Lavender Frost Serenity™ Lemonade Serenity™ Mish Lemonade Serenity™ Pink Magic Serenity™ Pink Magic Serenity™ Rose Magic Serenity™ Rose Magic Serenity™ White Voltage™ White Voltage™ White Voltage™ White	Balarropi Balaroyble Balarwitim Balostlueye Balseronze Balserdap Balserdalo Balserlavosim Balserpinkim Balserpinkim Balseroma Balseroma Balseroma Balserimyda Balserimydbi Balserimydbi Balserimydbi Balserimydbi	Petunia x calibrachoa (Petchoa) SuperCal® Artist Rose SuperCal® Blue SuperCal® Blushing Pink SuperCal® Cherry SuperCal® Light Yellow SuperCal® Neon Rose SuperCal® Pink Les SuperCal® Velvet SuperCal® Nicolet Plectranthus Nico Nicolleta Mona Lavender Purslane Fairytales Cinderella Filo Grande™ Magenta	SAKPXC010 SAKPXC006 SAKPXC008 SAKPXC012 SAKPXC012 SAKPXC017 Kakegawa S89 SAKPXC016 SAKPXC0016 SAKPXC0014 Kakegawa S90 SAKPXC011 Nico Nicolleta Plepallia	must be used for finished Any and all growing dou License must be perform "ship to" address as show documents accompanying and only for the purpose flowering (finished) crop w Canada. "Finished Plants" are de grown for at least five (5) (7.5-cm) size pot/contain at least four (4) weeks fro rooted cutting, and sever planting of an unrooted cut to any party unrooted cut cuttings, or young (prefin these varieties at any time Self-Propagation Licen	production only. ne under this ed solely at the wn on the shipping gg this License of producing a within the U.S. and efined as plants weeks in a 3-in. er or larger for m planting of a n (7) weeks from utting. to sell or transfer tings, rooted shed) plants of e. seed Varieties	Presto™ Pink Sizzle Presto™ Rose Sizzle Presto™ Nose Sizzle Presto™ White New Guinea Impatiens Celebration Apricot Celebration Period Salmon Celebration Desp Red Celebration Desp Red Celebration Ley Blue Celebration Ley Blue Celebration Levender Glow Celebration Purple Celebration Purple Celebration Purple Celebration Purple Celebration Topical Peach Celebration Topical Peach Celebration White Celebration Charry Stripe Celebrate Charry Stripe Celebrate Grape Crush Improved	Sil Linus Balshorozle KLEPZO7200 Sil Cato Balcelapt Balcelbrisal BFP-523 Deep Red Balcelelro Balcebibu Balcelbrisal BFP-605 Orange Balcelimpik Balcelimpur Balcelimpur Balcelimpur Balcelimpur Balcelimpur Balcelrop Balcelwittn DANCEL877 Balcelbono DANCEL846 Balcelfor Balcebyushi
Aromatica™ Rose Pink Aromatica™ Royal Blue Aromatica™ White Osteospermum Blue Eyed Beauty Serenity™ Bronze Serenity™ Dark Purple Serenity™ Lavender Frost Serenity™ Lavender Frost Serenity™ Lemonade Serenity™ Pink Magic Serenity™ Pink Magic Serenity™ Red Serenity™ Rose Magic Serenity™ Spring Day Serenity™ White Voltage™ White Voltage™ White Voltage™ Wellow Perilla Magilla® Purple	Balarropi Balaroyble Balarwitim Balostlueye Balseronze Balserdalp Balserdalo Balserlavosim Balserjinkim Balserpinim Balserpina Balseroma Balseroma Balserinyda Balserimythi Balvowite Balvoyelo	Petunia x calibrachoa (Petchoa) SuperCal® Artist Rose SuperCal® Blueshing Pink SuperCal® Blushing Pink SuperCal® Cherry SuperCal® Light Yellow SuperCal® Pink SuperCal® Pink SuperCal® Pink SuperCal® Pink SuperCal® Pink SuperCal® Pink SuperCal® Purple SuperCal® Velvet SuperCal® Velvet SuperCal® Velvet SuperCal® Volet Plectranthus Nico Nicolleta Mona Lavender Purslane Fairytales Cinderella Rio Grande™ Magenta Rio Grande™ Orange	SAKPXC010 SAKPXC006 SAKPXC006 SAKPXC017 Kakegawa S89 SAKPXC017 Kakegawa S89 SAKPXC009 Kakegawa S90 SAKPXC014 Kakegawa S91 Kakegawa S81 Kakegawa S88 SAKPXC011 Nico Nicolleta Plepalila Cindy KLEPO14001 KLEPO14021	must be used for finished. • Any and all growing doi License must be perform "ship to" address as show documents accompanyir and only for the purpose flowering (finished) crop w Canada. • "Finished Plants" are de grown for at least five (5) (7.5-cm) size pot/contain at least four (4) weeks fro rooted cutting, and sever planting of an unrooted cut cuttings, or young (prefin these varieties at any time	production only. ne under this ed solely at the wn on the shipping gg this License of producing a within the U.S. and sfined as plants weeks in a 3-in. er or larger for m planting of a (7) weeks from utting. to sell or transfer tings, rooted shed) plants of e.	Presto™ Pink Sizzle Presto™ Rose Sizzle Presto™ Rose Sizzle Presto™ Motel Presto™ White New Guinea Impatiens Celebration Apricot Celebration Deep Red Celebration Deep Red Celebration Electric Rose Celebration Lectric Rose Celebration Toy Blue Celebration Orange Celebration Pink Celebration Purple Celebration Purple Celebration Topical Peach Celebration Typical Peach Celebration White Celebrate Appleblossom Celebrate Bonfire Orange Celebrate Thoris Corange Celebrate Cherry Stripe Celebrate Cherry Stripe Celebrate Cherry Stripe Celebrate Grape Crush Improved Celebrate Hot Pink	Sil Linus Balshorozle KLEPZO7200 Sil Ceto Balcelapt Balcelorisal BFP-523 Deep Red Balcelerio Balceloriou Balceloriou Balcelaryo BFP-605 Orange Balcelimpik Balcelimpik Balcelimpit Balcelimpur Balcelimpur Balcelimpur Balcelimpur Balcelimpur Balcelimpur Balceloriot Balceloriot Balceloriot Balceloriot Balceloriot Balceloriot Balceloriot Balceloriot Balcelorio
Aromatica™ Rose Pink Aromatica™ Royal Blue Aromatica™ White Osteospermum Blue Eyed Beauty Serenity™ Bronze Serenity™ Deny Pellow Serenity™ Dep Yellow Serenity™ Lewnorder Frost Serenity™ Lewnorder Frost Serenity™ Pink Lewnorder Brost Serenity™ Pink Serenity™ Pink Serenity™ Rose Magic Serenity™ Rose Magic Serenity™ Rose Magic Serenity™ White Voltage™ White Voltage™ White Voltage™ Vellow Perilla Magilla® Purple	Balarropi Balaroyble Balarvitim Balostlueye Balseronze Balserdalo Balserdalo Balserlavosim Balseripinkim Balseripinkim Balseroma Balseroma Balserimydi Balserimydi Balvowite Balvoyelo Balmagpurp	Petunia x calibrachoa (Petchoa) SuperCal® Artist Rose SuperCal® Blushing Pink SuperCal® Blushing Pink SuperCal® Cherry SuperCal® Cherry SuperCal® Pink SuperCal® Pink SuperCal® Pink Ice SuperCal® Pink Ice SuperCal® Pink Ice SuperCal® Purple SuperCal® Samon Glow SuperCal® Velvet	SAKPXC010 SAKPXC006 SAKPXC008 SAKPXC017 Kakegawa S89 SAKPXC017 Kakegawa S90 SAKPXC014 Kakegawa S91 Kakegawa S91 Kakegawa S88 SAKPXC011 Nico Nicolleta Plepalila Cindy KLEP014824 KLEP014824 KLEP014824	must be used for finished Any and all growing dou License must be perform "ship to" address as show documents accompanying and only for the purpose flowering (finished) crop w Canada. "Finished Plants" are de grown for at least five (5) (7.5-cm) size pot/contain at least four (4) weeks fro rooted cutting, and sever planting of an unrooted cut to any party unrooted cut cuttings, or young (prefin these varieties at any time Self-Propagation Licen	production only. ne under this ed solely at the wn on the shipping gg this License of producing a within the U.S. and efined as plants weeks in a 3-in. er or larger for m planting of a n (7) weeks from utting. to sell or transfer tings, rooted shed) plants of e. seed Varieties	Presto™ Prink Sizzle Presto™ Rose Sizzle Presto™ Rose Sizzle Presto™ Motel Presto™ Whotel Presto™ White New Guinea Impatiens Celebration Apricot Celebration Bright Salmon Celebration Deep Red Celebration Electric Rose Celebration Electric Rose Celebration Electric Rose Celebration Pigliu Celebration Pigliu Celebration Prink Celebration Prink Celebration Purple Celebration Purple Celebration Purple Celebration Propica Celebration Propica Celebration Propica Celebration Tropical Peach Celebration Tropical Peach Celebration Tropical Peach Celebration Tropical Celebration Celebration Tropi	Sil Linus Balshorozle KLEPZO7200 Sil Cato Balcelapt Balcelorisal BFP-523 Deep Red Balcelorio Balcebibu Balcelorio Balcebibu Balcelimpik Balcelimpik Balcelimpur Balcelimpur Balcelimpur Balcelipurt Balcelorst Balcelimpur Balceloriot Balceblopoi DANCEL846
Aromatica™ Rose Pink Aromatica™ Royal Blue Aromatica™ White Osteospermum Blue Eyed Beauty Serenity™ Bronze Serenity™ Dark Purple Serenity™ Dept Verple Serenity™ Lavender Frost Serenity™ Lavender Frost Serenity™ Lemonade Serenity™ Pink Serenity™ Pink Serenity™ Red Serenity™ Rose Magic Serenity™ Soem Magic Serenity™ Soem Magic Serenity™ White Voltage™ White Voltage™ Yellow Perilla Magilla® Purple Petunia Black Magic	Balarropi Balaroyble Balarwitim Balostlueye Balseronze Balserdarp Balserdeno Balserdenosim Balserfem Balserpinkim Balserpinka Balseroma Balseroma Balseringda Balserinydia Balserinydia Balserinydia Balserinydia Balserinydia	Petunia x calibrachoa (Petchoa) SuperCal® Artist Rose SuperCal® Bluse SuperCal® Blushing Pink SuperCal® Cherry SuperCal® Light Yellow SuperCal® Neon Rose SuperCal® Pink SuperCal® Pink loe SuperCal® Velvet SuperCal® Lorendet SuperCal® Almon Glow SuperCal® Lorendet SuperCal® Lorendet SuperCal® Velvet SuperCal® Lorendet SuperCal® Velvet SuperCal® Lorendet SuperCal® Velvet SuperCal® Lorendet SuperCal® Lor	SAKPXC010 SAKPXC006 SAKPXC008 SAKPXC012 SAKPXC012 SAKPXC011 SAKPXC016 SAKPXC016 SAKPXC0014 Kakegawa S90 SAKPXC011 Kakegawa S91 Kakegawa S92 Kakegawa S93 Kakegawa	must be used for finished Any and all growing dou License must be perform "ship to" address as show documents accompanying and only for the purpose flowering (finished) crop w Canada. "Finished Plants" are de grown for at least five (5) (7.5-cm) size pot/contain at least four (4) weeks fro rooted cutting, and sever planting of an unrooted cut to any party unrooted cut cuttings, or young (prefin these varieties at any time Self-Propagation Licen	production only. ne under this ed solely at the wn on the shipping gg this License of producing a within the U.S. and efined as plants weeks in a 3-in. er or larger for m planting of a n (7) weeks from utting. to sell or transfer tings, rooted shed) plants of e. seed Varieties	Presto™ Pink Sizzle Presto™ Rose Sizzle Presto™ Rose Sizzle Presto™ White New Guinea Impatiens Celebration Apricot Celebration Bright Salmon Celebration Dergh Red Celebration Electric Rose Celebration Electric Rose Celebration Levender Glow Celebration Lavender Glow Celebration Purple Celebration Purple Celebration Purple Celebration Purple Selebration Purple Celebration Topical Peach Celebration Topical Peach Celebration White Celebration White Celebration White Celebration White Celebration White Celebration Charry Stripe Celebratie Charry Stripe Celebratie Grape Crush Improved Celebratie Layender Celebratie Layender Celebratie Light Coral	Sil Linus Balshorozle KLEPZO7200 Sil Cato Balcelapt Balcelorisal BFP-523 Deep Red Balcelerio Balcebibu Balcelorio Balcelipur Balcelimpik Balcelimpir Balcelimpir Balcelimpir Balcelimpir Balcelimpir Balceloriost Balcelimpir Balceloriost Balcelimpir Balceloriost Balcelimpir Balceloriost Balcel
Aromatica™ Rose Pink Aromatica™ Royal Blue Aromatica™ White Osteospermum Blue Eyed Beauty Serenity™ Bonze Serenity™ Dark Purple Serenity™ Lavender Frost Serenity™ Lawender Frost Serenity™ Lemonade Serenity™ Pink Magic Serenity™ Pink Magic Serenity™ Red Serenity™ Red Serenity™ Rose Magic Serenity™ Spring Day Serenity™ White Voltage™ White Voltage™ Wellow Perilla Magilia® Purple Petunia Black Magic Cascadias™ Indian Summer	Balarropi Balaroyble Balaroythe Balaseronze Balserdarp Balserdarp Balserdelo Balserdelo Balserinokim Balserinin Balseroma Balseroma Balseringda Balserimyhi Balvoyite Balvoyelo Balmagpurp	Petunia x calibrachoa (Petchoa) SuperCal® Artist Rose SuperCal® Blushing Pink SuperCal® Blushing Pink SuperCal® Cherry SuperCal® Cherry SuperCal® Pink SuperCal® Pink SuperCal® Pink Ice SuperCal® Pink Ice SuperCal® Pink Ice SuperCal® Purple SuperCal® Samon Glow SuperCal® Velvet	SAKPXC010 SAKPXC006 SAKPXC008 SAKPXC017 Kakegawa S89 SAKPXC017 Kakegawa S90 SAKPXC014 Kakegawa S91 Kakegawa S91 Kakegawa S88 SAKPXC011 Nico Nicolleta Plepalila Cindy KLEP014824 KLEP014824 KLEP014824	must be used for finished Any and all growing dou License must be perform "ship to" address as show documents accompanying and only for the purpose flowering (finished) crop w Canada. "Finished Plants" are de grown for at least five (5) (7.5-cm) size pot/contain at least four (4) weeks fro rooted cutting, and sever planting of an unrooted cut cuttings, or young (prefinithese varieties at any time Self-Propagation Licen COMMERCIAL NAME Geranium	production only. ne under this ed solely at the wn on the shipping gg this License of producing a within the U.S. and efined as plants weeks in a 3-in. er or larger for m planting of a n (7) weeks from utting. to sell or transfer tings, rooted shed) plants of e. seed Varieties VARIETY NAME	Presto™ Pink Sizzle Presto™ Rose Sizzle Presto™ Rose Sizzle Presto™ Molet Presto™ White New Guinea Impatiens Celebration Apricot Celebration Bright Salmon Celebration Deep Red Celebration Deep Red Celebration Electric Rose Celebration Leuroler Glow Celebration Orange Celebration Pink Celebration Purple Celebration Purple Celebration Purple Celebration Purple Celebration White Celebration Milet Celebration Rose Star Celebration White Celebration Propical Peach Celebration White Celebrate Appleblossom Celebrate Forape Celebrate Grape Crush Improved Celebrate Grape Crush Improved Celebrate Light Coral Celebrate Light Coral Celebrate Light Coral Celebrate Crush Improved	Sil Linus Balshorozle KLEPZO7200 Sil Ceto Balcelapt Balcelorisal BFP-523 Deep Red Balcelerio Balceloriou Balceloriou Balceloriou Balcelaryo BFP-605 Orange Balcelimpik Balcelimpik Balcelimpit Balcelimpit Balcelimpit Balcelimpit Balcelimpit Balceloriost Balceloriost Balceloriost Balceloriost Balceloriost Balceloriot Balceloriot Balceloriot Balceloriot DANCEL846 Balceblico Balcebloopi DANCEL844 Balceblico Balceblorushi
Aromatica™ Rose Pink Aromatica™ Royal Blue Aromatica™ Mirite Osteospermum Blue Eyed Beauty Screinliy™ Bronze Screinliy™ Dark Purple Screinliy™ Dep Yellow Screinliy™ Lemonade Screinliy™ Mirit Lemonade Screinliy™ Pink Screinliy™ Pink Screinliy™ Pink Screinliy™ Rose Magic Screinliy™ Rose Magic Screinliy™ White Voltage™ White Voltage™ White Voltage™ Vellow Perilla Magilla® Purple Petunia Black Magic Cascacilas™ Indian Summer Cha-Ching Cherry	Balarropi Balaroyble Balaroythe Balaseronze Balserdap Balserdalo Balserdalo Balseripinkim Balseripinkim Balseroma Balseroma Balseroma Balserimybi Balvowite Balvoyelo Balmagpurp	Petunia x calibrachoa (Petchoa) SuperCal® Artist Rose SuperCal® Blue SuperCal® Blushing Pink SuperCal® Cherry SuperCal® Light Yellow SuperCal® Light Yellow SuperCal® Pink Rose SuperCal® Pink Rose SuperCal® Pink Rose SuperCal® Pink Rose SuperCal® Salmon Glow SuperCal® Salmon Glow SuperCal® Velvet SuperCal® Velvet SuperCal® Velvet SuperCal® Velvet SuperCal® Nolet Plectranthus Nico Nicolleta Mona Lavender Purslane Fairytales Cinderella Rio Grande™ Magenta Rio Grande™ Magenta Rio Grande™ Scarlet Rio Grande™ Mitte Rio Grande™ Vellow	SAKPXC010 SAKPXC006 SAKPXC008 SAKPXC012 SAKPXC012 SAKPXC011 SAKPXC016 SAKPXC016 SAKPXC0014 Kakegawa S90 SAKPXC011 Kakegawa S91 Kakegawa S92 Kakegawa S93 Kakegawa	must be used for finished • Any and all growing dou License must be perform "ship to" address as show documents accompanyir and only for the purpose flowering (finished) crop v Canada. • "Finished Plants" are de grown for at least five (5) (7.5-cm) size pot/contain at least four (4) weeks fro rooted cutting, and sever planting of an unrooted c • Licensee is not allowed to any party unrooted cut cuttings, or young (prefin these varieties at any time Self-Propagation Licen COMMERCIAL NAME Geranium Allure™ Hot Coral	production only. ne under this ed solely at the wn on the shipping g this License of producing a within the U.S. and efined as plants weeks in a 3-in. er or larger for m planting of a n (7) weeks from utting. to sell or transfer tings, rooted shed) plants of e. UARIETY NAME BFP-1568	Presto™ Prink Sizzle Presto™ Rose Sizzle Presto™ Rose Sizzle Presto™ Motel Presto™ White New Guinea Impatiens Celebration Apricot Celebration Bright Salmon Celebration Deep Red Celebration Electric Rose Celebration Electric Rose Celebration Fink Celebration Prink Celebration Tropical Peach Celebration White Celebrate Applebiossom Celebrette Applebiossom Celebrette Forting Celebrate Frost Celebrate Grape Crush Improved Celebrate Lavender Celebrate Lavender Celebrate Lavender Celebrate Crange Crush Improved	Sil Linus Balshorozle KLEPZO7200 Sil Cato Balcelapt Balcelapt Balcelapt Balceleric Balcelico DANCEL846 Balcebric Balcebrico Balceborushi Balceborushi Balceborushi
Aromatica™ Rose Pink Aromatica™ Royal Blue Aromatica™ White Osteospermum Blue Eyed Beauty Serenity™ Bronze Serenity™ Dark Purple Serenity™ Dept Vellow Serenity™ Lavender Frost Serenity™ Lavender Frost Serenity™ Lavender Frost Serenity™ Pink Serenity™ Pink Serenity™ Pink Serenity™ Red Serenity™ Roe Magic Serenity™ Roe Magic Serenity™ White Voltage™ White Voltage™ White Voltage™ White Petunia Black Magic Casacilias™ Indian Summer Cha-Ching Cherry ColorFush™ Blue	Balarropi Balaroyble Balaroyble Balarwitim Balaserlarp Balserdarp Balserdarp Balserdarp Balserdelo Balserima Balserima Balserima Balserima Balserimda Balserimda Balserimda Balseringda Balserimda Balserimda Balserimda Balserimda Balserimda Balseringda Balserimda B	Petunia x calibrachoa (Petchoa) SuperCal® Artist Rose SuperCal® Blushing Pink SuperCal® Cherry SuperCal® Cherry SuperCal® Neon Rose SuperCal® Pink Neon Rose SuperCal® Velvet SuperCal® Velvet SuperCal® Violet Plectranthus Nico Nicolleta Mona Lavender Purslane Fairytales Cinderella Rio Grande™ Magenta Rio Grande™ Magenta Rio Grande™ Scarlet Rio Grande™ Scarlet Rio Grande™ Scarlet Rio Grande™ Vellow Salvia	SAKPXC010 SAKPXC006 SAKPXC008 SAKPXC012 SAKPXC012 SAKPXC011 Kakegawa S39 SAKPXC016 SAKPXC016 SAKPXC011 Kakegawa S31 Kakega	must be used for finished Any and all growing doi License must be perform "ship to" address as show documents accompanyir and only for the purpose flowering (finished) crop v Canada. "Finished Plants" are de grown for at least five (5) (7.5-cm) size pot/contain at least four (4) weeks fro rooted cutting, and sever planting of an unrooted co Licensee is not allowed to any party unrooted cuttings, or young (prefin these varieties at any time Self-Propagation Licen COMMERCIAL NAME Geranium Allure™ Hot Coral Allure™ Light Pink	production only. ne under this ed solely at the vn on the shipping gg this License of producing a vithin the U.S. and efined as plants weeks in a 3-in. er or larger for m planting of a 1 (7) weeks from utting. to sell or transfer trings, rooted shed) plants of e. ISEE VARIETY NAME BEP-1568 Ballurifipi	Presto™ Prink Sizzle Presto™ Prose Sizzle Presto™ Rose Sizzle Presto™ Wotel Presto™ White New Guinea Impatiens Celebration Apricot Celebration Berjot Salmon Celebration Electric Rose Celebration Electric Rose Celebration Electric Rose Celebration Electric Rose Celebration Prink Celebration Tropical Peach Celebration White Celebration White Celebration White Celebration White Celebration White Celebratic Appleblossom Celebrate Cherry Stripe Celebrate Crays Celebrate Frost Celebrate Frost Celebrate Frost Celebrate Grape Crush Improved Celebrate Light Coral Celebrate Light Coral Celebrate Charge Stripe Improved Celebrate Charge Stripe Improved Celebrate Orchid Star Improved	Sil Linus Balshorozle KLEPZO7200 Sil Cato Balcelapt Balcelorisal BFP-523 Deep Red Balcelelro Balcelelro Balcelelro Balcelelro Balcelelro Balcelimpik Balcelimpik Balcelimpir Balcelorist Balceloriost Balceloriost Balceloriost Balceloriost Balceboroari Balceboroari
Aromatica™ Rose Pink Aromatica™ Royal Blue Aromatica™ White Osteospermum Blue Eyed Beauty Serenity™ Bonze Serenity™ Dark Purple Serenity™ Lavender Frost Serenity™ Lawender Frost Serenity™ Lemonade Serenity™ Pink Magic Serenity™ Pink Magic Serenity™ Pink Magic Serenity™ Red Serenity™ Red Serenity™ Rose Magic Serenity™ Spring Day Serenity™ White Voltage™ White Voltage™ Wellow Perfula Magilla® Purple Petunia Black Magic Cascadias™ Indian Summer Cha-Ching Cherry ColorRush™ Blue ColorRush™ Blue ColorRush™ Blue	Balarropi Balaroyble Balaroyble Balaroytim Balserlarope Balserdarp Balserdarope Balserdelo Balserdelo Balserinokim Balserjina Balserinokim Balserinoga Balserinog	Petunia x calibrachoa (Petchoa) SuperCal® Artist Rose SuperCal® Blueshing Pink SuperCal® Blushing Pink SuperCal® Cherry SuperCal® Light Yellow SuperCal® Pink SuperCal® Pink SuperCal® Pink SuperCal® Pink SuperCal® Pink SuperCal® Pink SuperCal® Salmon Glow SuperCal® Velvet SuperCal® Velvet SuperCal® Velvet SuperCal® Volet Plectranthus Nico Nicolleta Mona Lavender Purslane Fairytales Cinderella Rio Grande™ Magenta Rio Grande™ Scarlet Rio Grande™ Scarlet Rio Grande™ Vellow Salvia Black & Bloom	SAKPXC010 SAKPXC006 SAKPXC006 SAKPXC008 SAKPXC017 Kakegawa S89 SAKPXC016 SAKPXC009 Kakegawa S90 SAKPXC011 Kakegawa S91 Kakegawa S91 Kakegawa S98 SAKPXC011 Nico Nicolleta Plepalila Cindy KLEPO14001 KLEPO1402 Balriowite KLEPO14825	must be used for finished Any and all growing dou License must be perform "ship to" address as show documents accompanyir and only for the purpose flowering (finished) crop w Canada. "Finished Plants" are de grown for at least five (5) (7.5-cm) size pot/contain at least four (4) weeks fro rooted cutting, and sever planting of an unrooted co Licensee is not allowed to any party unrooted cut cuttings, or young (prefin these varieties at any time Self-Propagation Licen COMMERCIAL NAME Geranium Allure™ Hot Coral Allure™ Light Pink	production only. ne under this ed solely at the wn on the shipping gg this License of producing a within the U.S. and efined as plants weeks in a 3-in. er or larger for m planting of a 1 (7) weeks from utting. to sell or transfer tings, rooted shed) plants of e. Seed Varieties VARIETY NAME BFP-1568 Ballurlipi Lilac Chiffon	Presto™ Prink Sizzle Presto™ Rose Sizzle Presto™ Rose Sizzle Presto™ Motel Presto™ White New Guinea Impatiens Celebration Apricot Celebration Bright Salmon Celebration Deep Red Celebration Deep Red Celebration Deep Red Celebration Flectric Rose Celebration Crange Celebration Prink Celebration Prink Celebration Purple Celebration Purple Celebration Purple Celebration Purple Celebration White Celebration Mine Celebration Mine Celebration Propical Peach Celebration Propical Celebration Mine Celebration Mine Celebratie Ropeloisosom Celebratie Bonfire Orange Celebratie Cherry Stripe Celebratie Corange Crush Improved Celebratie Orange Crush Improved Celebratie Orange Crush Improved Celebratie Orange Stripe Improved Celebratie Red	Sil Linus Balshorozle KLEPZO7200 Sil Ceto Balcelapt Balcelorisal BFP-523 Deep Red Balcelerio Balceloriou Balceloriou Balceloriou Balcelavogo BFP-605 Orange Balcelimpik Balcelimpik Balcelimpit Balcelimpit Balcelimpit Balcelimpit Balceloriot Balceloriot Balceloriot Balceloriot Balceloriot Balceloriot Balceloriot Balceloriot Balceloriot Balceboroti Balceborotio Balcebororiot Balceborori Balceborori Balceborori
Aromatica™ Rose Pink Aromatica™ Royal Blue Aromatica™ White Osteospermum Blue Eyed Beauty Serenity™ Bronze Serenity™ Dark Purple Serenity™ Dept Vellow Serenity™ Lavender Frost Serenity™ Lavender Frost Serenity™ Lavender Frost Serenity™ Pink Serenity™ Pink Serenity™ Pink Serenity™ Red Serenity™ Roe Magic Serenity™ Roe Magic Serenity™ White Voltage™ White Voltage™ White Voltage™ White Petunia Black Magic Casacilias™ Indian Summer Cha-Ching Cherry ColorFush™ Blue	Balarropi Balaroyble Balaroyble Balarwitim Balaserlarp Balserdarp Balserdarp Balserdarp Balserdelo Balserima Balserima Balserima Balserima Balserimda Balserimda Balserimda Balseringda Balserimda Balserimda Balserimda Balserimda Balserimda Balseringda Balserimda B	Petunia x calibrachoa (Petchoa) SuperCal® Artist Rose SuperCal® Blushing Pink SuperCal® Cherry SuperCal® Cherry SuperCal® Neon Rose SuperCal® Pink Neon Rose SuperCal® Velvet SuperCal® Velvet SuperCal® Violet Plectranthus Nico Nicolleta Mona Lavender Purslane Fairytales Cinderella Rio Grande™ Magenta Rio Grande™ Magenta Rio Grande™ Scarlet Rio Grande™ Scarlet Rio Grande™ Scarlet Rio Grande™ Vellow Salvia	SAKPXC010 SAKPXC006 SAKPXC008 SAKPXC012 SAKPXC012 SAKPXC011 Kakegawa S39 SAKPXC016 SAKPXC016 SAKPXC011 Kakegawa S31 Kakega	must be used for finished Any and all growing dou License must be perform "ship to" address as show documents accompanying and only for the purpose flowering (finished) crop v Canada. "Finished Plants" are de grown for at least five (5) (7.5-cm) size pot/contain at least four (4) weeks fro rooted cutting, and sever planting of an unrooted c Licensee is not allowed to any party unrooted cut cuttings, or young (prefin these varieties at any time Self-Propagation Licen COMMERCIAL NAME Geranium Allure™ Hot Coral Allure™ Hot Coral Allure™ Pirk Sizzle	production only. ne under this ed solely at the wn on the shipping gg this License of producing a within the U.S. and efined as plants weeks in a 3-in. er or larger for m planting of a n (7) weeks from utting. to sell or transfer tings, rooted shed) plants of e. Sed Varieties VARIETY NAME BEP-1568 Ballurlipid Lilac Chiffon Ballurpinzle	Presto™ Prink Sizzle Presto™ Rose Sizzle Presto™ Rose Sizzle Presto™ Motel Presto™ White New Guinea Impatiens Celebration Apricot Celebration Bright Salmon Celebration Deep Red Celebration Electric Rose Celebration Electric Rose Celebration Fink Celebration Prink Celebration Tropical Peach Celebration White Celebrate Appleblossom Celebrette Appleblossom Celebrette Forst Celebrate Grape Crush Improved Celebrate Lavender Celebrate Lavender Celebrate Crange Crush Improved Celebrate Crange Stripe Improved Celebrate Cardina Star Improved Celebrate Salmon Frost	Sil Linus Balshorozle KLEPZO7200 Sil Cato Balcelapt Balcelorisal BFP-523 Deep Red Balcelelro Balcelelro Balcelelro Balcelelro Balcelelro Balcelimpik Balcelimpik Balcelimpir Balcelorist Balceloriost Balceloriost Balceloriost Balceloriost Balceboroari Balceboroari
Aromatica™ Rose Pink Aromatica™ Royal Blue Aromatica™ White Osteospermum Blue Eyed Beauty Serenity™ Bonze Serenity™ Dark Purple Serenity™ Lavender Frost Serenity™ Lawender Frost Serenity™ Lemonade Serenity™ Pink Magic Serenity™ Pink Magic Serenity™ Pink Magic Serenity™ Red Serenity™ Red Serenity™ Rose Magic Serenity™ Spring Day Serenity™ White Voltage™ White Voltage™ Wellow Perfula Magilla® Purple Petunia Black Magic Cascadias™ Indian Summer Cha-Ching Cherry ColorRush™ Blue ColorRush™ Blue ColorRush™ Blue	Balarropi Balaroyble Balaroyble Balaroytim Balserlarope Balserdarp Balserdarope Balserdelo Balserdelo Balserinokim Balserjina Balserinokim Balserinoga Balserinog	Petunia x calibrachoa (Petchoa) SuperCal® Artist Rose SuperCal® Blueshing Pink SuperCal® Blushing Pink SuperCal® Cherry SuperCal® Light Yellow SuperCal® Pink SuperCal® Pink SuperCal® Pink SuperCal® Pink SuperCal® Pink SuperCal® Pink SuperCal® Salmon Glow SuperCal® Velvet SuperCal® Velvet SuperCal® Velvet SuperCal® Volet Plectranthus Nico Nicolleta Mona Lavender Purslane Fairytales Cinderella Rio Grande™ Magenta Rio Grande™ Scarlet Rio Grande™ Scarlet Rio Grande™ Vellow Salvia Black & Bloom	SAKPXC010 SAKPXC006 SAKPXC006 SAKPXC008 SAKPXC017 Kakegawa S89 SAKPXC016 SAKPXC009 Kakegawa S90 SAKPXC011 Kakegawa S91 Kakegawa S91 Kakegawa S98 SAKPXC011 Nico Nicolleta Plepalila Cindy KLEPO14001 KLEPO1402 Balriowite KLEPO14825	must be used for finished Any and all growing dou License must be perform "ship to" address as show documents accompanyir and only for the purpose flowering (finished) crop w Canada. "Finished Plants" are de grown for at least five (5) (7.5-cm) size pot/contain at least four (4) weeks fro rooted cutting, and sever planting of an unrooted co Licensee is not allowed to any party unrooted cut cuttings, or young (prefin these varieties at any time Self-Propagation Licen COMMERCIAL NAME Geranium Allure™ Hot Coral Allure™ Light Pink	production only. ne under this ed solely at the wn on the shipping gg this License of producing a within the U.S. and efined as plants weeks in a 3-in. er or larger for m planting of a 1 (7) weeks from utting. to sell or transfer tings, rooted shed) plants of e. Seed Varieties VARIETY NAME BFP-1568 Ballurlipi Lilac Chiffon	Presto™ Prink Sizzle Presto™ Rose Sizzle Presto™ Rose Sizzle Presto™ Motel Presto™ White New Guinea Impatiens Celebration Apricot Celebration Bright Salmon Celebration Deep Red Celebration Deep Red Celebration Deep Red Celebration Flectric Rose Celebration Crange Celebration Prink Celebration Prink Celebration Purple Celebration Purple Celebration Purple Celebration Purple Celebration White Celebration Mine Celebration Mine Celebration Propical Peach Celebration Propical Celebration Mine Celebration Mine Celebratie Ropeloisosom Celebratie Bonfire Orange Celebratie Cherry Stripe Celebratie Corange Crush Improved Celebratie Orange Crush Improved Celebratie Orange Crush Improved Celebratie Orange Stripe Improved Celebratie Red	Sil Linus Balshorozle KLEPZO7200 Sil Ceto Balcelapt Balcelorisal BFP-523 Deep Red Balcelerio Balceloriou Balceloriou Balceloriou Balcelavogo BFP-605 Orange Balcelimpik Balcelimpik Balcelimpit Balcelimpit Balcelimpit Balcelimpit Balceloriot Balceloriot Balceloriot Balceloriot Balceloriot Balceloriot Balceloriot Balceloriot Balceloriot Balceboroti Balceborotio Balcebororiot Balceborori Balceborori Balceborori

Terms & Conditions of Sale

Visit ballfloraplant.com for current Terms & Conditions of Sale.

Acceptance of Terms

These terms and conditions shall govern orders for plants (merchandise) placed with Seller. All negotiations with sales representatives or other agents of Seller are merged herein. No modification of these terms and conditions shall be effective unless in writing signed by Seller. Placement of the order shall constitute Purchaser's acceptance of these terms and conditions. All orders are subject to acceptance by Seller at our offices in West Chicago, Illinois.

Limitation of Warranty

Seller warrants, to the extent required by law, that merchandise conforms to the description appearing in Seller's catalog and on container labels, within recognized tolerances. SELLER MAKES NO OTHER OR FURTHER WARRANTY, EXPRESS OR IMPLIED. ALL OTHER OR FURTHER WARRANTIES, INCLUDING ANY WARRANTIES OF MERCHANTABILITY, TITLE, NON-INFRINGEMENT AND FITNESS FOR A PARTICULAR PURPOSE, ARE EXCLUDED. Certain merchandise may be separately warranted by the manufacturer. Seller does not adopt or ratify any manufacturer warranties, express or implied, and Seller shall have no liability thereunder. Seller does not adopt or ratify any manufacturer warranties, express or implied, made by Purchaser upon resale of the merchandise, and Seller shall have no liability thereunder.

Limitation of Remedy

PURCHASER'S SOLE AND EXCLUSIVE REMEDY SHALL BE REFUND OF THE PURCHASE PRICE. SELLER'S LIABILITY, WHETHER FOR BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, PRODUCTS LIABILITY OR ANY OTHER THEORY OF LIABILITY, IS LIMITED TO THE AMOUNT OF THE PURCHASE PRICE. UNDER NO CIRCUMSTANCES SHALL SELLER BE LIABLE FOR DAMAGES IN EXCESS OF THE PURCHASE PRICE, OR FOR ANY SPECIAL, INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES.

Mandatory Arbitration

ANY CLAIM WHICH PURCHASER MAY HAVE AGAINST SELLER ARISING OUT OF OR RELATING TO THE SALE OF THE MERCHANDISE SHALL BE SETTLED BY BINDING ARBITRATION IN ACCORDANCE WITH THE COMMERCIAL ARRITRATION RULES OF THE AMERICAN ARBITRATION ASSOCIATION, SAID ARBITRATION TO BE VENUED IN COOK OR DUPAGE COUNTIES, ILLINOIS. The laws of several states require arbitration, conciliation or mediation of disputes involving allegedly defective plants before legal action may be taken. Purchaser should contact the State Department Of Agriculture for information. Such laws typically require that a complaint be filed with the State Department Of Agriculture in time to permit inspection of the crops or plants. If such a complaint is filed, a copy must be sent to Seller by registered or certified mail.

Governing Law, Jurisdiction & Venue

The laws of the State of Illinois, including but not limited to the Uniform Commercial Code as adopted therein, shall govern all matters arising out of or relating to Seller's sale of merchandise. ANY DISPUTE NOT SUBJECT TO ARBITRATION AND ANY ACTION TO **ENFORCE AN ARBITRATION AWARD** ARISING OUT OF OR RELATING TO THE SALE OF MERCHANDISE HEREUNDER SHALL BE MAINTAINED IN THE STATE OR FEDERAL COURTS LOCATED IN DUPAGE OR COOK COUNTIES, ILLINOIS, AND PURCHASER SUBMITS TO THE JURISDICTION OF AND VENUE IN SAID COURTS.

Indemnity

By accepting merchandise, Purchaser agrees to defend Seller, to hold it harmless and indemnify it from and against any claim or loss asserted by any or all transferees of such merchandise or users of the products of such merchandise who are not notified by Purchaser in writing of Limitation of Warranty, Limitation of Remedy, Mandatory Arbitration, Governing Law Jurisdiction and Venue, and Notice Regarding Seed-Borne Diseases in language substantially equivalent to that contained in these Terms and Conditions of Sale.

Minimum Orders

The minimum quantity for each order is 500 unrooted cuttings. Total orders less than 2,000 unrooted cuttings will be subject to a minimum charge of \$30.

Prices

All prices are subject to change without notice. The price in effect at time of shipment will prevail. Prices do not include installation; Seller takes no responsibility, and shall have no liability for installation.

Payment

Payment is due in invoiced currency and in accordance with the terms specified on invoice. In the event of default in the payment of any amount when due, and in addition to all other rights and remedies available to Seller, SELLER SHALL BE ENTITLED TO COLLECT A LATE CHARGE OF 2% PER MONTH (24% PER YEAR) OR THE MAXIMUM RATE ALLOWED BY LAW, WHICHEVER IS LESS, ON ALL AMOUNTS PAST DUE FROM THE DATE DUE UNTIL THE DATE PAID. A FEE OF \$25.00 WILL BE CHARGED FOR ANY RETURNED CHECK, DECLINED EFT TRANSACTION OR DECLINED BANKCARD TRANSACTION.

Freight & Handling Charges, Inspection, Damaged Goods

The freight and handling charge on Purchaser's invoice covers shipment of the merchandise to Purchaser's destination, and replacement or credit for damaged merchandise if the steps listed here are followed. PURCHASER WILL NOT REFUSE OR RETURN GOODS, OR THE RIGHT TO FILE A CLAIM IS LOST AND PURCHASER WILL STILL BE LIABLE FOR THE MATERIAL AND THE FREIGHT. When Purchaser receives shipment:

1) Count all cartons. 2) Inspect all cartons for external damage. 3) Check for open or resealed cartons. 4) Note any damages, shortages, open or resealed cartons on the delivery receipt; the carrier's representative must also sign the receipt. 5) Open all boxes immediately and inspect for damage due to weather related issues such as scorched, frozen or broken plants: material shortages: etc. NOTIFY SELLER IMMEDIATELY IF A SHIPMENT IS DAMAGED. Call the Ball. Traffic Department at 800 879-BALL to report the damage and receive details on what is needed to file a claim. Damaged unrooted cuttings will be replaced by Ball FloraPlant. Damaged rooted cuttings will be replaced by Ball Seed.

Cancellation Policy

Cancellations for unrooted cuttings must be received at least 30 days prior to scheduled ship date. Cancellations for liners or seed-raised plugs must be received prior to stick or sow date.

Notice & Return

No returns will be accepted. Seller shall have no liability for any defect unless notice is given promptly, not to exceed five (5) days after receipt of delivery of merchandise. Notice of defect should be addressed to Ball at 800 879-BALL.

Delays, Shortages & Substitutions

Seller shall not be responsible for delays in delivery or for losses resulting from such delays. Seller reserves the right to make partial shipment. In the event of shortages, Seller may substitute such other, similar merchandise as is available.

Plant Protection

Varieties described herein may be protected by United States Plant Variety Protection, United States Plant Patents, Utility Patents, and/or Plant Breeders' Rights. Many of the varieties are also protected by the Flowering-Only License Agreement as well as registered with the Canadian Ornamental Plant Foundation. These varieties may not be reproduced without authorization. The breeder or authorized representative has the right to inspect customer's nurseries during normal business hours to assess compliance with the restrictions on use of protected varieties.

Trademarks

Trademarks are the property of Ball Horticultural Company, unless otherwise indicated.

Sales Limitations

THE COMPANY'S PRODUCTS MAY NOT BE SOLD, DIVERTED, TRANSFERRED OR RE-EXPORTED, DIRECTLY OR INDIRECTLY, TO ANY INDIVIDUAL, ENTITY, OR DESTINATION THAT IS SUBJECT TO UNITED STATES OR UNITED NATIONS SANCTIONS PROGRAMS OR EMBARGOS (INCLUDING BUT NOT LIMITED TO OFAC SANCTIONS PROGRAMS AND THOSE LISTED ON OFAC'S "SPECIALLY DESIGNATED NATIONALS" LIST) WITHOUT AN APPROPRIATE EXPORT LICENSE.

Discontinued Ball FloraPlant Varieties for 2017

VANIETT

Angelonia Archangel Pink Angelonia Archangel Orchid Pink Bacopa Abunda Colossal Blue Bacopa Abunda Colossal Pink Bacopa Abunda Colossal Sky Blue Bacopa Abunda Colossal White Bacopa Abunda Giant White **Basil Emerald Erills** Basil Ruby Frills Bidens Sun Drop Calibrachoa Cabaret Lavender Calibrachoa Cabaret Scarlet Calibrachoa Can-Can Coral Reef Calibrachoa Can-Can Peach Calibrachoa Can-Can Pink Splash Calibrachoa Can-Can Purple Star Calibrachoa Conga Blush Calibrachoa Conga Yellow Coleus Honey Crisp Coleus Aurora Black Cherry Coleus Aurora Raspberry Diascia Romeo Pink Diascia Romeo Red Geranium, Zonal Dynamo Bright Lilac Geranium, Zonal Dynamo White Geranium, Zonal Fantasia Flamingo Rose Geranium, Zonal Fantasia Pink Shell Geranium, Zonal Fantasia Scarlet Geranium, Zonal Presto Deep Scarlet Gomphrena Pinball Purple Impatiens, New Guinea Celebration Cherry Red Impatiens, New Guinea Celebration Raspberry Rose Impatiens, New Guinea Celebration Rose Impatiens, New Guinea Celebration Sunset Apricot Impatiens, New Guinea Celebrette Grape Crush Impatiens, New Guinea Celebrette Hot Bose Impatiens, New Guinea Celebrette Orange Crush Impatiens, New Guinea Celebrette Orange Stripe Impatiens, New Guinea Celebrette Orchid Impatiens, New Guinea Celebrette Orchid Star Impatiens, Exotic Fusion Infrared Apricot Impatiens Exotic Fusion Peach Frost Impatiens, Double Fiesta Rose Impatiens, Exotic Patchwork Cosmic Cherry Impatiens, Exotic Patchwork Lavender Nemesia Aromatica Scarlet Osteospermum Serenity Peach Magic Petunia Flash Mob Magentacular Petunia Sun Spun Salmon Petunia Sun Spun Velvet Rudbeckia Gold Rush Verbena Aztec Light Pink Verbena EnduraScape Lavender

RECOMMENDED REPLACEMENT

Angelonia Archangel Pink Improved Angelonia Archangel Pink Improved Bacopa MegaCopa Blue Bacopa MegaCopa Pink Bacopa MegaCopa Sky Blue Bacopa MegaCopa Versa White Bacopa MegaCopa White

Bidens Sun Drop Improved Calibrachoa Cabaret Lavender Improved Calibrachoa Cabaret Scarlet Improved Calibrachoa Cabaret Mango Tango Calibrachoa Can-Can Apricot Calibrachoa Can-Can Red Splash Calibrachoa Can-Can Hot Pink Star Calibrachoa Conga White Calibrachoa Conga Deep Yellow Coleus Mint Mocha Coleus FlameThrower Spiced Curry Coleus FlameThrower Chili Pepper Coleus FlameThrower Chili Pepper Diascia Romeo Bright Pink Diascia Romeo Orange Geranium, Zonal Dynamo Purple Geranium, Zonal Dynamo White Improved Geranium, Zonal Fantasia Flamingo Rose Improved Geranium, Zonal Fantasia Shocking Pink Geranium, Zonal Fantasia Scarlet Improved Geranium, Zonal Presto Deep Scarlet Improved

Impatiens, New Guinea Celebration Deep Red Impatiens, New Guinea Celebration Electric Rose Impatiens, New Guinea Celebration Electric Rose Impatiens, New Guinea Celebration Bright Salmon Impatiens, New Guinea Celebrette Grape Crush Improved Impatiens, New Guinea Celebrette Grape Crush Improved Impatiens, New Guinea Celebrette Orange Crush Improved Impatiens, New Guinea Celebrette Orange Stripe Improved Impatiens, New Guinea Celebrette Grape Crush Improved Impatiens, New Guinea Celebrette Orchid Star Improved Impatiens, Exotic Fusion Heat Coral Impatiens, Exotic Fusion Heat Coral Impatiens, Double Fiesta Purple Impatiens, Exotic Patchwork Cosmic Orange Impatiens, Exotic Patchwork Pink Shades Nemesia Aromatica Rose Pink Osteospermum Serenity Rose Magic

> Petunia Sun Spun Coral Petunia Sun Spun Blue

Verbena Aztec Pink Verbena EnduraScape Pink Bicolor Verbena EnduraScape Purple Improved

INDEX

Angelonia

Alternanthera	21
Argyranthemum	18
COMMAND OF	



Bacopa	21
Bidens	24
Brachyscome	21
Bracteantha	21
Calibrachoa	28
Coleus	34



A STATE OF THE PARTY OF THE PAR
Culture Guide124
Cuphea 40
Diascia 41
rysimum 40
uphorbia40
volvulus40
Gaura 56
Genesis™ Direct-stick Cuttings 42, 86
Geranium, Ivy 52
Geranium, Zonal44
lelichrysum56
leliotrope84
libiscus84
npatiens, Compact64
npatiens, Double58
npatiens, Exotic57
mpatiens, New Guinea66

mpatiens, Spreading	62
mpatiens, Vigorous	62
pomoea	72
resine	84
_amium	85
_antana	76
_obelia	82
ysimachia	84
Mecardonia	85
MixMasters Multiliners	2
Nemesia	104
Osteospermum	87
Perilla	105
Petchoa	100
Petunia	94



Petunia, Mounded Trailing92
Petunia, Spreading Double103
Petunia, Trailing91
Plant Protection Information 134
Plectranthus104
Product Forms121
Propagation Guide122
Purslane 105
Rooting Stations113
Sales Reps 114
Salvia106
Scaevola 104
Strobilanthes106
Tag & Photo Policy134
Ferms & Conditions136
Гhunbergia 107
/erbena 108



Verbena EnduraScape Purple

ACCESS THE BIGGEST ONLINE PRODUCT LINEUP 24/7.

Live inventory from hundreds of seed and young plant suppliers at your fingertips...Ball WebTrack® is the only single-source site in the industry! Find it at **ballseed.com/webtrack**.

2 For 1 Policy

Due to their natural habit, unrooted cuttings of some varieties can be somewhat fine or wispy. For these varieties, Ball FloraPlant requires that customers use 2 cuttings per cell. To facilitate this, customers will be shipped 2 cuttings of the varieties below for the price of 1. Ball FloraPlant believes that it is a necessity to stick these varieties in this way to allow for the most successful finished product.

Ball FloraPlant provides 2 unrooted cuttings for the price of 1 for the following series/varieties: MegaCopa Bacopa, Scopia Bacopa, Amethyst Brachyscome, Allyson Heather Cuphea, Juliet & Romeo Diascia, Aromatica Nemesia

If cuttings are "stuck" 1 per cell, customers will be responsible for the cost of full royalty and tags for those extra plants. You may arrange for payment of the royalty and tags by calling Ball FloraPlant at 800 879-BALL (2255).

BFP TV

BFP TV is your source for culture, trends and new varieties. If you've got a minute (or two), we have a video for you. Watch, learn and grow!

ballfloraplant.com









Ball Seed.

Order at ballseed.com/webtrack.

Talk to us. Ball Seed: 800 879-BALL Ball ColorLink®: 800 686-7380

Visit ballfloraplant.com for current Terms & Conditions of Sale.

©2016 Ball Horticultural Company 16151

 TM denotes a trademark of and $^{\circ}$ denotes a registered trademark of Ball Horticuttural Company in the U.S., unless otherwise noted. It may also be registered in other countries.