# popular. programmable. perennials.



**Top First-Year-Flowering Perennials** 



## **Kieft Seed**

#### It's Easy to Expand Your Presence in the Perennials Market

Perennials are long-time favorites among retailers, landscapers and home gardeners, but you may have found them challenging to grow.

Kieft Seed offers you easy solutions!

These first-yearflowering perennials are programmable and easy to produce. Their uniform habits and flowering times let you schedule, grow and ship them right alongside your Spring annuals - and expand your presence in this ever-popular market segment.

These winter-hardy varieties can also be grown traditionally - overwintered or with vernalized plugs.

Check out this amazing line-up of innovative varieties, all carefully bred for solid performance in the greenhouse and stunning beauty in the garden. When you're ready to order (and we bet you'll want to do that soon!), contact your preferred sales rep.

#### Early-Season-Flowering Varieties: Starting Week 11 (South) - Week 15 (North)

|     | Variety                            | Bloom<br>Date | Crop        | Grow on<br>Temp.<br>(F) | Vernalization<br>Treatment (weeks)   | Transplant<br>to Finish | Height                                       | Spread                 | USDA<br>Hardiness<br>Zones | Description  | Colors   |
|-----|------------------------------------|---------------|-------------|-------------------------|--|-------------------------|--|------------------------|----------------------------|--|--|
|     | Aquilegia<br>Songbird F1<br>Series | March-<br>May | 6-8<br>wks. | High 40s                | Cool treatment, night<br>temps as high as 55,<br>for 6 wks. after juvenile<br>12-leaf stage. | 22-28 wks.              | 11-18 in./<br>28-40 cm, varies<br>by variety | 10-14 in./<br>25-35 cm | 3 to 9                     | Easy-to-force, free-flowering, medium-<br>compact plants have 1.5 to 3.5-in./4 to<br>9-cm blooms in true, non-fading colors. | Bluebird (lt. blue & white) Cardinal (deep<br>red & white), Dove (white), Goldfinch<br>(lt. yellow), Nightingale (lavender & white),<br>Robin (pink & white), Mixture. |
|     | Aquilegia<br>Swan F1<br>Series     | March-<br>May | 6-9<br>wks. | High 40s                | Cool treatment, night<br>temps as high as 55,<br>for 6 wks. after juvenile<br>12-leaf stage. | 22-28 wks.              | 20-24 in./<br>45-60 cm                       | 12-14 in./<br>30-35 cm | 3 to 9                     | Multi-stemmed plants with abundant<br>large blooms in vibrant colors; very high<br>bud count for more flowers per plant.     | Blue and White, Burgundy and White,<br>Lavender, Pink and Yellow, Red and White,<br>Rose and White, Violet and White, White,<br>Yellow, Mixture.                       |
|     | Armeria<br>Ballerina<br>Series     | March-<br>May | 5-6<br>wks. | 50s                     | Not required.  | 12-15 wks.              | 8-10 in./<br>20-25 cm                        | 8-10 in./<br>20-25 cm  | 7 to 9                     | Compact and uniform plants produce<br>cushion-shaped, grassy foliage; long<br>stems; globe-shaped blooms.                    | Lilac, Red, White.   |
| Ó   | Bellis<br>Bellissima™<br>Series    | March-<br>May | 5<br>wks.   | 50s                     | Not required.  | 8-14 wks.               | 6-10 in./<br>15-25 cm                        | 5-8 in./<br>13-20 cm   | 4 to 8                     | Robust plants are strong landscape<br>performers in cool climates, with an<br>abundance of large, fully double flowers.      | Red, Rose, Rose Bicolor, White, Mixture.   |
| (a) | Delphinium<br>Dasante<br>Blue F1   | March-<br>May | 6-7<br>wks. | High 50s,<br>Iow 60s    | Not required.  | 11-13 wks.              | 28-34 in./<br>70-85 cm                       | 10-12 in./<br>25-30 cm | 4 to 8                     | Exciting compact variety shows off<br>vibrant, true blue flowers. Can be grown<br>with little or no heat for energy savings. |  |





**Bellissima Mixture Bellis** 



Songbird Bluebird Aquilegia



Swan Mixture Aquilegia



#### Early-Season-Flowering Varieties: Starting Week 11 (South) - Week 15 (North)

|   | Variety                              | Bloom<br>Date |              | Grow on<br>Temp.<br>(F) | Vernalization<br>Treatment (weeks) | Transplant<br>to Finish                  | Height                 | Spread                | USDA<br>Hardiness<br>Zones | Description  | Colors      |
|---|--------------------------------------|---------------|--------------|-------------------------|------------------------------------|--|------------------------|-----------------------|----------------------------|--|-------------|
| 6 | Dianthus<br>Arctic Fire              | March-<br>May | 6-8<br>wks.  | High 50s                | Not required.                      | 10-14 wks.                               | 6-8 in./<br>15-20 cm   | 8-10 in./<br>20-25 cm | 4 to 7                     | Striking combination of white flowers<br>with glowing red eye is accented by<br>excellent-quality foliage.                                       |             |
|   | Myosotis<br>Mon Amie<br>Blue         | March-<br>May | 4<br>wks.    | Low 60s                 | Not required.                      | 5-9 wks.                                 | 8-10 in./<br>20-25 cm  | 6-8 in./<br>15-20 cm  | N/A                        | Send your Forget-Me-Not crop to market<br>3 to 6 months earlier than biannual<br>varieties. Mon Amie Blue features dainty,<br>light blue blooms. |             |
|   | Salvia<br>New<br>Dimension<br>Series | March-<br>May | 5-6<br>wks.  | Low 60s                 | Not required.                      | Blue:<br>9-11 wks.<br>Rose:<br>8-10 wks. | 8-10 in./<br>20-25 cm  | 6-8 in./<br>15-20 cm  | 4 to 8                     | Large, compact, well-branched plants<br>are topped by deeply colored, long-<br>lasting flowers.  | Blue, Rose. |
|   | Scabiosa<br><b>Blue Note</b>         | March-<br>May | 6-8<br>wks.  | Low 60s                 | Not required.                      | 12-14 wks.                               | 8-10 in./<br>20-25 cm  | 8-10 in./<br>20-25 cm | 5 to 9                     | Basal-branching plants with dense, dark<br>green foliage produce an abundance of<br>short-stemmed, clear blue flowers.                           |             |
|   | Scabiosa<br>Pink<br>Diamonds         | March-<br>May | 6-8<br>wks.  | Low 60s                 | Not required.                      | 13-15 wks.                               | 8-10 in./<br>20-25 cm  | 8-10 in./<br>20-25 cm | 5 to 9                     | Maintains its perfect shape all season,<br>with dense, dark green leaves and long-<br>lasting, soft pink blooms.                                 |             |
|   | Tiarella<br>Silverado                | March-<br>May | 8-10<br>wks. | 50s                     | Not required.                      | 10-12 wks.                               | 10-12 in./<br>25-30 cm | 8-10 in./<br>20-25 cm | 4 to 8                     | Displays delicate, creamy white flowers<br>tinged with pink over silky green foliage<br>with contrasting veins.                                  |             |



Blue Note Scabiosa

Filerado Tiarella



**New Dimension Blue Salvia** 

Arctic Fire Dianthus

#### Mid-Season-Flowering Varieties: Starting Week 15 (South) - Week 19 (North)

|   | Variety                                    | Bloom<br>Date  | Plug<br>Crop<br>Time | Grow on<br>Temp.<br>(F) | Vernalization<br>Treatment (weeks) | Transplant<br>to Finish | Height  | Spread   | USDA<br>Hardiness<br>Zones | Description   | Colors  |
|---|--|----------------|----------------------|-------------------------|------------------------------------|-------------------------|---|--|----------------------------|---|---|
|   | Coreopsis<br>Early Sunrise                 | April-<br>June | 5<br>wks.            | High 50s,<br>Iow 60s    | Not required.                      | 9-12 wks.               | 24 in./<br>60 cm  | 22-24 in./<br>55-60 cm   | 4 to 9                     | Compact and uniform, with golden<br>yellow, semi-double blooms that<br>flower all Summer long.* All-America<br>Selections Winner.                 |   |
| 3 | Coreopsis<br>Rising Sun                    | April-<br>June | 5<br>wks.            | High 50s,<br>Iow 60s    | Not required.                      | 8-10 wks.               | 18-30 in./<br>45-75 cm  | 24-26 in./<br>60-65 cm   | 4 to 9                     | Naturally compact, flowers 1 week faster<br>than Early Sunrise. Produces semi-<br>double yellow blooms with red flecks.*                          |   |
|   | Coreopsis<br>Sunfire                       | April-<br>June | 5<br>wks.            | High 50s,<br>Iow 60s    | Not required.                      | 8-10 wks.               | 24 in./<br>60 cm  | 22-24 in./<br>55-60 cm   | 4 to 9                     | Flowers 1 week faster than Early Sunrise.<br>Large, single yellow blooms show off<br>burgundy red centers.*                                       |   |
|   | Delphinium<br>Diamonds<br>Blue F1          | May-<br>July   | 6-7<br>wks.          | High 50s                | Not required.                      | 10-12 wks.              | 16-24 in./<br>40-60 cm  | 10-12 in./<br>25-30 cm   | 4 to 8                     | The first F1 spurless delphinium from<br>seed, Diamonds Blue sparkles with lots<br>of cerulean blue, "face up" flowers.                           |   |
|   | Delphinium<br>Guardian F1<br>Series        | May-<br>July   | 6-7<br>wks.          | High 50s,<br>Iow 60s    | Not required.                      | 16 wks.                 | 30-39 in./<br>75-100 cm   | 10-12 in./<br>25-30 cm   | 4 to 7                     | Uniform blooming across series makes<br>it easy to program your crop. Excellent<br>stem quality, makes a great cut flower.                        | Blue, Lavender, White, Mixture.   |
|   | Digitalis<br>Dalmatian F1<br>Series        | April-<br>June | 5-6<br>wks.          | High 50s                | Not required.                      | 10-14 wks.              | 16-20 in./<br>40-50 cm  | 12-14 in./<br>30-35 in.  | 5 to 9                     | The fastest Digitalis on the market!<br>Uniform in height and early flowering,<br>well-branched Dalmatian has an<br>excellent habit.              | NEW Purple Improved, NEW White<br>Improved, NEW Mixture, Crème, Peach,<br>Rose. |
|   | Echinacea<br>PowWow <sup>®</sup><br>Series | April-<br>June | 5-6<br>wks.          | 60s                     | Not required,<br>but beneficial.   | 13-17 wks.              | 16-20 in./<br>40-50 cm 1 <sup>st</sup> yr.,<br>22-24 in./<br>55-60 cm 2 <sup>nd</sup> yr. | 12-16 in./<br>30-40 cm   | 4 to 10                    | More flowers per plant than any other<br>seed-grown Echinacea; also faster to<br>flower and shorter, so it's easier to grow<br>and ship.          | White, Wild Berry.  |
|   | Echinacea<br>'Cheyenne<br>Spirit'          | April-<br>June | 5-6<br>wks.          | 60s                     | Not required<br>but beneficial.    | 13-17 wks.              | 18-24 in./<br>45-60 cm 1 <sup>st</sup> yr.<br>22-30 in./<br>55-75 cm 2 <sup>nd</sup> yr.  | 10-16 in./<br>25-40 cm 1 <sup>st</sup> yr.<br>14-20 in./<br>35-50 cm 2 <sup>nd</sup> yr. | 4 to 10                    | For the first time, this incredibly vibrant<br>color range is available from seed!<br>Exceptionally well-branched with plenty<br>of flower power. |   |

\* Can also be marketed as an annual in premium packs.



Blue Diamonds F1 Delphinium



**Dalmatian Peach Digitalis** 

PowWow Wild Berry Echinacea



Sunfire Coreopsis

'Cheyenne Spirit' Echinacea

### Mid-Season-Flowering Varieties: Starting Week 15 (South) - Week 19 (North)

|     | Variety                              | Bloom<br>Date  | Plug<br>Crop<br>Time | Grow on<br>Temp.<br>(F) | Vernalization<br>Treatment (weeks) | Transplant<br>to Finish                          | Height                 | Spread                 | USDA<br>Hardiness<br>Zones | Description   | Colors   |
|-----|--------------------------------------|----------------|----------------------|-------------------------|------------------------------------|--|------------------------|------------------------|----------------------------|---|--|
|     | Gaillardia<br>Mesa™ F1<br>Series     | April-<br>June | 5-6<br>wks.          | High 50s,<br>Iow 60s    | Not required,<br>but beneficial.   | 11-13 wks.                                       | 14-16 in./<br>35-40 cm | 20-22 in./<br>50-55 cm | 5 to 10                    | Strong, early-flowering, well-branched<br>plants show intense, non-fading color<br>all season in landscapes and mixed<br>containers.          | NEW Peach, Bright Bicolor, Yellow<br>(All-America Selections Winner).  |
| ×   | Gaura<br>New<br>'Sparkle<br>White'   | May-<br>August | 5<br>wks.            | High 50s,<br>Iow 60s    | Not required.                      | 7-8 wks.   | 12-24 in./<br>30-60 cm | 12-20 in./<br>30-50 cm | 5b to 9                    | Early-blooming, naturally compact and<br>free-flowering variety is easy to grow,<br>with no pinching needed. Durable and<br>drought tolerant. |  |
|     | Lavender<br>Ellagance<br>Series      | April-<br>June | 5-6<br>wks.          | Low 60s                 | Not required.                      | 10-14 wks.                                       | 12-14 in./<br>30-35 cm | 10-12 in./<br>25-30 cm | 5 to 8                     | Excellent branching fills pots quickly and<br>finishes with large, dense flower spikes<br>on very strong stems.                               | lce (white w/lt. blue edges), Pink<br>(unique color for seed <i>L. angustifolia</i> ),<br>Purple (purple-blue), Sky (lt. blue),<br>Snow (white). |
|     | Penstemon<br>Carillo<br>Series       | April-<br>June | 6-8<br>wks.          | High 50s,<br>Iow 60s    | Not required.                      | Purple/Red:<br>12-14 wks.<br>Rose:<br>13-15 wks. | 8-10 in./<br>20-25 cm  | 10-12 in./<br>25-30 cm | 5 to 7                     | Economical, high-quality choice for<br>growers features shiny foliage and clear,<br>strong flower colors.                                     | NEW Red, Purple, Rose.   |
| · · | Salvia<br>New<br>Dimension<br>Series | April-<br>June | 6-8<br>wks.          | Low 60s                 | Not required.                      | Blue:<br>9-11 wks<br>Rose:<br>8-10 wks.          | 8-10 in./<br>20-25 cm  | 6-8 in./<br>15-20 cm   | 4 to 8                     | Large, compact, well-branched plants<br>are topped by deeply colored, long-<br>lasting flowers.   | Blue, Rose.  |
|     | Scabiosa<br>Blue Note                | April-<br>June | 6-8<br>wks.          | Low 60s                 | Not required.                      | 12-14 wks.                                       | 8-10 in./<br>20-25 cm  | 8-10 in./<br>20-25 cm  | 5 to 9                     | Basal-branching plants have dense, dark<br>green foliage produce an abundance of<br>short-stemmed, clear blue flowers.                        |  |
|     | Verbascum<br>Southern<br>Charm       | April-<br>June | 4-5<br>wks.          | High 50s,<br>Iow 60s    | Not required.                      | 12-13 wks.                                       | 24-30 in./<br>60-75 cm | 12-18 in./<br>30-45 cm | 5 to 8                     | A unique blend of creamy yellow, soft<br>lavender and peachy rose blooms on<br>tall, graceful flower stems.                                   |  |
|     | Veronica<br>Blue<br>Bouquet          | April-<br>June | 5-6<br>wks.          | High 50s,<br>Iow 60s    | Not required.                      | 14-16 wks.                                       | 12 in./<br>30 cm       | 12 in./<br>30 cm       | 5 to 8                     | Versatile bedding plant features tapered<br>blue spikes with many small florets on<br>top of deep green foliage.                              |  |



**New Dimension Rose Salvia** 

Carillo Red Penstemon



New Mesa Peach Gaillardia



New 'Sparkle White' Gaura



#### Late-Season-Flowering Varieties: Starting Week 23 (South) - Week 28 (North)

|         | Variety                              | Bloom<br>Date   | Plug<br>Crop<br>Time | Temp.                | Vernalization<br>Treatment (weeks) | Transplant<br>to Finish | Height                  | Spread                  | USDA<br>Hardiness<br>Zones | Description   | Colors   |
|---------|--------------------------------------|-----------------|----------------------|----------------------|------------------------------------|-------------------------|-------------------------|-------------------------|----------------------------|---|--|
|         | Carex<br>Red<br>Rooster              | June-<br>August | 6-7<br>wks.          | High 60s,<br>Iow 70s | Not required.                      | 8-9 wks.                | 20-30 in./<br>50-75 cm  | 12 in./<br>30 cm        | 6 to 9                     | Red bronze grass has curled tips and upright habit. Foliage only.   |  |
|         | Eragrostis<br>Wind<br>Dancer         | June-<br>August | 3-4<br>wks.          | High 60s,<br>Iow 70s | Not required.                      | 5-6 wks.                | 3-4 ft./<br>90 cm-1.2 m | 3-4 ft./<br>90 cm-1.2 m | To at least<br>Zone 6      | Drought-tolerant grass has a graceful<br>form and narrow, bluish green foliage.<br>Best in landscapes /large containers.<br>Foliage only. |  |
|         | Juncus<br>Blue Dart                  | June-<br>August | 6-7<br>wks.          | 60s,<br>Iow 70s      | Not required.                      | 7-8 wks.                | 14-16 in./<br>35-40 cm  | 10-12 in./<br>25-30 cm  | 4 to 10                    | Linear blue plant adds texture to small<br>containers and in-ground plantings.<br>Low-maintenance. Foliage only.                          |  |
|         | Hibiscus<br>Luna F1<br>Series        | June-<br>August | 3-4<br>wks.          | High 60s,<br>Iow 70s | Not required.                      | 10-13 wks.              | 2-3 ft./<br>60-90 cm    | 2 ft./60 cm             | 5 to 9                     | Produces bushy, well-branched plants<br>with numerous 6 to 8-in./15 to 20-cm<br>flowers. Ideal for large containers,<br>landscapes.       | Pink Swirl, Red, Rose, White, Mixture.             |
| all has | Lavender<br><b>Lavance</b>           | June-<br>August | 5-6<br>wks.          | 60s,<br>Iow 70s      | Not required.                      | 14-16 wks.              | 10-20 in./<br>25-50 cm  | 10-12 in./<br>25-30 cm  | 5 to 8                     | The most intense spike and flower color<br>of all seed lavenders! Uniform, compact<br>plant with good base-branching habit.               |  |
| ers.    | Penstemon<br>Tubular Bells<br>Series | June-<br>August | 6-8<br>wks.          | 60s                  | Not required.                      | 13-16 wks.              | 14-16 in./<br>35-40 cm  | 10-14 in./<br>25-35 cm  | 7 to 10                    | First series of this type of available in<br>separate colors. Self-cleaning, upright,<br>robust and strong-stemmed.                       | Red, Rose, Wine Red with White Throat,<br>Mixture. |
| **      | Rudbeckia<br>Goldsturm               | June-<br>August | 6-8<br>wks.          | 60s                  | Not required.                      | 20-24 wks.              | 24-28 in./<br>60-70 cm  | 14-18 in./<br>35-45 cm  | 3 to 9                     | Noted for its large, single, scentless<br>golden yellow blooms with dark center,<br>on upright plants with tight, dark green<br>foliage.  |  |
|         | Tiarella<br>Silverado                | June-<br>August | 8-10<br>wks.         | 50s                  | Not required.                      | 10-12 wks.              | 10-12 in./<br>25-30 cm  | 8-10 in./<br>20-25 cm   | 4 to 8                     | Features delicate, pink-tinged white<br>blooms on densely set flower spikes<br>over silky green foliage with contrasting<br>veins.        |  |





Blue Dart Juncus

Red Rooster Carex



Tubular Bells Red Penstemon





Luna Pink Swirl Hibiscus

**Kieft**Seed



Contact your preferred distributor to order First-Year-Flowering Perennials seed and plugs.

PanAmerican Seed 622 Town Road West Chicago, Illinois 60185-2698 630 231-1400 800 231-7065 Fax: 630 293-2557 kieftseed.com KieftSeed.

© 2013 Ball Horticultural Company 13454 <sup>TM</sup> denotes a trademark of and <sup>®</sup> denotes a registered trademark of Ball Horticultural Company in the U.S., unless otherwise noted. They may also be registered in other countries.