## 2018 DARWIN PERENNIALS

QUALITY UNROOTED CUTTINGS PRODUCED BY DARWIN COLOMBIA



## BIGGER AND BETTER

Welcome to the 2018 Darwin Perennials catalog. Our breeding and product development pipeline is full and growing, with exciting new introductions that will provide you with Perennials With Staying Power™ for continued and repeat retail sales, plus performance in the garden and in patio containers.

You'll find exciting introductions like the new **Mountain Frost™ Collection Dianthus** on page XV, a great landscape border option that reblooms consistently from early Spring to Fall. **NEW Dreameria™ Armeria** on page 17 can take the heat for season-long flowering. Expanding on a tried-and-true series, we have two new and one improved variety of **Sombrero® Echinacea** on page XVI that offer rich colors along with the series' exceptional Winter hardiness. And, we are into **GRASSES!** Check out this section on page 6 for information on a compact form of **Miscanthus** called **Bandwidth**. This dwarf ornamental grass is infertile with attractive banded foliage.

Darwin Perennials is also pleased to offer the fine genetics from Walters Gardens breeding program as an exclusive from Darwin Colombia. This includes popular Walters genera like **Monarda, Nepeta, Phlox** and more. Our partnership strengthens the supply chain for these perennials.

And don't miss our new unrooted cutting sales exclusives from Ball Seed! **Salvia 'Rose Marvel'** on page XII offers a premium Spring perennial option for high impact in the landscape. Walters Gardens' three new **Agastache** varieties on page XIII feature compact habits and vibrant flower colors.

New for this year, we've included a **Grower Resources** section on page 114, focusing on scheduling perennials for Summer through Fall flowering, so you can guarantee fresh plants at retail.

As always, we are committed to bringing you the best, from our top-quality Perennials With Staying Power, to our Darwin Perennials customer service team, to our experienced technical support and growing culture information. We look forward to helping you find bigger and better success in the perennial business!

mike

Sincerely,

Mike Klopmeyer, General Manager 630 588-3107, mklopmeyer@ballhort.com



## DARWIN COLOMBIA

We have invested over \$2 million in improvements to **Darwin Colombia**, our unrooted cutting production farm outside of Bogotá, to bring you a reliable supply of outstanding genetics. We are committed to maintaining our status as a leading supplier of perennial cuttings for the North American and European markets.

The farm has reliably produced unrooted cuttings since 2002, and we continue to make a number of significant infrastructure investments, including new water treatment and storage systems, and a new fertigation system for all of our greenhouses.

We also have installed new benching throughout the farm for stock production grown in pasteurized coco fiber that allows for excellent root development, resulting in high-quality cuttings.

In addition, we have worked to establish our 600+ varieties in our onsite tissue culture laboratory for annual renewal of elite, pathogen-tested clean stock, along with dedicated plant pathology support for production. Like you, we're in this for the long term!





#### DARWIN PERENNIALS® VARIETIES

Here's where to find our Perennials With Staying Power™ in this catalog.

Achillea
Agastache13
Alyssum
Armeria17
Caryopteris24
CoreopsisX-XI, 26-27
DianthusXV
Digitalis
EchinaceaXVI-3
Erysimum32-34
Eupatorium
Gaura
Helianthus42
Heliopsis
Heuchera4-5
Iberis
Lavandula
Leucanthemum
Miscanthus
Monarda60-61
Nepeta63
Penstemon
Perovskia
Phlox
Rhodanthemum81
SalviaXII, 84-87, 89-91
Scabiosa94-95
Veronica
Viola110-112

See inside back cover for full product listing.


## DarwinPerennials.

## DARWIN TEAM EVERYWHERE YOU NEED THEM

YOUR DARWIN PERENNIALS TEAM OF PLANT-LOVING PROFESSIONALS IS DEDICATED TO HELPING YOU GROW AND SELL SUCCESSFULLY!



MIKE KLOPMEYER General Manager MKlopmeyer@ballhort.com 630 588-3107



KARL BATSCHKE Global Product Manager KBatschke@ballhort.com 630 588-3373



CATHERINE BLANEY Operations Manager CBlaney@ballhort.com 630 588-3168



LELAND TOERING Sales and Marketing Manager LToering@ballhort.com 630 588-3127



BRAD HARVEY Product Representative BHarvey@ballhort.com 740 815-6154



KAREN BUNTING Perennial Business Manager KBunting@ballhort.com 630 588-3348



KATIE ANDERSON Business Manager Perennial Inputs KAnderson@ballhort.com 630 588-3177



GREG SOLES Key Accounts and Perennial Product Manager GSoles@ballhort.com 610 869-2426



SARAH SWOFFORD Trials Coordinator SSwofford@ballhort.com 630 588-3351



**CRISTINA BRUSCO** 

Darwin Colombia General Manager CBrusco@ darwinperennials.com



VICTOR RAMIREZ Darwin Colombia

Production Manager VRamirez@ darwinperennials.com



### DARWIN 2018 NEW VARIETIES

HERE ARE THE LATEST VARIETIES FROM DARWIN PERENNIALS TO SATISFY THE DEMANDS OF AN EXPANDING PERENNIALS MARKET.

NEW Armeria Dreameria™ Series, page 17 NEW 'Daydream' NEW 'Sweet Dreams'

#### NEW Dianthus Mountain Frost™ Collection,

page XV NEW Pink Carpet NEW Pink PomPom NEW Pink Twinkle NEW Rose Bouquet NEW Silver Strike NEW White Twinkle

#### Echinacea Sombrero® Series, page XVI

NEW Granada Gold NEW Lemon Yellow Improved NEW Sangrita

#### NEW Erysimum 'Bowles Me Away', page 34

Erysimum Cheers<sup>™</sup> Series, page 32 NEW Florange NEW Sun-kissed Amethyst

NEW Helianthus 'Autumn Gold', page 42

NEW Iberis 'Snowsation', page 48


NEW Leucanthemum 'White Magic', page 56

NEW Miscanthus Bandwidth, page 6

NEW Phlox 'Cherry Cream', page 76

NEW Salvia 'Rose Marvel', page XII

Scabiosa Flutter™ Series, page 94 NEW Pure White



Armeria Dreameria 'Daydream', p. 17



Echinacea Sombrero Granada Gold, p. XVI



Iberis 'Snowsation', p. 48




Miscanthus Bandwidth, p. 6






Dianthus Mountain Frost Pink PomPom, p. XV



Erysimum Cheers Florange, p. 32



Leucanthemum 'White Magic', p. 56



Salvia 'Rose Marvel', p. XII

### DARW/IN **PERENNIALS 2016 TRIAL AND AWARD WINNERS**

CONGRATULATIONS TO THESE **TOP-PERFORMING VARIETIES FROM** DARWIN PERENNIALS, AWARDED BASED ON THE RESULTS OF TRIALS AND COMPETITIONS HELD **THROUGHOUT 2016 IN VARIOUS REGIONS.** 

Coreopsis UpTick<sup>™</sup> Series, page X Four Oaks "Best New Nursery Stock Plant Introduction"

- Louisiana State University 2016 Field Trials "Top Performer"
- Greenhouse Grower Medal Of Excellence Industry's Choice Award 2016

 Metrolina Greenhouse Field Trials 2016 "Top Performer"

Coreopsis UpTick<sup>™</sup> Gold&Bronze, page X Costa Garden Trials 2016 "Top Performer" Allan Armitage California Spring Trials "Top Picks"

Digitalis Foxlight<sup>™</sup> Series, page 31 Plantarium 2016 Silver Medal

Heuchera 'Carnival Rose Granita', page 4 Colorado State University Flower Trial 2016 "Top Performer Perennials"

Monarda Balmy™ Purple, page 60 Plantarium 2016 Bronze Medal

Perovskia 'CrazyBlue', page 72 Colorado State University Flower Trial 2016 "Top Performer Perennials"

Salvia Arctic Blaze® Series, page 86 University of Georgia Trial Gardens "Plants of Distinction"

Salvia 'Blue Marvel', page 89 Plantarium 2016 Gold Medal HTA National Plant Show "Best In Show"

Salvia Mirage<sup>™</sup> Cherry Red, page 84 Colorado State University Flower Trial "Best Of..." Award



Coreopsis UpTick Cream&Red, p. X



Digitalis Foxlight Plum Gold, p. 31



Monarda Balmy Purple, p. 60



Salvia Arctic Blaze Red, p. 86

DARWIN PERENNIALS



Coreopsis UpTick Gold&Bronze, p. X



Heuchera 'Carnival Rose Granita', p. 4



Perovskia 'CrazyBlue', p. 72



Salvia 'Blue Marvel', p. 89

Salvia Mirage Cherry Red, p. 84

## WALTERS GARDENS

#### EXPANDING ON THE FINEST GENETICS

We are pleased to be partnering with a wellrecognized North American perennial young plant supplier, Walters Gardens, in offering their varieties as unrooted cuttings out of Darwin Colombia. The Walters Gardens lineup includes more than 40 varieties covering 10 popular classes, expanding our unbeatable selection of the finest genetics in perennials.

Look for these impressive introductions:

NEW Agastache 'Mango Tango', 'Peachie Keen' and 'Rosie Posie', page XIII

NEW Buddleia Humdinger® Series, page 20

NEW Buddleia Monarch® Series, page 22

NEW Coreopsis Sizzle & Spice<sup>™</sup> Series, page 28

NEW Leucanthemum 'Spoonful of Sugar' and 'Whoops a Daisy', page 57

NEW Monarda Sugar Buzz® Series, page 62

NEW Penstemon 'Blackbeard', page 67

NEW Perovskia 'Rocketman', page 73

NEW Phlox Fashionably Early Series, page 74

NEW Phlox 'Glamour Girl', page 77

NEW Salvia 'Bumbleberry', 'Bumbleblue' and 'Bumblesky', page 92

NEW Salvia Fashionista™ Series, page 93

NEW Veronica 'Blue Skywalker', page 107

NEW Veronica 'Perfectly Picasso', 'Royal Rembrandt' and 'Very Van Gogh', page 108





Agastache 'Mango Tango', p. XIII



Coreopsis Sizzle & Spice 'Zesty Zinger', p. 28



Monarda Sugar Buzz 'Cherry Pops', p. 62



Salvia 'Bumbleberry', p. 92



Buddleia Humdinger 'Magenta Munchkin', p. 20



Leucanthemum 'Whoops a Daisy', p. 57



Phlox 'Fashionably Early Flamingo', p. 74



Veronica 'Very Van Gogh', p. 108

### MUST HAVE PERENNIALS™

#### TRIED & TRUSTED™

We continue to build on our relationship with Must Have Perennials as the exclusive unrooted cutting supplier of their perennial program. Must Have Perennials is the rename and relaunch of the Blooms of Bressingham program. We offer more than 40 of these high-quality varieties that have been tested for years – in gardens and pot trials – at secure trial sites, leading perennial growers, universities and botanical gardens throughout North America. These comprehensive trials establish reliability and provide valuable information on regional performance to ensure success for you and your customers.

You won't want to miss these best-performing varieties:

NEW Achillea Ritzy Series, page 9 Achillea Seduction Series, page 9 Campanula Blue Waterfall, page 24 Centaurea 'Amethyst in Snow', page 25 Coreopsis 'Crème Brulee', page 26 Euphorbia 'Bonfire', page 35 Leucanthemum Freak!®, page 55 Polemonium Brise D'Anjou, page 81







Achillea Ritzy Rose, p. 9

Campanula Blue Waterfall, p. 24



Coreopsis 'Crème Brulee', p. 26



Leucanthemum Freak!®, p. 55

Achillea 'Strawberry Seduction', p. 9



Centaurea 'Amethyst in Snow', p. 25



Euphorbia 'Bonfire', p. 35



Polemonium Brise D'Anjou, p. 81

## **FLORENSIS**

#### **GLOBAL PARTNERS**

We have had a long-standing partnership with Florensis, a breeder and young plant producer in The Netherlands. Florensis has been providing professional growers with excellent plant propagation material and solutions since 1941. We are pleased to offer more than 25 top-quality varieties in this catalog from our partners at Florensis.

Be sure to check out these notable offerings:

Euphorbia Red Velvet, page 35 Gaillardia Gallo™ Series, page 37 Gaura Gaudi™ Series, page 40 NEW Iberis Monte Bianco, page 49 Leucanthemum Ooh La™ Series, page 55 NEW Phlox Fabulous™ Series, page 79 Salvia Sensation<sup>™</sup> Series, page 92 Veronica Venice Blue, page 104

## **Florensis**





Euphorbia Red Velvet, p. 35



Gaura Gaudi Red, p. 40



Leucanthemum Ooh La LaGrande, p. 55



Salvia Sensation Medium Deep Blue, p. 92 Veronica Venice Blue, p. 104

Gaillardia Gallo Peach, p. 37



Iberis Monte Bianco, p. 49



Phlox Fabulous Rose, p. 79





2018 EXCLUSIVES FROM DARWIN PERENNIALS & WALTERS GARDENS

COREOPSIS UPTICK<sup>™</sup> SERIES SALVIA 'ROSE MARVEL' AGASTACHE 'MANGO TANGO' AGASTACHE 'PEACHIE KEEN' AGASTACHE 'ROSIE POSIE'

## UPTICK

#### DARWIN PERENNIALS

Coreopsis UpTick Cream&Red

BIG, COLORFUL, LONG-LASTING BLOOMS LIGHT UP THE LANDSCAPE FROM SPRING TO FALL.



DARWIN PERENNIALS Gold&Bronze



#### DARWIN PERENNIALS



Gold&Bronze



Yellow&Red

#### DARWIN PERENNIALS



Cream&Red



Cream



UPTICK<sup>™</sup> SERIES DARWIN PERENNIALS

Height: 12 to 14 in. (30 to 36 cm) Bloom Months: March to November USDA Hardiness Zones: 5a to 9b

#### Easy-to-finish series has bigger flowers and longer blooming for more color at retail and in the garden.

• Tidy, mounded habit is easier to ship and shows better at retail.

 Keeps its shape – and color – in the landscape all Summer long.
 Cream is a clean creamy white that<sup>1</sup>

Cream is a clean, creamy white that's much sought-after for landscape design.

• Low maintenance and very mildewresistant.

Louisiana State University 2016 Field Trials "Top Performer"; Four Oaks "Best New Nursery Stock Plant Introduction"; Winner, Medal Of Excellence Industry's Choice Award 2016; Metrolina Greenhouses Field Trials 2016 "Top Performer"

Cream 'Balupteam' PPAF Cream&Red 'Balupteamed' PPAF Gold&Bronze Costa Garden Trials 2016 "Top Performer" 'Baluptgonz' PPAF Yellow&Red 'Baluptowed' PPAF


"Being day neutral, the UpTick Series can be used to extend the shipping seasons — great for early-Spring sales and Fall shipping. With its large, 3-in. (8-cm), Gaillardia-like yellow and red flowers and flower power, UpTick Gold&Bronze is my favorite in the series. Definitely a 'must-add' to any perennial program."

Paul Pilon

Editor-at-Large, Perennial Pulse Perennial Production Consultant, Perennial Solutions Consulting



AWARD-WINNING UPTICK SERIES EARNS TOP HONORS IN TRIALS ACROSS THE COUNTRY.



SALVIA – (SAGE) Salvia nemorosa

#### 'ROSE MARVEL' NEW FOR 2018 DARWIN PERENNIALS

Height: 10 to 12 in. (25 to 30 cm) Bloom Months: March to September USDA Hardiness Zones: 4a to 9b PPAF

#### The largest flowers of any rose-colored *Salvia nemorosa*.

Brings a rich, deep rose color to the popular 'Marvel' family.
 Can be positioned as a premium perennial item, creating more opportunity for grower margin.
 Sortware land for warging window as

Features a long flowering window and reblooms without being cut back.
Ultra-large flowers provide more color and impact in the landscape.

Salvia 'Rose Marvel'



Agastache 'Mango Tango'



Agastache 'Rosie Posie'



Agastache 'Peachie Keen'

AGASTACHE (ANISE HYSSOP) Agastache aurantiaca

#### 'MANGO TANGO'

NEW FOR 2018 WALTERS GARDENS

Height: 16 to 18 in. (41 to 46 cm) Bloom Months: Late Summer USDA Hardiness Zones: 6a to 9b PPAF

Selected for its compact habit and vibrant flower color. Overall, the plant has a rich, mango-orange color. Individual flowers have dusky rose calyxes and light peach to dusky orange flowers. A deeper shade of orange than 'Peachie Keen'. Flowers cover the top three-quarters of the plant. AGASTACHE (ANISE HYSSOP) Agastache rupestris

#### 'PEACHIE KEEN' NEW FOR 2018

WALTERS GARDENS

Height: 20 to 24 in. (51 to 61 cm) Bloom Months: Late Summer USDA Hardiness Zones: 6a to 9b PP25.886

Densely compact, rounded clump of aromatic, bright green foliage is topped with loads of apricot-peach flowers with complementary purplish-pink calyxes. Flowers for many months beginning in mid-Summer (earlier in warmer zones). Easy to grow.

#### 'ROSIE POSIE'

NEW FOR 2018 WALTERS GARDENS

Height: 18 to 22 in. (46 to 56 cm) Bloom Months: Late Summer USDA Hardiness Zones: 6a to 9b PP25,857

Densely compact, rounded clump of aromatic, bright green foliage is topped with loads of hot pink flowers with magenta-purple calyxes. Flowers for many months beginning in mid-Summer (earlier in warmer zones). Easy to grow. 2018 VARIETIES FEATURING THE FINEST DARWIN PERENNIALS GENETICS

DIANTHUS MOUNTAIN FROST™ COLLECTION ECHINACEA SOMBRERO® SERIES ECHINACEA DOUBLE SCOOP™ SERIES HEUCHERA CARNIVAL SERIES GRASSES (MISCANTHUS BANDWIDTH, MISCANTHUS MY FAIR MAIDEN & PANICUM RUBY RIBBONS)




**Dianthus Mountain Frost Pink Carpet** 

DARWIN PERENNIALS



Dianthus Mountain Frost White Twinkle



**Dianthus Mountain Frost Pink PomPom** 



Dianthus Mountain Frost Pink Twinkle



**Dianthus Mountain Frost Rose Bouquet** 

DIANTHUS 🖯 (CHINA PINKS, CHEDDAR PINKS) Dianthus hvbrida

MOUNTAIN FROST™ COLLECTION

NEW FOR 2018 DARWIN PERENNIALS

Height: Varies by Variety Bloom Months: March to October USDA Hardiness Zones: 5a to 9a Available as a liner only

- Requires no vernalization to flower.
- Will rebloom consistently from early Spring until Fall.
  Tolerant of rainy and wet conditions. A great landscape border collection.

 Tidy, mounding habit is great for landscape borders.

### Liners available from Green Leaf Plants, PA

**Pink Carpet** Height: 6 to 8 in. (15 to 20 cm) A burst of bright pink color and Strong, green foliage. 'KonD1010K2' PPAF **Pink PomPom** Height: 6 to 8 in. (15 to 20 cm) Double rose-pink flowers. 'KonD1014K3' PPAF

**Pink Twinkle** Height: 6 to 8 in. (15 to 20 cm) Bright, bicolor pink flowers with Silvery-green foliage. "KonDIO60K3" PPAF Rose Bouquet Height: 10 to 12 in. (25 to 30 cm) Extra-large, deep rose flowers with deep green foliage. "KonDIO44K2" PPAF

Silver Strike Height: 8 to 10 in. (20 to 25 cm) Bright, bicolor pink flowers and silver foliage. 'KonD1039K1' PPAF White Twinkle Height: 5 to 6 in. (13 to 15 cm) Bright, bicolor white and pink flowers. 'KonD1060K1' PPAF




## SOMBRERO®

DARWIN PERENNIALS Echinacea Sombrero Flamenco Orange

THE UNIFORM HABIT AND VIBRANT COLORS OF SOMBRERO COMBINE TO CREATE A FIESTA FOR THE LANDSCAPE.









DARWIN PERENNIALS

Lemon Yellow Improved





Salsa Red

#### DARWIN PERENNIALS



Blanco




Hot Coral

DARWIN PERENNIALS



Flamenco Orange



Sandy Yellow

ECHINACEA 💛 (CONEFLOWER) Echinacea x hybrida

#### SOMBRERO® SERIES DARWIN PERENNIALS

Height: 18 to 20 in. (46 to 51 cm) Bloom Months: June to August USDA Hardiness Zones: 5a to 9b Available as tissue culture-raised liners

#### Sombrero's vibrant colors are matched by its exceptional Winter hardiness and excellent branching.

- Highly floriferous series is naturally well-branched and compact for easy shipping.
   Excellent retail presentation,
- commanding a premium price.

• Well-matched in habit and timing. Plant Sombrero in the Spring and sell it the same year.

Adobe Orange 'Balsomador' PP26,639; US7,982,110 Baja Burgundy 'Balsombabur' PPAF; US7,982,110 Blanco 'Balsomblanc'

Flamenco Orange 'Balsomenco' PP25,523; US7.982.110

NEW Granada Gold Rich, golden-yellow color doesn't fade. 'Balsomold' PPAF; US7.982.110

US7,982,110 Hot Coral 'Balsomcor' PP23,097; US7,982,110 NEW Lemon Yellow Improved Wider, overlapping petals, plus it's more compact with more flowers. 'Balsomemyim' PPAF; US7,982,110 Salsa Red 'Balsomsed' PP23,105; US7,982,110

Sandy Yellow 'Balsomselo' PP23,104; US7,982,110 NEW Sangrita A vibrant scarlet-red with

burgundy-red flower stems. 'Balsomanita' PPAF; US7,982,110



Baja Burgundy

DARWIN PERENNIALS

Adobe Orange

DARWIN PERENNIALS Salsa Red



WELL-BRANCHED SOMBRERO LOOKS **EXCELLENT IN CONTAINERS** AT RETAIL TO COMMAND A PREMIUM PRICE.

## DOUBLE SCOOP

DARWIN PERENNIALS

Echinacea Double Scoop Bubble Gum

DOUBLE THE EXCITEMENT! HUGE DOUBLE BLOOMS AND BOLD, RICH COLORS HIGHLIGHT THIS SWEET GARDEN TREAT.





DARWIN PERENNIALS Mandarin





**DARWIN PERENNIALS** 

Raspberry

DARWIN PERENNIALS



Lemon Cream

#### DARWIN PERENNIALS



Orangeberry



Bubble Gum

#### DARWIN PERENNIALS



Mandarin



Cranberry

ECHINACEA 🖯 (CONEFLOWER) Echinacea x hybrida

DOUBLE SCOOP<sup>™</sup> SERIES DARWIN PERENNIALS

Height: 22 to 24 in. (56 to 61 cm) Bloom Months: June to August USDA Hardiness Zones: 4a to 9b Available as tissue culture-raised liners

### Abundant, fully double flowers boast brilliant, non-fading color.

 Very hardy plants overwinter well and provide long-lasting garden enjoyment. First-rate branching for more flowers and superior show at retail.
More compact than the competition.

Bubble Gum 'Balscblum' PP23,103; US7,982,110 Cranberry 'Balscanery' PP24,769;

US7.982.110 Lemon Cream 'Balsclemc' PP27,858;

US7,982,110 Mandarin 'Balscandin' PP26,640; US7,982,110 Orangeberry 'Balscoberr' PP23,145;

US7,982,110 Raspberry 'Balsceras' PP23,117; US7,982,110



**ECHINACEA** DOUBLE SCOOP SHOWS MORE **FLOWERS AND SUPERIOR BRANCHING AT RETAIL**.


## CARNIVA

#### MIXED CONTAINER IDEA DARWIN PERENNIALS

Heuchera 'Carnival Watermelon' Salvia 'Radio Red' Salvia Lyrical™ White

JOIN THE PARTY! THESE OUTSTANDING HEUCHERA OFFER A CARNIVAL OF COLOR AT A PRICE EVERYONE CAN ENJOY.





'Carnival Black Olive'



'Carnival Candy Apple'



DARWIN PERENNIALS

'Carnival Cocomint'



'Carnival Limeade'



'Carnival Rose Granita'

'Carnival Silver Streak'

'Carnival Peach Parfait'

DARWIN PERENNIALS



'Carnival Coffee Bean'





'Carnival Plum Crazy'



'Carnival Watermelon'



'Carnival Fall Festival'

HEUCHERA 🔵 🔵 (CORAL BELLS) Heuchera x hybrida

#### CARNIVAL SERIES DARWIN PERENNIALS

Height: 10 to 12 in. (25 to 30 cm) **USDA Hardiness Zones:** 4a to 9b Available as tissue culture-raised liners; contact your rep for more details.

#### Finally – outstanding, bright Heuchera that are well-matched and affordable!

- Incredible color assortment of wellmatched varieties with distinct leaf venation.
- Hybrid varieties have H. villosa parentage for excellent heat tolerance and better garden performance.
- Series is great for one-gallon programs and shade mixed containers.
- Mounding habits are also brilliant in shady landscapes.
- Carnival tissue culture-raised liners finish more quickly and uniformly.

'Carnival Black Olive' 'Carnival Candy Apple' 'Carnival Cocomint' PP24,927 'Carnival Coffee Bean' PP24,943 'Carnival Fall Festival' 'Carnival Limeade' PP24,899 'Carnival Peach Parfait' PP24,928 'Carnival Plum Crazy' PP24,928 'Carnival Rose Granita' Colorado State University Flower Trial 2016 "Top Performer Perennials" Winner 'Carnival Silver Streak' PP24,770 'Carnival Watermelon' PP24,803



Miscanthus Bandwidth



Panicum Ruby Ribbons

6

Miscanthus My Fair Maiden

MISCANTHUS (JAPANESE SILVER GRASS) Miscanthus sinensis

#### BANDWIDTH NEW FOR 2018 DARWIN PERENNIALS

Height: 30 to 36 in. (76 to 91 cm) Bloom Months: October to November USDA Hardiness Zones: 5a to 9b NCMS2B' PPAF

#### Dwarf ornamental grass with banded foliage provides interest in the garden.

• Rust resistant and infertile, for healthy, non-invasive plants in the landscape.

Liners available from Emerald Coast Growers, FL

"The new Miscanthus Bandwidth is infertile, so it won't reseed for the grower or the gardener, and its full, compact size is ideal for any yard or outdoor garden room. We placed a container of Bandwidth on a company patio this Summer, and it was a big hit here at Emerald Coast Growers. We love the bright green leaves with gold highlights. I want one of these on my balcony at home!"

Pamela Straub Key Accounts and Customer Service Manager, Emerald Coast Growers, FL Lovely blue-green foliage emerges in the Spring, maturing to a wine-red color by mid-Summer. • The perfect accent grass for large

Height: 24 to 36 in. (61 to 91 cm) Bloom Months: September to October USDA Hardiness Zones: 4a to 9a

MISCANTHUS 🖯

(MAIDEN GRASS)

MY FAIR MAIDEN DARWIN PERENNIALS

Height: 72 to 102 in. (183 to 259 cm)

Bloom Months: October to November USDA Hardiness Zones: 5a to 9a

A non-invasive, infertile hybrid Maiden

Ideal for dramatic backgrounds in the

Liners available from Emerald Coast

Miscanthus sinensis

'NCMS1' PP26,387

Grass

landscape

Growers, FL

'RR1' PP17,994

PANICUM (SWITCH GRASS)

**RUBY RIBBONS** 

Panicum virgatum

containers and beds.

Liners available from Emerald Coast Growers, FL, and North Creek Nurseries, PA A-Z LISTING FROM ACHILLEA TO WALDSTEINIA. MORF THAN 600 UNROOTED. IN-DFMAND VARIETIES TO EXPAND YOUR PERENNIAI PROGRAM.



Achillea Moon Dust



#### MOON DUST DARWIN PERENNIALS

Height: 12 to 14 in. (30 to 36 cm) Bloom Months: June to July USDA Hardiness Zones: 5a to 8b 'Novaachdus' PP25,838

#### Compact habit is perfect for containers.

Soft yellow blooms.
Silvery green foliage.
Blends well with other colors in the garden.



Achillea 'Coronation Gold



Achillea 'Paprika'



Achillea 'Strawberry Seduction'



Achillea 'Peachy Seduction'



Achillea 'Moonshine'



Achillea 'Saucy Seduction'



Achillea 'Sunny Seduction'



Achillea Ritzy 'Rose'

ACHILLEA 💛 (YARROW) Achillea

#### 'CORONATION GOLD'

Height: 36 in. (91 cm) Bloom Months: Mid-June to July USDA Hardiness Zones: 3a to 9b

Large, deep yellow heads, excellent for drying.

#### 'MOONSHINE'

Height: 18 to 24 in. (46 to 61 cm) Bloom Months: June to September USDA Hardiness Zones: 4a to 8b

Bright yellow flowers over silvery

foliage. • Wide heads come in early Summer and are slow to fade.

If cut back, more leaves – and sometimes flowers – appear later.

#### ACHILLEA 🖯 (YARROW)

Achillea millefolium

#### 'PAPRIKA'

Height: 24 to 30 in. (61 to 76 cm) Bloom Months: June to September USDA Hardiness Zones: 3a to 9b

Low, spreading plants have red blooms with yellow centers; gray-green, fernlike foliage.



#### **RITZY SERIES**

**NEW FOR 2018** MUST HAVE PERENNIALS™

Height: 10 to 14 in. (25 to 36 cm) Bloom Months: Late Spring to Summer USDA Hardiness Zones: 4a to 8b

Compact, long-flowering Achillea.

'Rose' PPAF 'Ruby' PPAF

#### SEDUCTION SERIES

#### MUST HAVE PERENNIALS™

Height: 23 to 27 in. (58 to 69 cm) Bloom Months: Mid-June to July USDA Hardiness Zones: 4a to 8b

Excellent flowering uniformity with remarkably dense columnar habit.

Peachy 'Peachy Seduction' PP22,262 Saucy 'Saucy Seduction' PP20.782 Strawberry 'Strawberry Seduction' PP18,401 Sunny 'Sunny Seduction' PP20,808

## NEW VINTAGE

DARWIN PERENNIALS Achillea New Vintage Violet

LONG-LASTING COLOR LIGHTS **UP SPRING CONTAINERS.** 











Achillea New Vintage White




Achillea New Vintage Red



Achillea Tutti Frutti 'Apricot Delight'



Achillea Tutti Frutti 'Pink Grapefruit'



Achillea Little Moonshine

Achillea Tutti Frutti 'Pomegranate'

ACHILLEA (YARROW) Achillea millefolium

#### NEW VINTAGE<sup>™</sup> SERIES DARWIN PERENNIALS

Height: 12 to 14 in. (30 to 36 cm) Bloom Months: June to July USDA Hardiness Zones: 4a to 9b

### Tidy plant habit with no gap between foliage and flowers – outstanding in containers.

Bold colors mature to attractive shades instead of fading to brown like other varieties.
Great for late-Spring one-gallon

programs.

Red 'Balvinred' PP25,618 Rose 'Balvinrose' PP25,712 Violet A two-time winner with an excellent overall average score for the second season, from the Franklin Park Conservatory, Columbus, Ohio. 'Balvinolet' PP25,750 White 'Balvinwite' PP25,711

Achillea New Vintage Violet



Achillea Tutti Frutti 'Wonderful Wampee'

#### LITTLE MOONSHINE

MUST HAVE PERENNIALS™

Height: 9 to 12 in. (23 to 30 cm) Bloom Months: June to September USDA Hardiness Zones: 4a to 8b 'ACBZ0002' PPAF

- Bright, golden-yellow flower clusters.
  Similar to 'Moonshine' but more
- compact.
- Gray-green foliage and very earlyblooming.

#### TUTTI FRUTTI SERIES

#### MUST HAVE PERENNIALS™

Height: 22 to 29 in. (56 to 74 cm) Bloom Months: Mid-June to July USDA Hardiness Zones: 4a to 8b

Outstanding compact habit is sturdy and full, with excellent flowering uniformity.

'Apricot Delight' PP18,738 'Pink Grapefruit' PP20,741 'Pomegranate' PP20,763 'Wonderful Wampee' PP18,760



**DARWIN PERENNIALS** 

Achillea Song Siren 'Little Susie'



Achillea Song Siren 'Pretty Woman'



Achillea 'King Edward'



Achillea Song Siren 'Layla'



Achillea Song Siren 'Laura'

Aegopodium 'Variegatum'

Achillea Song Siren 'Angie'

ACHILLEA 💛 (YARROW) Achillea millefolium

SONG SIREN™ SERIES DARWIN PERENNIALS

Height: 20 to 22 in. (51 to 56 cm) Bloom Months: June to July USDA Hardiness Zones: 4a to 9b

• Colors as inspired as the songs they're

named for! • Rich color selection in a garden-height Achillea.

 Color holds up well in the garden. Ideal for one or two-gallon Summer programs.

'Angie' 'Laura' 'Layla' 'Little Susie' 'Pretty Woman' ACHILLEA 🦲 (YARROW) Achillea x lewisii 'KING EDWARD'

Height: 6 to 10 in. (15 to 25 cm) Bloom Months: Mid-June to July USDA Hardiness Zones: 3a to 8b

Pale primrose-yellow flowers over wooly foliage.

AEGOPODIUM – (SNOW-ON-THE-MOUNTAIN, GOUTWEED) Aegopodium podagraria

'VARIEGATUM'

Height: 8 to 10 in. (20 to 25 cm) Bloom Months: Summer USDA Hardiness Zones: 4a to 9b

Green and white variegated groundcover with lacy, creamy white flowers.

12 ACHILLEA Product information and culture charts at darwinperennials.com



Agastache 'Little Adder'



Agastache 'Blue Fortune'



Agastache 'Purple Haze'

AGASTACHE (MEXICAN HYSSOP) Agastache hybrida

#### 'BLUE FORTUNE'

Height: 24 to 36 in. (61 to 91 cm) Bloom Months: June to September USDA Hardiness Zones: 6a to 9b

Tall spikes of soft blue flowers with fragrant foliage.

#### 'PURPLE HAZE'

Height: 38 in. (97 cm) Bloom Months: June to September USDA Hardiness Zones: 6a to 10b

Cool violet-blue flowers last into Fall.

AGASTACHE – (ANISE HYSSOP) Agastache rugosa

#### 'LITTLE ADDER' DARWIN PERENNIALS

Height: 15 to 18 in. (38 to 46 cm) Bloom Months: June to September USDA Hardiness Zones: 5a to 9b PP26,514

Mint family member is an outstanding source of nectar for bees and butterflies.
Half the height of 'Black Adder' or 'Blue Fortune', with better branching.
Three times the blooms of 'Black Adder' for three times the flower power.
Great show at retail and in the garden for better sell-through and repeat sales.



Ajuga 'Burgundy Glow'

AJUGA 🔵 🌑 (BUGLEWEED) Ajuga pyramidalis

#### 'METALLICA CRISPA'

Height: 6 in. (15 cm) Bloom Months: May to June USDA Hardiness Zones: 3a to 9b

Blue flowers on cushions of curled, purple-bronze leaves with a metallic sheen.

AJUGA O (BUGLEWEED) Ajuga reptans

#### 'BLACK SCALLOP'

#### PLANTHAVEN, INC.

Height: 6 in. (15 cm) Bloom Months: May to June USDA Hardiness Zones: 4a to 8b PP15,815

Compact habit shows off shiny, nearly black leaves with neat, scalloped edges and violet-blue flowers.

#### 'BRONZE BEAUTY'

Height: 8 in. (20 cm) Bloom Months: May to June USDA Hardiness Zones: 3a to 9b

Deep bronze foliage topped by blue flower spikes.



Ajuga 'Catlin's Giant'

#### 'BURGUNDY GLOW'

Height: 3 to 6 in. (8 to 15 cm) Bloom Months: May to June USDA Hardiness Zones: 3a to 9b

Blue flowers on pink and silver variegated leaves splashed with purple.

#### 'CATLIN'S GIANT'

Height: 8 to 10 in. (20 to 25 cm) Bloom Months: May to June USDA Hardiness Zones: 3a to 9b

Robust grower with bold leaves and large, dark purple flowers.

#### 'MAHOGANY'

Height: 4 to 6 in. (10 to 15 cm) Bloom Months: May to June USDA Hardiness Zones: 3a to 9b

Dark burgundy to black foliage with bright blue flowers.

#### 'PINK LIGHTNING'

#### SUNNY BORDER NURSERY

Height: 4 to 6 in. (10 to 15 cm) Bloom Months: May to June USDA Hardiness Zones: 3a to 9b PP22,255

Green and white variegated leaves with soft pink flower spikes.







Ajuga 'Bronze Beauty'

#### MIXED CONTAINER IDEA

Ajuga 'Mahogany'



Perennial Mixed Container suggestion: Touch Of Class Polemonium, Swirling Fantasy Heuchera, Chocolate Chip Ajuga



Ajuga 'Pink Lightning'



Ajuga 'Silver Queen'



Ajuga 'Dixie Chip'



Ajuga 'Mint Chip'



Ajuga Chocolate Chip

#### 'SILVER QUEEN'

Height: 6 in. (15 cm) Bloom Months: May to June USDA Hardiness Zones: 3a to 9b

Blue flower spikes over white and green variegated leaves.

AJUGA <mark>O</mark> (BUGLEWEED)

### Ajuga x tenorii CHOCOLATE CHIP

Height: 4 in. (10 cm) Bloom Months: May to June USDA Hardiness Zones: 3a to 9b 'Valfredda'

Dwarf form with narrow, chocolatecolored leaves and blue flowers.

#### 'DIXIE CHIP'

ITSAUL PLANTS, INC.

Height: 3 in. (8 cm) Bloom Months: May to June USDA Hardiness Zones: 3a to 9b PP20.890

Unique, multi-colored foliage with brilliant blue flowers; spreading habit.

#### 'MINT CHIP'

ITSAUL PLANTS, INC.

Height: 3 in. (8 cm) Bloom Months: May to June USDA Hardiness Zones: 4a to 9b PP20,374

Narrow, deep green leaves are covered with brilliant blue flowers in Spring.

# 



Alyssum 'Golden Spring'

ALYSSUM 💛 Alyssum wulfenianum

#### 'GOLDEN SPRING'

DARWIN PERENNIALS

Height: 6 to 8 in. (15 to 20 cm) Bloom Months: April to May USDA Hardiness Zones: 4a to 9b PP25,710

Exciting season extender brings a fresh class of "WOW" to the early-Spring flowering group.

• The first vegetative Alyssum of this species, with the largest flowers of its class.

Easy-to-grow, heat-loving, pest-free, hardy perennial.Evergreen foliage.





Armeria 'Nifty Thrifty

Artemisia 'Powis Castle'



Artemisia French Tarragon



Armeria 'Rubrifolia'

AMSONIA O (BLUE STAR) Amsonia x hybrida

#### 'BLUE ICE'

Height: 16 in. (41 cm) Bloom Months: May to June USDA Hardiness Zones: 4a to 9b

Starry blue blooms against narrow, bright green leaves that turn yellow in Fall.

ARMERIA (THRIFT, SEA PINKS) Armeria maritima

'NIFTY THRIFTY

Height: 8 to 10 in. (20 to 25 cm) Bloom Months: May to July USDA Hardiness Zones: 4a to 8b

Compact green foliage with cream edges, rose-red globular flowers.

#### 'RUBRIFOLIA'


Height: 4 in. (10 cm) Bloom Months: May to July USDA Hardiness Zones: 4a to 8b

Pink globe flowers over thin green foliage that turns red-purple in Fall.

NEW FOR 2018 DARWIN PERENNIALS



Armeria Dreameria 'Daydream'



Armeria Dreameria 'Sweet Dreams'

ARMERIA (THRIFT, SEA PINKS) Armeria pseudarmeria

#### DREAMERIA<sup>™</sup> SERIES NEW FOR 2018 DARWIN PERENNIALS

Height: 10 to 12 in. (25 to 30 cm) Bloom Months: March to October USDA Hardiness Zones: 6a to 9a

The Dreameria Series offers entirely new and unique breeding for the Armeria class.
Dreameria moves the genus from

strictly early-Spring and late-Fall, cool-season perennial to season-long flowering.

• Tidy habit is perfect for patios and gardens.

'Daydream' Shows bright pink flowers from Spring until Fall. PPAF 'Sweet Dreams' Attractive lavendermauve flowers. PPAF

#### NEW FOR 2018 DARWIN PERENNIALS



Armeria Dreameria 'Sweet Dreams'

ARTEMISIA (WORMWOOD) Artemisia arborescens

#### 'POWIS CASTLE'

Height: 24 to 30 in. (61 to 76 cm) Bloom Months: July USDA Hardiness Zones: 5a to 9b

Features fine-textured, lacy silver foliage spikes that grow mounded and upright.

ARTEMISIA (WORMWOOD) Artemisia dracunculus sativa

#### FRENCH TARRAGON

Height: 36 in. (91 cm) Bloom Months: Non-flowering USDA Hardiness Zones: 3a to 7b

This true French tarragon brings a distinct anise scent to perennial and herb gardens.



ARTEMISIA 💛

blooms.

edging.

ASTER 💛 Aster novae-angliae 'PURPLE DOME'

ARTEMISIA

(WORMWOOD)

Artemisia stelleriana 'SILVER BROCADE'

(WORMWOOD)

Artemisia schmidtiana

'SILVER MOUND'

Height: 6 to 12 in. (15 to 30 cm)

Bloom Months: July USDA Hardiness Zones: 3a to 8b

Height: 8 to 10 in. (20 to 25 cm) Bloom Months: July

USDA Hardiness Zones: 3a to 8b

Silvery foliage resembles Dusty Miller, outstanding for rock gardens and

Height: 20 in. (51 cm) Bloom Months: August to October USDA Hardiness Zones: 4a to 9b

Solid masses of purple flowers with yellow centers.

Compact, mounded plants have soft,

silvery gray foliage and small yellow





Aster 'Moench



Aster 'Wood's Purple'

Aster 'Professor Anton Kippenburg'



Aster 'Wood's Pink

ASTER 💛 Aster novi-belgii

#### PROFESSOR ANTON **KIPPENBURG**

Height: 15 in. (38 cm) Bloom Months: Late Summer to Fall USDA Hardiness Zones: 4a to 8b

Lavender-blue flowers with gold centers.

#### 'WOOD'S PINK'

Height: 12 to 18 in. (30 to 46 cm) Bloom Months: Late Summer to Fall USDA Hardiness Zones: 4a to 8b

Pale pink flowers with light yellow centers.

#### 'WOOD'S PURPLE'

Height: 12 to 18 in. (30 to 46 cm) Bloom Months: Late Summer to Fall USDA Hardiness Zones: 4a to 8b

Purple-blue flowers with light yellow centers.

ASTER 💛

Aster x frikartii 'MOENCH'

Height: 24 in. (61 cm) Bloom Months: Late Summer to Fall USDA Hardiness Zones: 4a to 8b

Deep blue flowers measure 2.5 in. (6 cm).



Artemisia 'Silver Brocade'





Buddleia Buzz Lavender



Buddleia Buzz Sky Blue

Buddleia Buzz 'Soft Pink'



Buddleia Buzz 'Hot Raspberry'



Buddleia Berry Fizz



Buddleia Buzz Velvet



Buddleia 'Black Knight'

BUDDLEIA (BUTTERFLY BUSH) Buddleia davidii

#### BLACK KNIGHT

Height: 84 in. (213 cm) Bloom Months: July to September USDA Hardiness Zones: 6a to 9b

Deep blue-black flowers and silvery foliage.

#### BUZZ<sup>™</sup> SERIES

#### CULTIVARIS NORTH AMERICA, LLC

Height: 30 to 60 in. (76 to 152 cm) Bloom Months: July to September USDA Hardiness Zones: 5a to 9b

Long-blooming series is suitable for gallon pots and smaller garden spaces.

#### NEW 'Hot Raspberry' PPAF

Ivory TOBUDO72' PP23,464 Lavender TOBUDVIOLE' PP22,063 Magenta TOBUD0802' PP23,463 Midnight TOBUD0802' PP23,464 Purple TOBUD015' PP22,064 Sky Blue TOBUD0615' PP23,461 NEW 'Soft Pink' PPAF Velvet TOBUD0703' PP23,462

#### **BERRY FIZZ**

#### STAR ROSES AND PLANTS

Height: 48 to 60 in. (122 to 152 cm) Bloom Months: June to September USDA Hardiness Zones: 5a to 10b 'Bosbrizz'

Drought and heat-tolerant Buddleia is the first choice for low-water gardens. Offers a beautiful full habit, long blooming and spectacular color.



Buddleia Buzz Ivory



Buddleia Buzz Purple



Buddleia Buzz Magenta

Buddleia Buzz Midnight







Buddleia Humdinger 'Little Nugget'





Buddleia Blaze Pink



Buddleia 'Wisteria Lane'

BUDDLEIA 🖯 (BUTTERFLY BUSH) Buddleia davidii

Buddleia Humdinger 'Magenta Munchkin'

**HUMDINGER® SERIES** 

#### **NEW FOR 2018** WALTERS GARDENS

Height: 30 to 48 in. (76 to 122 cm) Bloom Months: Late Summer USDA Hardiness Zones: 5a to 10b

This butterfly bush fits easily into smaller gardens because of its compact, rounded habit. Flowers for many weeks beginning in mid-Summer with good flower coverage. Secondary blooms will extend the flowering season.

**'Lavender Cupcake'** Extremely long, 12-in. (30-cm) light lavender purple flower panicles. PPAF **'Little Angel'** Very long 10 to 12-in. (25 to 30-cm) pure white flower panicles. PPAR

\*Little Nugget' Brilliant gold foliage and 5 to 6-in. (13 to 15-cm) magenta purple-to-blue-purple flowers. PPAF 'Magenta Munchkin' Bold, 7 to 8-in. (18 to 20-cm) fuchsia red flowers have lighter, eye-type centers. PPAF **'Orchid Annie'** Soft, 8-in. (20-cm) orchid purple flower panicles. PPAF

#### 'WISTERIA LANE'

#### NEW FOR 2018 CULTIVARIS NORTH AMERICA, LLC

Height: 22 to 24 in. (56 to 61 cm) Bloom Months: Summer to Fall USDA Hardiness Zones: 5a to 9b PP27,833

Unique weeping habit looks outstanding in large containers.

BUDDLEIA 🔵 (NECTAR BUSH) Buddleia hybrida

**BLAZE PINK** 

### STAR ROSES AND PLANTS

Height: 62 to 74 in. (157 to 188 cm) Bloom Months: June to September USDA Hardiness Zones: 5a to 10a 'Bosblink' PP25,731

The first really pink Buddleia! • Smaller flowers accented by silvery foliage.

Long flowering period. • Drought and heat tolerant.

#### TRUE BLUE

#### STAR ROSES AND PLANTS

Height: 61 to 73 in. (155 to 185 cm) Bloom Months: June to September USDA Hardiness Zones: 5a to 10b 'Bostulu' PP25,708

- The truest blue flowers with silvery
- gray foliage.
- Strong stems and upright habit.
- Reblooming, with big flowers. · Low seed set.



Buddleia Humdinger 'Orchid Annie'



Buddleia True Blue



20

# CRANRAZZ



#### CRANRAZZ

#### STAR ROSES AND PLANTS

Height: 60 to 72 in. (152 to 183 cm) Bloom Months: June to September USDA Hardiness Zones: 5a to 10b 'Boscranz' PP25,730

# A great pollinator plant – bees and hummingbirds love the deep cranberry-color flowers!

Extremely free-flowering.
Blooms from Spring until mid-Fall.
Panicles grow an amazing 8 in.
(20 cm) long.





Buddleia Monarch 'Blue Knight'

BUDDLEIA O (BUTTERFLY BUSH) Buddleia davidii

## MONARCH® SERIES

NEW FOR 2018 WALTERS GARDENS

Height: 30 to 48 in. (76 to 122 cm) Bloom Months: Late Summer USDA Hardiness Zones: 5a to 10b

Gorgeous butterfly bush produces incredibly long, 10 to 12-in. (25 to 30-cm) panicles of colorful blossoms, a favorite of Monarch butterflies. Incredible flower coverage on its dense clump of leaves.

'Blue Knight' Outward-facing flower panicles open light lavender purple and deepen to blue-purple with age, over minty green leaves. PPAF 'Crown Jewels' Magenta purple flowers. PP27.878

PP27,878 **'Dark Dynasty'** Rich, royal purple, fragrant flowers, PP27,834 **'Glass Slippers'** Silvery green foliage and icy periwinkle blue blossoms. PP27,832 **'Prince Charming'** Bright cerise pink flower spikes. PPAF **'Queen of Hearts'** Vibrant magenta red blossoms. PPAF

blossoms. PPAF



Buddleia Monarch 'Prince Charming'



Buddleia Monarch 'Dark Dynasty'



Buddleia Monarch 'Crown Jewels'



Buddleia Monarch 'Glass Slippers'



Buddleia Monarch 'Queen of Hearts'





Calamintha 'Variegata'

Campanula 'Dickson's Gold'



Campanula 'Birch Hybrid'



Campanula Genti Twisterbell

Campanula 'Miss Melanie'



Campanula Genti White



Campanula Genti Blue

'VARIEGATA'

CALAMINTHA 💛 🌖 (CALAMINT) Calamintha grandiflora

Height: 18 in. (46 cm) Bloom Months: May to July USDA Hardiness Zones: 6a to 11

Pink flowers on fragrant, variegated white and green foliage.

CAMPANULA (BELLFLOWER) Campanula garganica

'DICKSON'S GOLD'

Height: 4 to 6 in. (10 to 15 cm) Bloom Months: May to July USDA Hardiness Zones: 4a to 9b

Blue star-shaped flowers on golden foliage.

CAMPANULA 💛 🌖 (BELLFLOWER) Campanula glomerata

#### **GENTI SERIES**

RENE VAN GAALEN, B.V.

Height: 14 to 19 in. (36 to 48 cm) Bloom Months: May to July USDA Hardiness Zones: 3a to 8b

- Beautiful, long-flowering Campanula.
  Holds its shape well in the garden.
  Very Winter-hardy.

Blue 'Allgentibl' PP24,687 Twisterbell Unique purple and white bicolored flower. 'Allgentitwist' PP25,403 White 'Allgentiw' PP24,686

CAMPANULA OBELLFLOWER Campanula portenschlagiana

#### 'BIRCH HYBRID'

Height: 4 to 6 in. (10 to 15 cm) Bloom Months: June to August USDA Hardiness Zones: 4a to 7b

A dwarf form with pale blue flowers.

#### 'MISS MELANIE'

Height: 8 in. (20 cm) Bloom Months: May to July USDA Hardiness Zones: 5a to 7b

Lavender-blue flowers on a compact plant.



Campanula 'Blue Rivulet'

CAMPANULA O (BELLFLOWER) Campanula poscharskyana

'BLUE RIVULET'

MUST HAVE PERENNIALS™

Height: 6 in. (15 cm) Bloom Months: May to July USDA Hardiness Zones: 4a to 9b PP20,082

Vigorous grower features a spreading habit and prolific star-shaped, lavenderblue flowers with a white eye.

#### **BLUE WATERFALL**

#### MUST HAVE PERENNIALS™

Height: 8 in. (20 cm) Bloom Months: May to July USDA Hardiness Zones: 4a to 9b 'Camgood' PP13,161

Low-growing, vigorous, spreading habit with some repeat blooming in Fall; excellent in containers and baskets.



Campanula Blue Waterfall

CAMPANULA (BELLFLOWER) Campanula punctata

#### 'CHERRY BELLS'

Height: 18 to 24 in. (46 to 61 cm) Bloom Months: May to July USDA Hardiness Zones: 4a to 8b

Cherry-red bells with creamy spotted interiors and spreading foliage.

CAMPANULA (BELLFLOWER) Campanula x hybrida

#### IRIDESCENT BELLS

#### BURPEE

Height: 24 to 30 in. (61 to 76 cm) Bloom Months: April to September USDA Hardiness Zones: 5a to 8b 'Iribella' PPAF

 Blooms a long time for better sellthrough and excellent garden show.
 Eggplant-colored buds and light lavender flowers that bloom all Summer long.

 Non-seeding variety won't become invasive in gardens and landscapes.
 Tidy habit for patio containers, smaller beds and mid-borders.



Campanula Iridescent Bells



Caryopteris Grand Bleu

CARYOPTERIS (BLUEBEARD) Caryopteris clandonensis

#### 'DARK KNIGHT'

Height: 24 to 36 in. (61 to 91 cm) Bloom Months: July to September USDA Hardiness Zones: 6a to 9b

Purple flowers complement dark green foliage.

#### **GRAND BLEU®**

### DARWIN PERENNIALS

Height: 48 in. (122 cm) Bloom Months: August to October USDA Hardiness Zones: 6a to 9b 'Inoveris' PP17.837

- One of the best blue Caryopteris on the market.
- Deep purple-blue flower clusters.
- Compact, upright plant habit.
- Blooms till first frost.



Campanula 'Cherry Bells'



Caryopteris 'Dark Knight'



Centaurea 'Amethyst Dream'



Centaurea 'Lavender Mist'

#### CENTAUREA 🖯 (CORNFLOWER) Centaurea montana

## 'AMETHYST DREAM'

MUST HAVE PERENNIALS™ Height: 20 in. (51 cm) Bloom Months: June to July USDA Hardiness Zones: 3a to 9b

Unique "shingled" buds grow into showy, radiant, royal-purple blooms accented by softly haired, silver foliage.

#### 'AMETHYST IN SNOW'

MUST HAVE PERENNIALS™

Height: 14 in. (36 cm) Bloom Months: June to July USDA Hardiness Zones: 3a to 9b PP18 284

Lovely bicolor blooms in a striking new flower form with dense masses of silvery green foliage.

#### 'GOLD BULLION'

#### MUST HAVE PERENNIALS™

Height: 12 to 15 in. (30 to 38 cm) Bloom Months: June to July USDA Hardiness Zones: 3a to 9b PP10,865

High-wattage chartreuse leaves contrast with electric blue blooms in late Spring, early Summer.



Centaurea 'Gold Bullion'



Centaurea 'Amethyst in Snow'

# 'LAVENDER MIST'

#### BURPEE

Height: 16 to 18 in. (41 to 46 cm) Bloom Months: April to June USDA Hardiness Zones: 4a to 9b PPAF

 Better branching, shorter habit and lots more flower power!

 50% more flowers on a compact habit for plenty of retail appeal.

 Uniform flowering when bulked and overwintered.

#### CERATOSTIGMA 💛 🌗 (LEADWORT)

Bloom Months: April to September USDA Hardiness Zones: 5a to 8b

Height: 6 in. (15 cm)

Yellow daisy flowers on soft green foliage clumps.



Ceratostigma plumbaginoides



Chrysogonum 'Pierre'

COREOPSIS 🦲 (TICKWEED) Coreopsis auriculata

#### 'NANA'

Height: 9 in. (23 cm) Bloom Months: April to June USDA Hardiness Zones: 3a to 9b

Small, daisylike flowers in brilliant orange-yellow on bushy plants with large, rounded, dark green, evergreen foliage.

COREOPSIS 💛 (TICKWEED) Coreopsis hybrida

#### SOLANNA™ 'GOLDEN SPHERE'

#### DANZIGER "DAN" FLOWER FARMS

Height: 8 in. (20 cm) Bloom Months: May to September USDA Hardiness Zones: 5a to 9b PPAF

Bright yellow, fully double flowers on a compact habit with lance-shaped foliage.

 Longer blooming time than other cultivars.

Ceratostigma plumbaginoides


Height: 8 to 12 in. (20 to 30 cm)

Small blue flowers over shiny green foliage that turns bronze-red in Fall.

CHRYSOGONUM 🌖 (GREEN & GOLD) Chrysogonum virginianum

'PIERRE'

Bloom Months: Spring USDA Hardiness Zones: 5a to 9b



PP20.781

Coreopsis 'Nana'







Coreopsis 'Limerock Ruby



Coreopsis 'Limerock Passion'

COREOPSIS 🦲 (TICKSEED) Coreopsis verticillata

'CRÈME BRULEE'

Height: 20 in. (51 cm) Bloom Months: June to July USDA Hardiness Zones: 4a to 9b PP16.096

MUST HAVE PERENNIALS™

Larger, deeper yellow flowers and greater vigor than 'Moonbeam', with brighter foliage and better powdery mildew resistance.

### CRÈME CARAMEL

DARWIN PERENNIALS Height: 18 in. (46 cm)

Bloom Months: May to July USDA Hardiness Zones: 5a to 9b 'Novcorcar' PP22,565

- · Equally at home in mass plantings or containers.
- Terracotta-colored blooms and narrow, bright green foliage.
- Mixes well with other perennials and roses.
- Compact and dense habit.





Coreopsis 'Crème Brulee'



Coreopsis Sunny Day



Coreopsis 'American Dream'

Coreopsis Créme Caramel

#### COREOPSIS 🦲 (TICKSEED) Coreopsis grandiflora

SUNNY DAY

#### DARWIN PERENNIALS

Height: 18 to 24 in. (46 to 61 cm) Bloom Months: June to September USDA Hardiness Zones: 4a to 9b 'Balcorsunay' PP17,405

- Excellent choice to brighten borders and containers
- Lots of big, bright, single yellow blooms on compact plants. Remove spent flowers to encourage reblooming.
- North American native species.

COREOPSIS 😣 (TICKSEED) Coreopsis rosea

#### 'AMERICAN DREAM'

Height: 9 to 15 in. (23 to 38 cm) Bloom Months: June to July USDA Hardiness Zones: 3a to 9b

Fine, dark green foliage sprinkled with rose-pink flowers.

'LIMEROCK DREAM'

#### MUST HAVE PERENNIALS™

Height: 16 in. (41 cm) Bloom Months: June to July USDA Hardiness Zones: 8a to 10b PP16.923

Tender perennial has long-blooming daisy flowers that start apricot-pink and mature to hot orange.

#### 'LIMEROCK PASSION'

MUST HAVE PERENNIALS™

Height: 16 in. (41 cm) Bloom Months: June to July USDA Hardiness Zones: 8a to 10b PP15,979

Tender perennial has graceful habit and lavender-pink daisy flowers that mature to lighter pink tones.

#### 'LIMEROCK RUBY'

MUST HAVE PERENNIALS™

Height: 16 in. (41 cm) Bloom Months: June to July USDA Hardiness Zones: 8a to 10b PP15,455

Tender perennial boasts bright ruby-red daisy flowers - a rarity among garden plants!





Coreopsis Little Bird



Coreopsis 'Moonbeam'



Coreopsis Cruizin' 'Route 66'

Coreopsis 'Zagreb'

Coreopsis 'Sylvester'

#### 'MOONBEAM'

DARWIN PERENNIALS

Height: 15 to 18 in. (38 to 46 cm) Bloom Months: June to July USDA Hardiness Zones: 3a to 9b

Small, lemon-yellow flowers on bushy plants with dark green foliage.

#### 'SWEET MARMALADE'

#### MUST HAVE PERENNIALS™

Height: 12 in. (30 cm) Bloom Months: June to July USDA Hardiness Zones: 5a to 9b PP20.702

Flowers open deep orange and mellow to soft apricot-yellow; can become bright yellow in very high temperatures.

#### 'SYLVESTER' **DARWIN PERENNIALS**

Height: 16 to 20 in. (41 to 51 cm) Bloom Months: June to September USDA Hardiness Zones: 4a to 9b PP24.767

· Fuller plants can be finished from firstyear cuttings.

- Bright, golden yellow blooms are twice the size of other *C. verticillata*.
- Perfect for gallon programs.
- Stays in place in the landscape.

#### 'ZAGREB'

Height: 16 to 24 in. (41 to 61 cm) Bloom Months: June to July USDA Hardiness Zones: 3a to 9b

Upright, bushy plants bear deep golden yellow flowers.

#### COREOPSIS 💛 (TICKSEED) Coreopsis hybrida

**CRUIZIN' SERIES** 

ITSAUL PLANTS, INC.

Height: Varies by Variety Bloom Months: June to July USDA Hardiness Zones: 5a to 9b

Brilliant flowers and dark green, threadleaf foliage.

'Main Street' Height: 18 in. (46 cm) PP24.562

**'Route 66'** Height: 24 to 27 in. (61 to 69 cm) Yellow flowers with a striking burgundy ring around the crown that bleeds to petal tips as the season progresses. PP20,609

#### LITTLE BIRD DARWIN PERENNIALS

Height: 12 to 14 in. (30 to 36 cm) Bloom Months: June to September USDA Hardiness Zones: 5a to 9b 'Novacorbir' PP26,108

 Significant advancement in dwarf and rounded habit makes this a great container plant.

- True dwarf with rounded habit.
- Yellow flowers and dense, narrow foliage.
- Makes a great container plant.
- Stays in place in the landscape.

Coreopsis Cruizin' 'Main Street'

Coreopsis 'Sweet Marmalade'







Coreopsis Sizzle & Spice 'Hot Paprika'



Coreopsis Sizzle & Spice 'Zesty Zinger'

COREOPSIS 😑 (TICKWEED) Coreopsis verticillata

#### SIZZLE & SPICE<sup>™</sup> SERIES

NEW FOR 2018 WALTERS GARDENS

Height: 15 to 18 in. (38 to 46 cm) Bloom Months: Summer USDA Hardiness Zones: 5a to 9b

Heat up your Summer garden with this easy-care, hardy perennial with threadleaf foliage. Adds a bright spot of color all Summer long.

**'Crazy Cayenne'** Fiery sunset orange flowers with red-orange concentrated at the centers cover the gray-green foliage. PPAF

'Curry Up' Golden yellow flowers with clear, dark red eyes over bright green foliage, PPAF

'Hot Paprika' Rich, deep red flowers and

**'Zesty Zinger'** Light ivory flowers have pronounced dark magenta centers that cover the bright green foliage. PPAF

COREOPSIS 💛 (TICKWEED) Coreopsis x hybrida 'JETHRO TULL'

ITSAUL PLANTS, INC.


Height: 15 in. (38 cm) Bloom Months: May to August USDA Hardiness Zones: 4a to 9b PP18,789

Compact hybrid dwarf variety produces fluted, non-fading, golden yellow flowers all Summer

#### 'TEQUILA SUNRISE'

Height: 14 to 16 in. (36 to 41 cm) Bloom Months: June to October USDA Hardiness Zones: 6a to 10b

Long, pointed leaves with yellow margins topped by golden blooms with a red eye.





Coreopsis Sizzle & Spice 'Crazy Cayenne'





Coreopsis 'Jethro Tull'

Coreopsis 'Tequila Sunrise'



Delosperma 'Alan's Apricot'



Delosperma Fire Spinner



Delosperma Mesa Verde



Delosperma Lavender Ice



Delosperma cooperi

DELOSPERMA (ICE PLANT) Delosperma congestum

Height: 2 in. (5 cm) Bloom Months: June to August USDA Hardiness Zones: 5a to 10b

(NOT SHOWN) Cheery yellow flowers on tight, succulent foliage.

DELOSPERMA (ICE PLANT) Delosperma cooperi

Height: 3 in. (8 cm) Bloom Months: June to August USDA Hardiness Zones: 6a to 10b

Rose-pink flowers on mats of succulent leaves.

DELOSPERMA (ICE PLANT) Delosperma hybrida

# FIRE SPINNER®

PLANT SELECT

Height: 2 to 3 in. (5 to 8 cm) Bloom Months: June to August USDA Hardiness Zones: 5a to 8b 'P0015'

Tricolored flowers of orange, magenta and white with succulent green foliage



Delosperma Red Mountain Flame



Delosperma Table Mountain

DELOSPERMA (ICE PLANT) Delosperma

#### 'ALAN'S APRICOT'

#### PLANT SELECT

Height: 2 to 3 in. (5 to 8 cm) Bloom Months: June to September USDA Hardiness Zones: 4a to 10b

Hardy, drought-tolerant groundcover in shades of apricot with yellow highlights is a Plant Select  $^{\mbox{\tiny $\mathbb{D}$}}$  award winner.

#### LAVENDER ICE

#### PLANT SELECT

Height: 2 to 3 in. (5 to 8 cm) Bloom Months: June to August USDA Hardiness Zones: 4a to 9b 'Psfave'

Frosted lavender flowers and strong green succulent foliage.

#### MESA VERDE®

#### PLANT SELECT

Height: 2 in. (5 cm) Bloom Months: June to August USDA Hardiness Zones: 4a to 8b 'Kelaidis' PP13,876

Vigorous, compact plants have iridescent salmon-pink flowers and succulent gray-green foliage.

#### **RED MOUNTAIN FLAME®**

#### PLANT SELECT

Height: 2 to 3 in. (5 to 8 cm) Bloom Months: June to August USDA Hardiness Zones: 6a to 9b 'PWWG02S'

Tough, drought-tolerant groundcover has improved color and performance over Red Mountain.

#### **TABLE MOUNTAIN®**

#### PLANT SELECT

Height: 2 in. (5 cm) Bloom Months: June to August USDA Hardiness Zones: 4a to 9b 'John Proffitt'

Shimmering fuchsia blooms with white centers.





Delosperma 'Jewel of Desert Peridot'

Delosperma 'Jewel of Desert Ruby'



Delosperma 'Jewel of Desert Garnet'

DELOSPERMA (ICE PLANT) Delosperma hybrida

#### JEWEL OF DESERT SERIES

CONCEPT PLANTS, B.V.

Height: 4 to 6 in. (10 to 15 cm) Bloom Months: June to August USDA Hardiness Zones: 5a to 10b

Heat and sun-loving, first-year-flowering series is drought-tolerant once established.

'Jewel of Desert Amethyst' PPAF 'Jewel of Desert Garnet' PP23,471 'Jewel of Desert Grenade' PPAF 'Jewel of Desert Moon Stone' PP23,491 'Jewel of Desert Opal' PPAF 'Jewel of Desert Roby' PP23,566 'Jewel of Desert Ruby' PP23,453 'Jewel of Desert Topaz' PP23,492



Delosperma 'Jewel of Desert Topaz'

DELOSPERMA (ICE PLANT) Delosperma floribundum

STARBURST®

Height: 4 in. (10 cm) Bloom Months: June to August USDA Hardiness Zones: 4a to 9b

Orchid-pink blooms accented with white centers.



Delosperma 'Jewel of Desert Opal'



Delosperma 'Jewel of Desert Amethyst'



Delosperma 'Jewel of Desert Moon Stone'



Delosperma 'Jewel of Desert Rosequartz'



Delosperma Starburst





Digitalis Foxlight Plum Gold



Delosperma Wheels of Wonder Hot Pink Wonder



Delosperma Wheels of Wonder Golden Wonder



Delosperma Wheels of Wonder Orange Wonder



Delosperma Wheels of Wonder White Wonder



Digitalis Foxlight Ruby Glow

DELOSPERMA 💛 (ICE PLANT) Delosperma hybrida

#### WHEELS OF WONDER™ SERIES

#### CONCEPT PLANTS, B.V.

Height: 6 to 8 in. (15 to 20 cm) Bloom Months: June to August USDA Hardiness Zones: 5a to 9b

Perfect for rock gardens.
Drought tolerant.
Large flowers.

Fire Wonder 'WOWDAY2' PP25.645 Golden Wonder 'WOWD20111' PP25,684 Hot Pink Wonder 'WOWDEVII' PPAF Orange Wonder 'WOWDOY3' PP25,600 Violet Wonder 'WOWDRW5' PP25,572 White Wonder 'WOWDW7' PP25,599

DELOSPERMA (ICE PLANT) Delosperma nubigenum

Height: 2 to 3 in. (5 to 8 cm) Bloom Months: June to August USDA Hardiness Zones: 5a to 9b

(NOT SHOWN) Spreading, succulent leaves and deep yellow flowers.



Delosperma Wheels of Wonder Violet Wonder



Delosperma Wheels of Wonder Fire Wonder

DIGITALIS 🦲 (FOXGLOVE) Digitalis hybrida

#### FOXLIGHT<sup>™</sup> SERIES DARWIN PERENNIALS

Height: 22 to 24 in. (56 to 61 cm) Bloom Months: April to September; Natural season flowering **USDA Hardiness Zones:** 7a to 10b

• Three bold novelty colors boost retail appeal and drive impulse sales. Lower input costs provide greater profit margin at wholesale and retail. • First-year-flowering perennial needs no bulking for full plants.

• More compact than competing varieties, with deeper green foliage. Blooms all Summer long, with
 outward-facing flowers for better retail show.

#### Plantarium 2016 Silver Medal Winner

Plum Gold 'Takfoplgo' PP26,586 Rose Ivory 'Takforoiv' PP26,554 Ruby Glow 'Takforugl' PP25,640

# CHEERS

NEW FOR 2018 DARWIN PERENNIALS Erysimum Cheers Sun-kissed Amethyst

ABUNDANT BLOOMS, RICH COLORS AND GREAT GARDEN PERFORMANCE YOU CAN SHOUT ABOUT!










**Erysimum Cheers Mighty Mauve** 

Erysimum Cheers Lemon Yellow



**Erysimum Cheers Florange** 

W FOR 2018 DARWIN PERENNIALS



Erysimum Cheers Sun-kissed Amethyst

**NEW FOR 2018** DARWIN PERENNIALS



Erysimum Cheers Florange

Erysimum 'Bowles Mauve'

ERYSIMUM 💛 (WALLFLOWER) Erysimum linifolium

CHEERS<sup>™</sup> SERIES DARWIN PERENNIALS

Height: 18 to 22 in. (46 to 56 cm) Bloom Months: March to September USDA Hardiness Zones: 7a to 10b

# This series offers more flowers, richer colors and better habits than standard Erysimum.

 Continuous blooming and excellent
heat tolerance make satisfied customers.

• Blooms without vernalization from early Spring into Summer.

NEW Florange Rich orange color. 'Balcherflora' PPAF Lemon Yellow 'Balcherlemy' PP26,623 Mighty Mauve 'Balchermauv' PP26,604 NEW Sun-kissed Amethyst Like a heremet of America and a left bouquet of flowers on one plant. Flowers open as golden-yellow and mature to colors from bronze to lavender. 'Balcherissam' PPAF

#### 'BOWLES MAUVE'

Height: 18 to 24 in. (46 to 61 cm) Bloom Months: April to May USDA Hardiness Zones: 6a to 8b

Narrow, gray-green leaves and large flower heads with bright lavender blooms.



ERYSIMUM (WALLFLOWER) Erysimum linifolium

# 'BOWLES ME AWAY'

NEW FOR 2018 DARWIN PERENNIALS

Height: 18 to 24 in. (46 to 61 cm) Bloom Months: March to September USDA Hardiness Zones: 6a to 8b PPAF

This Erysimum doesn't require vernalization to flower and it is heat tolerant, so it continues to bloom from Spring into the heat of Summer.

Features narrow, gray-green leaves that stay evergreen in mild Winters.
Large flower heads have bright lavender blooms that are especially brilliant in Spring.

Erysimum 'Bowles Me Away'



Eupatorium 'Little Joe'

EUPATORIUM 💛 🌖 (JOE-PYE WEED) Eupatorium dubium

#### 'LITTLE JOE' DARWIN PERENNIALS

Height: 36 to 48 in. (91 to 122 cm) Bloom Months: August to September USDA Hardiness Zones: 3a to 9b PP16,122

- Strong, sturdy stems won't flop! Dwarf variety with green foliage and lavender-pink flowers.
- Large clusters of flowers in Summer dry to attractive light brown seed head in Fall.

 Tolerates seasonally wet to rather dry sites.

#### EUPATORIUM -(JOE-PYE WEED)

Eupatorium maculatum

#### 'GATEWAY'

Height: 60 to 72 in. (152 to 183 cm) Bloom Months: July to September USDA Hardiness Zones: 4a to 8b

Mauve-pink flowers against deep red stems make a bold garden display.



Eupatorium 'Chocolate'



Euphorbia Walberton's Ruby Euphorbia Blackbird

EUPATORIUM 💛 🌖 (JOE-PYE WEED) Eupatorium rugosum

Glow

Bloom Months: August to September USDA Hardiness Zones: 4a to 8b

purple, lanceolate foliage and creamy white flowers.

EUPHORBIA 💛 🔵 (SPURGE)

**RED VELVET** 

#### FLORENSIS, B.V.

Height: 18 to 20 in. (46 to 51 cm) Bloom Months: March to May USDA Hardiness Zones: 6a to 10b

- Perfect for container gardens and



**Euphorbia Red Velvet** 

#### WALBERTON'S® RUBY GLOW

#### PLANTHAVEN, INC.

Height: 12 to 18 in. (30 to 46 cm) Bloom Months: March to May USDA Hardiness Zones: 6a to 11 'Waleuphglo' PP22,200

Eye-catching, ruby foliage on compact plants with spreading habit.

EUPHORBIA 🔵 🌗 (SPURGE) Euphorbia characias x martinii

#### BLACKBIRD

#### PLANTHAVEN, INC.

Height: 14 to 16 in. (36 to 41 cm) Bloom Months: Spring to Summer USDA Hardiness Zones: 6a to 9b 'Nothowlee' PP17.178

 Chartreuse flowers contrast with dark purple foliage. • Foliage is dark green when planted in

shadier areas.

Compact, bushy habit



Euphorbia 'Bonfire'



Euphorbia 'Blue Haze'

#### EUPHORBIA 🖯 (SPURGE) Euphorbia polychroma

'BONFIRE'

#### MUST HAVE PERENNIALS™

Height: 10 in. (25 cm) Bloom Months: Spring to Summer USDA Hardiness Zones: 5a to 9b PP18.585

Neat, uniform mounds of green foliage quickly mature to rich maroon-red in Summer; has glowing chartreuse-gold flowers in Spring.

#### EUPHORBIA 💛 (SPURGE)

Euphorbia sequieriana x nicaeensis

#### 'BLUE HAZE'

PLANTHAVEN, INC. Height: 12 to 18 in. (30 to 46 cm) Bloom Months: April to May USDA Hardiness Zones: 7a to 9b PP14,868

Tender perennial's blue foliage, blue stems and yellow flowers make a stunning display.

# 'CHOCOLATE'

Height: 48 to 60 in. (122 to 152 cm)


Upright perennial with dark bronze-

Euphorbia amygdaloides

'Floreupred' PP27,387

- Strong red color sparks Summer and Fall programs and sales.
- Striking foliage survives Summer heat and intensifies into Fall.
- landscapes

 Thrives in full sun and well-drained soils.



Euphorbia 'Shorty'

# EUPHORBIA – (SPURGE) Euphorbia wulfenii

#### 'SHORTY'

ITSAUL PLANTS, INC.

Height: 24 to 28 in. (61 to 71 cm) Bloom Months: April to May USDA Hardiness Zones: 7a to 9b PP19,808

Tender perennial has blue-green foliage and large yellow blooms.

EUPHORBIA – (SPURGE) Euphorbia x martinii

# 'ASCOT RAINBOW'

## PLANTHAVEN, INC.

Height: 20 to 22 in. (51 to 56 cm) Bloom Months: April to May USDA Hardiness Zones: 6a to 9b PP21.401

Vigorous variety has very colorful, variegated foliage that turns deep red in cooler weather.



Euphorbia 'Ascot Rainbow



Euphorbia Tiny Tim

#### TINY TIM

PLANTHAVEN, INC. Height: 10 to 12 in. (25 to 30 d

Height: 10 to 12 in. (25 to 30 cm) Bloom Months: April to May USDA Hardiness Zones: 6a to 9b 'Waleutiny' PP16,930

Fleshy, medium green leaves topped with spikes of chartreuse flowers with red eyes.

GAILLARDIA (BLANKET FLOWER) Gaillardia x grandiflora

#### 'FANFARE BLAZE' PLANTHAVEN, INC.

Height: 12 to 14 in. (30 to 36 cm) Bloom Months: June to frost USDA Hardiness Zones: 5a to 9b PP23.494

Unsurpassed performance in containers, beds and borders, with unique pinwheel blooms in warm, burnt-orange tones.



Gaillardia 'Celebration'

#### 'FANFARE CITRONELLA'

#### PLANTHAVEN, INC.

Height: 14 to 16 in. (36 to 41 cm) Bloom Months: June to August USDA Hardiness Zones: 5a to 9b PP26,943

Floriferous variety with sunny, bright yellow pinwheel flowers is great in containers, beds and borders.

GAILLARDIA (BLANKET FLOWER) Gaillardia x hybrida

#### 'CELEBRATION' PLANTHAVEN, INC.

Height: 14 to 16 in. (36 to 41 cm) Bloom Months: June to frost USDA Hardiness Zones: 5a to 9b PPAF

Long-blooming, colorfast variety has elegant red flowers on strong stems.



Gaillardia 'Fanfare Blaze'



Gaillardia 'Fanfare Citronella'





Gaillardia Gallo Peach

Gaillardia Gallo Red



Gaillardia Gallo Bright Red



Gaillardia Gallo Yellow





Galium odoratum



Gaillardia Gallo Fire

## GAILLARDIA – (BLANKET FLOWER) Gaillardia aristata GALLO<sup>™</sup> SERIES

## FLORENSIS, B.V.

Height: 10 to 12 in. (25 to 30 cm) Bloom Months: June to frost USDA Hardiness Zones: 6a to 8b

- Long-blooming for stunning Summer borders.
- Compact series with a uniform flower canopy.
- Excellent performance in containers.
- Heat-tolerant plants bloom all Summer, well into Fall.

Gallo Bright Red 'Floragalbred' Gallo Dark Bicolor 'KIEGALDAB' PP20,718 Gallo Fire 'Florgalire' Gallo Peach 'KIEGALPEA' PP20,717 Gallo Red 'Florgaled' Gallo Yellow 'KIEGALYEL' PP20,716

GALIUM 🕘 🔵 (SWEET WOODRUFF) Gallium odoratum

Height: 6 to 12 in. (15 to 30 cm) Bloom Months: April USDA Hardiness Zones: 3a to 9b Low-growing groundcover with glossy green foliage and fragrant white flowers





Gaura Passionate Blush

Gaura 'Passionate Rainbow



Gaura Pink Fountain

GAURA (WAND FLOWER) Gaura lindheimeri

#### PASSIONATE BLUSH

PLANTHAVEN, INC.

Height: 18 to 24 in. (46 to 61 cm) Bloom Months: May to September USDA Hardiness Zones: 7a to 9b 'SME-2' PP17.293

Floriferous tender perennial has medium pink flowers, beautifully variegated foliage and a tidy appearance.

#### 'PASSIONATE RAINBOW'

#### PLANTHAVEN, INC.

Height: 18 to 24 in. (46 to 61 cm) Bloom Months: May to September USDA Hardiness Zones: 7a to 9b PP17.002

Tender perennial with attractive open habit. Perfect as accent plant or in mixed containers.

#### **PINK FOUNTAIN**

#### PLANTHAVEN, INC.

Height: 24 to 36 in. (61 to 91 cm) Bloom Months: May to September USDA Hardiness Zones: 6a to 9b 'Walgaupf' PP15,555

Heavy lateral branching for a dense habit and an abundance of soft pink blooms with an exceptionally long flowering period.

#### 'SISKIYOU PINK'

Height: 24 to 36 in. (61 to 91 cm) Bloom Months: May to September USDA Hardiness Zones: 6a to 9b

Clusters of bright, red-pink flowers with white stamens on willowy foliage.

#### SNOW FOUNTAIN PLANTHAVEN, INC.

Height: 24 to 36 in. (61 to 91 cm) Bloom Months: May to September USDA Hardiness Zones: 6a to 9b 'Walsnofou' PP19,376

Extraordinary upright habit with strong stems and masses of heavy white blooms.

#### 'WHIRLING BUTTERFLIES'

Height: 23 to 35 in. (58 to 89 cm) Bloom Months: May to October USDA Hardiness Zones: 6a to 9b

Airy blooms move in the breeze like a cluster of white butterflies.



Gaura 'Siskiyou Pink'



Gaura Snow Fountain



Gaura 'Whirling Butterflies'







Gaura Ballerina White



Gaura Belleza Dark Pink

#### BALLERINA<sup>™</sup> SERIES DARWIN PERENNIALS

Height: 12 to 18 in. (30 to 46 cm) Bloom Months: April to September USDA Hardiness Zones: 6a to 9b

• Continuous blooms on compact, well-branched, upright plants. • Striking flowers complement dark

- foliage.
- Well-suited to landscapes and mixed
- White is the most compact, well-branched white Gaura on the market.

Blush 'Baltinblus' PP14,683 Rose 'Baltinoite' PP14,635 White 'Baltinoite' PP20,326

#### BELLEZA<sup>™</sup> SERIES

#### SELECTA

Height: 12 to 18 in. (30 to 46 cm) Bloom Months: May to September USDA Hardiness Zones: 6a to 9b

- A great-looking companion plant in containers and landscapes.
- Excellent branching with short flower stems.

 Dark Pink and White have upright habits; Compact Light Pink is mounded. Compact Light Pink is well-suited to high-density programs.

Compact Light Pink 'KLEGL06261' Dark Pink 'KLEAU04263' White 'KLEGL14844'



Gaura Belleza White



Gaura Belleza Compact Light Pink



Gaura Gaudi Red



Gaura 'Little Janie'

GAURA 💛 (WAND FLOWER) Gaura lindheimeri

#### GAUDI<sup>™</sup> SERIES

FLORENSIS, B.V.

Height: 12 in. (30 cm) Bloom Months: June to October USDA Hardiness Zones: 6a to 9b

• Compact, well-branched habit.

 Darker foliage in cooler temperatures. Makes a beautiful container plant.

Pink Red 'Florgaure' PP26,518 Rose

#### 'WHISKERS DEEP ROSE'

DARWIN PERENNIALS

Height: 14 to 16 in. (36 to 41 cm) Bloom Months: April to September USDA Hardiness Zones: 6a to 9b PP26,399

• Unique contrasting flower parts add new color interest to a popular class. • White filaments set off deep rose

petals. Compact, bushy habit and dark red

foliage. • A great container item for impulse

sales.

# 'LITTLE JANIE'

#### DARWIN PERENNIALS

Height: 16 to 18 in. (41 to 46 cm) Bloom Months: April to September USDA Hardiness Zones: 6a to 9b PP26,356

• Compact, bicolor Gaura holds its shape from bench to garden.

 Finished plants are easier to ship and arrive in better shape.

Excellent retail appeal and longer shelf life.

Maintains a beautiful Spring, Summer and Fall display of white and rose bicolored blooms.





Gaura Gaudi Rose

#### DARWIN PERENNIALS

Gaura Gaudi Pink



Gaura 'Whiskers Deep Rose'







Geum Cocktails 'Mai Tai'



Geum Cocktails 'Tequila Sunrise'



Helenium Mardi Gras



Geum 'Totally Tangerine'



Geum Cocktails 'Banana Daiguiri'



Hedera English Ivy

GEUM O (AVENS) Geum hybrida

# COCKTAILS<sup>™</sup> SERIES

#### INTRINSIC PERENNIAL GARDENS

Height: 12 to 14 in. (30 to 36 cm) Bloom Months: May to June USDA Hardiness Zones: 5a to 7b

Hybrid series features good vigor and disease tolerance.

'Alabama Slammer' PP23,750 'Banana Daiquiri' PP25,351 'Mai Tai' PP22,433 NEW 'Sangria' 'Tequila Sunrise' PP21,514

GEUM O (AVENS) Geum chiloense x rivale

#### 'TOTALLY TANGERINE'

#### PLANTHAVEN, INC.

Height: 22 to 26 in. (56 to 66 cm) Bloom Months: May to June USDA Hardiness Zones: 4a to 8b PP22,041

Large apricot blooms form sprays of color for a long flowering period; robust habit.



Geum Cocktails 'Alabama Slammer'



Hedera 'Thorndale'

HEDERA 💛 🌗 (ENGLISH IVY) Hedera helix

ENGLISH IVY

Height: 4 to 6 in. (10 to 15 cm) Bloom Months: None USDA Hardiness Zones: 5a to 10b

Large, semi-evergreen leaves, bright to dark green.

#### 'THORNDALE'

Height: 3 to 5 in. (8 to 13 cm) Bloom Months: None USDA Hardiness Zones: 5a to 9b

Purple-green stems; large, dark green leaves with light veins that turn white in Winter.

HELENIUM (HELEN'S FLOWER) Helenium autumnale

#### MARDI GRAS

#### MUST HAVE PERENNIALS™

Height: 36 to 40 in. (91 to 102 cm) Bloom Months: June to August USDA Hardiness Zones: 4a to 8b 'Helbro' PP15,124

• Produces a riot of "tie-dyed" blooms with deep brown, mounded center cones.

Forms upright clumps with sturdy stems that sway in the Summer breeze.
Massed plantings form tight, shrubby bushes of impressive size in two years.



HELIANTHUS (WILLOWLEAF SUNFLOWER) Helianthus salicifolius

#### 'AUTUMN GOLD'

#### NEW FOR 2018 DARWIN PERENNIALS

Height: 24 to 26 in. (61 to 66 cm) Bloom Months: September to November USDA Hardiness Zones: 5a to 10a PPAF

# Excellent Fall-flowering companion to garden mums.

Hardy and drought-tolerant once established.

 An attractive, maintenance-free perennial with bright golden-yellow flowers that bloom from September until November or hard frost.

Helianthus 'Autumn Gold'

# SUNSTRUCK



HELIOPSIS 💛

#### DARWIN PERENNIALS

Height: 14 to 16 in. (36 to 41 cm) Bloom Months: June to August USDA Hardiness Zones: 4a to 9b PP25,524

# The biggest blooms in its class, plus eye-catching variegated foliage.

• Compact habit is easier to ship and shows better at retail.

Blooms 4 to 6 weeks earlier than other


Heliopsis and stays in flower all Summer.

• Produces full one-gallon containers with more plants per rack and lower input costs.

"We were impressed with Heliopsis 'Sunstruck' because it's the best variegated Heliopsis we've seen to date. What does that mean? Stable variegation in the fields (no reverting back to green), and no lodging compared to older varieties. Very impressive!"

John Walters CEO, Walters Gardens, MI





ADD SPICE TO YOUR PROGRAM! YOU'LL FIND A WIDE VARIETY OF THE MOST POPULAR CULINARY HERBS IN OUR SELECTION. USE THIS EASY HERB INDEX TO FIND THEM ALL.



# HERBS



## ARTEMISIA/FRENCH TARRAGON page 17



#### ROSMARINUS/ROSEMARY page 82

Arp Barbecue Gorizia **Huntington Carpet** Madeline Hill Officinalis Prostratus Salem Spice Island Tuscan Blue

Apple Chocolate Citrata Ginger Kentucky Colonel Mojito Peppermint **Pineapple Variegated** Spearmint

MENTHA/MINT page 59



## SALVIA/SAGE page 93

Berggarten Garden Golden Icterina Purple Tricolor



# OCIMUM/BASIL page 64 Kasar





#### STEVIA page 101



## ORIGANUM/OREGANO page 64

Aureum Compactum Greek Hot and Spicy Italian Variegated

## THYMUS/THYME page 102

English French Golden Lemon Lemon Orange Silver Edged Spicy Orange Variegatus



'DOUBLE SUNSTRUCK'

Height: 14 to 16 in. (36 to 41 cm) Bloom Months: May to July USDA Hardiness Zones: 4a to 9b

• Semi-double flowers on freebranching plants make a striking season extender.

Compact habit lets growers ship more

• Intense yellow flowers and variegated foliage command attention.

Long-flowering plants light up Spring

DARWIN PERENNIALS

PP26,608

plants per rack.

and Summer gardens.



Houttuynia Chameleon



Heliopsis 'Loraine Sunshine'

HOUTTUYNIA – ( (CHAMELEON PLANT) Houttuynia cordata

## CHAMELEON

NEW FOR 2018 Height: 6 to 8 in. (15 to 20 cm) Bloom Months: Summer USDA Hardiness Zones: 5a to 9b

With stunning foliage, this one is excellent as a marginal plant for water gardens or as a vigorous groundcover in moist soil. Plant with strong-growing perennials such as ostrich fern, water iris and large-leaved hostas, or grow in sunken containers to restrain spread.

HYPERICUM (ST. JOHN'S WORT) Hypericum calycinum

Height: 15 to 18 in. (38 to 46 cm) Bloom Months: May to July USDA Hardiness Zones: 5a to 9b

Long, blue-green leaves with wide, solitary, bright golden yellow flowers.



Heliopsis 'Bressingham Doubloon'



Hypericum calycinum

Heliopsis 'Double Sunstruck'

# HELIOPSIS (OX-EYE) Heliopsis helianthoides

#### 'BRESSINGHAM DOUBLOON'

MUST HAVE PERENNIALS™

Height: 48 to 60 in. (122 to 152 cm) Bloom Months: June to September USDA Hardiness Zones: 3a to 9b PP11,270

Semi-double, true golden flowers on strong, sturdy stems – no staking needed!

#### **'LORAINE SUNSHINE'**

#### MUST HAVE PERENNIALS™

Height: 30 in. (76 cm) Bloom Months: June to September USDA Hardiness Zones: 4a to 9b PP10.690

Large, golden-yellow daisy flowers on erect, loosely branched plants with unique variegated leaf form.



Iberis 'White Heat'



Hypericum Hypearl Compact Star



Hypericum Hypearl Compact Yellow



Hypericum Hypearl Compact Red

DARWIN PERENNIALS

#### Iberis 'Lavish'

# HYPERICUM O (ST. JOHN'S WORT) Hypericum inodorum

## **HYPEARL® SERIES**

#### DE RUITER INNOVATIONS, B.V.

Height: 18 to 24 in. (46 to 61 cm) Bloom Months: May to June USDA Hardiness Zones: 6a to 9b

Compact, well-branched shrubs for landscapes and containers have star-shaped flowers in Spring, followed by showy berries in Summer that remain until Fall.

Compact Red 'Ruihyi174a' Compact Star 'Ruihyg219a' PP26,342 Compact Yellow 'Ruihyh002a' PP26,341

#### IBERIS 💛 (EVERGREEN CANDYTUFT) Iberis amara

#### WHITE HEAT

#### DARWIN PERENNIALS

Height: 8 to 10 in. (20 to 25 cm) Bloom Months: January to August USDA Hardiness Zones: 7a to 10b PPAF

· Extremely long-blooming variety for a No vernalization needed for flowering.
Ideal for very early sales in the South.
High heat tolerance.

- Tender perennial.


IBERIS – (EVERGREEN CANDYTUFT) Iberis gibraltarica

#### 'LAVISH'

#### DARWIN PERENNIALS

Height: 10 to 12 in. (25 to 30 cm) Bloom Months: April to August USDA Hardiness Zones: 6a to 9b PP27.686

- Long bloom time, with deep lavender flowers.
- · Requires no vernalization for flowering. Great in mixed containers.
- Tender perennial.



The largest flowers of any compact, hardy Iberis!

IBERIS – (EVERGREEN CANDYTUFT)

Iberis sempervirens 'SNOWSATION'

PPAF

NEW FOR 2018 DARWIN PERENNIALS Height: 6 to 8 in. (15 to 20 cm) Bloom Months: March to April USDA Hardiness Zones: 4a to 9a

Plants flower uniformly and branch

Well-recognized by gardeners and will attract their attention in the garden

 Selected for its mid-season flowering and excellent branching.





Iberis 'Alexander's White'



Iberis Snowflake

Iberis 'Purity'



Iberis Monte Bianco

IBERIS (EVERGREEN CANDYTUFT) Iberis sempervirens

#### 'ALEXANDER'S WHITE'

Height: 10 to 12 in. (25 to 30 cm) Bloom Months: March to April USDA Hardiness Zones: 3a to 8b

Deep green evergreen foliage is covered by dense, pure white flowers in Spring.

#### MONTE BIANCO

NEW FOR 2018 FLORENSIS, B.V.

Height: 18 to 22 in. (46 to 56 cm) Bloom Months: Spring to early Summer USDA Hardiness Zones: 4a to 9b 'Floribmobi' PPAF

Compact, early flowering Iberis. Great for quarts or gallons. Crisp, white flowers on medium-green foliage.

#### 'PURITY'

Height: 8 to 10 in. (20 to 25 cm) Bloom Months: March to April USDA Hardiness Zones: 3a to 8b

Low-growing, evergreen shrub with deep green foliage and abundant white blooms.

#### SNOWFLAKE

Height: 10 to 12 in. (25 to 30 cm) Bloom Months: Spring USDA Hardiness Zones: 3a to 8b

Medium-habit Iberis cascades over walls or is useful as a groundcover. Evergreen foliage has long leaves; pure white flowers in early Spring appear iridescent in sunlight. Woody base can be cut back easily if needed.











Lamiastrum 'Hermann's Pride

Lamium 'Anne Greenaway

Lamium 'Beacon Silver





Lamium 'White Nancy'

'SHELL PINK'

Lamium 'Shell Pink'

Height: 8 in. (20 cm) Bloom Months: April to May USDA Hardiness Zones: 4a to 8b

Soft pink flowers - excellent for shaded border or container.

#### WHITE NANCY

Height: 6 in. (15 cm) Bloom Months: April to May USDA Hardiness Zones: 3a to 9b

Fast-growing groundcover with silver and green variegated foliage and pure white flowers.



Lamiastrum 'Variegatum'

LAMIASTRUM 🔵 🔵 (YELLOW ARCHANGEL) Lamiastrum galeobdolon

#### 'HERMANN'S PRIDE'

Height: 6 in. (15 cm) Bloom Months: April to May USDA Hardiness Zones: 3a to 9b

Trailing habit of green and silver leaves with yellow flowers.

#### 'VARIEGATUM'

50

Height: 12 in. (30 cm) Bloom Months: May to June USDA Hardiness Zones: 4a to 8b

Silver-spotted foliage with yellow flowers in Spring.



Lamium 'Pink Pewter' Lamium 'Purple Dragon'

LAMIUM 🌗 🔵 (SPOTTED DEADNETTLE) Lamium maculatum

#### 'ANNE GREENAWAY'

Height: 6 to 8 in. (15 to 20 cm) Bloom Months: April to May USDA Hardiness Zones: 3a to 9b

Mixture of green, silver and chartreuse leaves turn mauve in Spring.

#### 'BEACON SILVER'

Height: 6 to 8 in. (15 to 20 cm) Bloom Months: April to May USDA Hardiness Zones: 3a to 9b

Trailing, mounded variety has silver leaves edged in green with pink-purple flowers.

# 'ORCHID FROST'

Height: 4 to 6 in. (10 to 15 cm) Bloom Months: April to May USDA Hardiness Zones: 4a to 9b PP11 122

- Orchid-pink flowers rebloom in Fall.
- · Good resistance to leaf spots.
- Low-maintenance garden performer.



Lamium 'Red Nancy'

#### 'PINK PEWTER'

Height: 4 to 8 in. (10 to 20 cm) Bloom Months: April to May USDA Hardiness Zones: 3a to 9b

Beautifully variegated leaves and long-blooming, soft pink flowers.

# 'PURPLE DRAGON'

#### HORTECH, INC.

Height: 4 to 8 in. (10 to 20 cm) Bloom Months: April to May USDA Hardiness Zones: 3a to 9b Available as tissue culture-raised liners PP15,890

 Rich purple spikes contrast with bright silvery foliage. • Snapdragon-like flowers.

#### 'RED NANCY'

Height: 8 to 12 in. (20 to 30 cm) Bloom Months: April to May USDA Hardiness Zones: 3a to 8b

Beautifully variegated leaves and long-blooming flowers brighten shaded gardens and Summer containers. Superb groundcover beneath trees or bar the generation where generating with shrubs, especially when combined with Spring-flowering bulbs. Attractive at garden's edge or along walkways.

Robust habit.

# PLANTHAVEN, INC.

LAMIASTRUM Product information and culture charts at darwinperennials.com



Lavandula SuperBlue

LAVANDULA (LAVENDER) Lavandula angustifolia

#### SUPERBLUE DARWIN PERENNIALS

Height: 10 to 12 in. (25 to 30 cm) Bloom Months: June to August USDA Hardiness Zones: 5a to 8b 'Balavurlu' PP24,929

# Excellent performer boasts the biggest blooms!

Rich blue blooms on short flower spikes.

 Less gapping among spikes for more color impact.

color impact. • Excellent Winter hardiness and landscape performance.

Scored 4.7/5 average during July to September 2016 Best of Species at Penn State University, Landisville, Pennsylvania, first season.



Lavandula 'Blue Cushion



Lavandula 'Hidcote'

Lavandula Platinum Blonde

#### 'VERA'

Height: 24 to 30 in. (61 to 76 cm) Bloom Months: June to August USDA Hardiness Zones: 5a to 8b

Long, broad, silver-green leaves and lavender flowers in Summer.

LAVANDULA 💛 (FRENCH LAVENDER) Lavandula dentata

Height: 28 in. (71 cm) Bloom Months: June to August USDA Hardiness Zones: 8a to 9b

French Lavender is a tender perennial that prefers a sunny location with welldrained soils. Also makes an excellent, fragrant patio container in colder climates.

LAVANDULA 🖯 (LAVENDER) Lavandula x ginginsii

'GOODWIN CREEK GREY'

Height: 12 to 36 in. (61 to 91 cm) Bloom Months: June to August USDA Hardiness Zones: 7a to 10b

Tender perennial has small, intense purple flowers on long wands.





Lavandula 'Vera'



Lavandula French Lavender



(LAVENDER) Lavandula angustifolia

CONCEPT PLANTS, B.V.

#### 'BLUE CUSHION'

#### MUST HAVE PERENNIALS™

Height: 16 in. (41 cm) Bloom Months: June to August USDA Hardiness Zones: 5a to 8b

Spectacular dwarf habit and free-flowering performance with deep blue fourers and gray-green, evergreen foliage.

#### 'HIDCOTE'

52

Height: 20 to 22 in. (51 to 56 cm) Bloom Months: June to August USDA Hardiness Zones: 5a to 8b

More compact than others in the species, with deep blue flowers.



Lavandula 'Munstead'

#### 'JEAN DAVIS'

Height: 10 to 12 in. (25 to 30 cm) Bloom Months: June to August USDA Hardiness Zones: 5a to 8b

Pale pink flowers over silvery foliage.

#### 'MUNSTEAD'

Height: 14 to 18 in. (36 to 46 cm) Bloom Months: June to August USDA Hardiness Zones: 5a to 8b

Compact and upright, with narrow foliage and lavender-blue flower spikes.

#### **PLATINUM BLONDE™**

Height: 16 to 24 in. (41 to 61 cm) Bloom Months: June to August

#### 'THUMBELINA LEIGH'

KIWI FLORA LIMITED

Height: 9 to 11 in. (23 to 28 cm) Bloom Months: June to August USDA Hardiness Zones: 5a to 8b PP15,231

Compact habit with sturdy stems of fragrant foliage and purple flowers.



Lavandula 'Jean Davis'

LAVANDULA

#### **BIG TIME BLUE**

Height: 22 to 24 in. (56 to 61 cm) Bloom Months: May to August USDA Hardiness Zones: 5a to 9b 'Armtipp01' PP24,827

Early-blooming variety has silver-gray foliage and mid-blue flowers.

CULTIVARIS NORTH AMERICA, LLC

USDA Hardiness Zones: 6a to 9b 'Momparler' PP23,834

Vigorous grower has green and yellow stable variegation and striking purple blooms.

#### DARWIN PERENNIALS



Lavandula Bright Luxurious



Lavandula 'Grosso



Lavandula 'Provence'

#### DARWIN PERENNIALS



Lavandula Luxurious

LAVANDULA (LAVENDER) Lavandula intermedia

#### 'GROSSO'

Height: 18 to 22 in. (46 to 56 cm) Bloom Months: Summer USDA Hardiness Zones: 5a to 7b

Fragrant and wonderful addition to scent gardens.

LAVANDULA 🦲 (LAVENDER) Lavandula x intermedia

'DILLY DILLY'

Height: 12 in. (30 cm) Bloom Months: June to August USDA Hardiness Zones: 6a to 9b

Compact growth habit with flower spikes high above the foliage.

## PHENOMENAL™

B & S PLANTS, LLC

Height: 24 to 32 in. (61 to 81 cm) Bloom Months: June to August USDA Hardiness Zones: 5a to 8b 'Niko' PP24,193

Strong, disease-resistant silver foliage. Long purple flower spikes in Summer. Overwinters well.





Lavandula pinnata

#### 'PROVENCE'

Height: 30 in. (76 cm) Bloom Months: June to August USDA Hardiness Zones: 5a to 8b

Fragrant, light purple florets atop graygreen, evergreen leaves.

LAVANDULA – (FERNLEAF LAVENDER) Lavandula pinnata

Height: 24 in. (61 cm) Bloom Months: June to August USDA Hardiness Zones: 9a to 11

Tender perennial has a shrub-like habit with gray-green leaves and large blue-purple flower spikes.

LAVANDULA (LAVENDER) Lavandula stoechas

#### **BRIGHT LUXURIOUS** DARWIN PERENNIALS

Height: 14 to 18 in. (36 to 46 cm) Bloom Months: March to July USDA Hardiness Zones: 6a to 9b 'Anouk Deluxe 1956' PP26.496

Compact variety is perfect for small novelty containers...and big sell-through!

- Full, compact habit.
- · Excellent reblooming variety. · Can be grown in quarts and specialty containers.
- Lighter color flags than Luxurious



Lavandula 'Dilly Dilly'



Lavandula Phenomenal

#### LUXURIOUS

DARWIN PERENNIALS

Height: 14 to 18 in. (36 to 46 cm) Bloom Months: March to July USDA Hardiness Zones: 6a to 9b 'Anouk Deluxe 109' PP26,494

• Stands up to boxing and shipping better than other Spanish Lavenders. Outstanding weather and humidity tolerance

Very resistant to foliar disease.

#### 'OTTO QUAST'

Height: 24 to 30 in. (61 to 76 cm) Bloom Months: June to August USDA Hardiness Zones: 7a to 7b

Tender perennial with large, two-tone flowers, silvery foliage, upright habit.



DARWIN PERENNIALS

DARWIN PERENNIALS

Lavandula Anouk Supreme

DARWIN PERENNIALS



Lavandula 'Silver Anouk'

Lavandula White Anouk

DARWIN PERENNIALS



Lavandula Anouk Deep Rose



Lavandula Double Anouk

LAVANDULA (SPANISH LAVENDER) Lavandula stoechas

#### ANOUK SERIES

DARWIN PERENNIALS

Height: 14 to 18 in. (36 to 46 cm) Bloom Months: March to September USDA Hardiness Zones: 6a to 9b

 Reblooming Spanish Lavenders have excellent weather tolerance and retail shelf life.

 Outstanding in containers and landscapes.

High resistance to foliar disease.

'Anouk' Dark violet flower spikes topped by clear purple flags. PP16,685 Anouk Supreme Flowers one week earlier than Anouk. 'Anouk Deluxe 901' PP26,495

Anouk Deep Rose Deep rose flags on lavender-rose flowers. 'Anouk Deluxe 179' PP26,493

Double Anouk Double lavender flags on purple flowers. 'Anouk Deluxe 1205' PPAF 'Silver Anouk' Compact and upright with Mite Anouk Bright white, non-burning flags on blue flowers. 'Anouk Deluxe 10173' PPAF





Leucanthemum 'Becky'

Leucanthemum Freak!®



Leucanthemum Ooh La 'LaCrosse'



Leucanthemum Ooh La 'LaSpider'



Leucanthemum Ooh La LaGrande

LEUCANTHEMUM (SHASTA DAISY) Leucanthemum x superbum

#### 'BECKY'

Height: 36 in. (91 cm) Bloom Months: June to August USDA Hardiness Zones: 5a to 8b

Big, single white flowers and shiny, deep green foliage.

#### FREAK!®

#### MUST HAVE PERENNIALS™

Height: 13 in. (33 cm) Bloom Months: June to August USDA Hardiness Zones: 5a to 8b 'LEUZ0001' PP23,426

Fluffy-looking flowers on compact, wellbranched plants make a real garden show-stopper.

#### OOH LA<sup>™</sup> SERIES

#### FLORENSIS

Height: Varies by Variety Bloom Months: June to August USDA Hardiness Zones: 4a to 9a

- Flowers well, even in the first season!
- Compact, dark green leaves.
  Ideal for borders, rock gardens and
- containers.

**'LaCrosse'** Height: 10 to 12 in. (25 to 30 cm) Unique, trumpet-shaped white petals.

white petals. **NEW LaGrande** Height: 10 to 12 in. (25 to 30 cm) Extra-large white daisy flowers. 'Florleulag' PPAF **'LaSpider'** Height: 12 to 14 in. (30 to 36 cm) Makes a fun, frilly statement in beds and containers. Attractive semi-double flowers. Fringed flower petals. Compact habit.



### WHITE MAGIC

#### DARWIN PERENNIALS

NEW FOR 2018 Height: 20 to 24 in. (51 to 61 cm) Bloom Months: May to August USDA Hardiness Zones: 5b to 9b PPAF

Large, semi-double white flowers have a very long blooming season.

Bred and selected for an extended flowering window.
No deadheading is required for reblooming.



Leucanthemum 'White Magic'

12.00

NEW FOR 2018 DARWIN PERENNIALS



Leucanthemum 'Spoonful of Sugar



Leucanthemum Realflor 'Real Galaxy



**REALFLOR® COLLECTION** 

Height: 16 to 36 in. (41 to 91 cm) Bloom Months: June to August

USDA Hardiness Zones: 5a to 9b

resistance and upright habits.

'Real Dream' PP25,664 'Real Galaxy' PP23,873 'Real Glory' PP25,733

DARWIN PERENNIALS

Height: 22 to 26 in. (56 to 66 cm)

Bloom Months: June to August USDA Hardiness Zones: 4a to 9b

 Impressively hardy variety of a perennial garden classic!

Double, pure white flowers with yellow

Strong stems make an excellent cut

'SANTÉ'

PP19.829

centers

flower.

Upright habit

Well-branched, floriferous varieties with

unique flower forms, improved disease

PLANTHAVEN, INC.

Leucanthemum 'Whoops A Daisy'

Leucanthemum 'Snowcap'

Leucanthemum Spellbook 'Lumos'

Leucanthemum Realflor 'Real Glory'

## 'SNOWCAP'

#### MUST HAVE PERENNIALS™

Height: 14 to 18 in. (36 to 46 cm) Bloom Months: June to August USDA Hardiness Zones: 4a to 8b

Compact, single white Shasta Daisy flowers on exceptionally uniform plants.

#### SPELLBOOK® 'LUMOS'

Height: 12 to 18 in. (30 to 46 cm) Bloom Months: April to August USDA Hardiness Zones: 5a to 9b PPAF

Fade-resistant, true yellow flowers. Blooms wonderfully without vernalization.



Leucanthemum 'Santé'

#### 'SPOONFUL OF SUGAR'

#### **NEW FOR 2018** WALTERS GARDENS

Height: 16 to 18 in. (41 to 46 cm) Bloom Months: Summer USDA Hardiness Zones: 5a to 9b PPAF

Boasts an enormous flower size and an incredibly compact, dome-like habit. These 4.5-in. (11-cm), creamy white flowers have two rows of very long petals that are held tight against the attractive, dark green foliage. A freeflowering variety

#### 'WHOOPS A DAISY'

## NEW FOR 2018 WALTERS GARDENS

Height: 15 in. (38 cm) Bloom Months: Summer USDA Hardiness Zones: 5a to 9b PPAF

Improvement over 'Snowcap'; better flower coverage, fuller blossoms and a more compact, uniform habit. Forms an exceptionally dense, rounded ball-shaped mound of dark green foliage blanketed by large 3 to 4 in. (8 to 10 cm), white flowers with gold centers. Blooms without vernalization. Suitable for containers









Lithodora 'Grace Ward'



Lobelia Rose Princess

LITHODORA 🔵 🌗 (TRAILING LITHODORA) Lithodora diffusa

#### 'GRACE WARD'

Height: 8 to 12 in. (20 to 30 cm) Bloom Months: March to April USDA Hardiness Zones: 6a to 8b

Low-growing, trailing habit with glossy green, mat-forming leaves and intense blue flowers at the ends of lateral stems in early Spring.

#### 'HEAVENLY BLUE'

Height: 8 to 12 in. (20 to 30 cm) Bloom Months: March to April USDA Hardiness Zones: 6a to 8b

Low-growing, spreading variety with small, mid-blue flowers and evergreen foliage in warm climates.

#### 'WHITE STAR'

58

#### MUST HAVE PERENNIALS™

Height: 4 to 6 in. (10 to 15 cm) Bloom Months: May to June USDA Hardiness Zones: 6a to 8b PP20,078

Neat, compact bright green cushions with white-striped, bright blue flowers.



LOBELIA 🖯 (CARDINAL FLOWER) Lobelia hybrida

#### PRINCESS SERIES

## WALTER BLOM PLANTS, B.V. Height: 20 in. (51 cm) Bloom Months: July to September

USDA Hardiness Zones: 7a to 10b

Tender perennials.Bright, fan-shaped flowers. Deep-toned foliage.

Crimson Princess 'Gencrim' PP24,945 Rose Princess 'Genross' PP24,930 Scarlet Princess 'Genlet' PP24,944

LYCHNIS 💛 (CATCHFLY) Lychnis flos-cuculi

## PETITE JENNY

#### MUST HAVE PERENNIALS™

Height: 14 in. (36 cm) Bloom Months: May to June USDA Hardiness Zones: 5a to 8b 'LychJen' PP14,139

Double-flowered dwarf variety forms compact, bushy clumps with masses of soft lavender-pink blooms.



Lychnis Petite Jenny

LYSIMACHIA 🕘 🌖 (LOOSESTRIFE) Lysimachia nummularia

#### 'GOLDILOCKS'

Height: 2 to 4 in. (5 to 10 cm) Bloom Months: None USDA Hardiness Zones: 3a to 10b

Trailing habit and golden foliage are beautiful in mixed containers.



Lysimachia 'Alexander'

LYSIMACHIA 💛 🌗 (LOOSESTRIFE) Lysimachia punctata

#### 'ALEXANDER'

#### PLANTHAVEN, INC.

Height: 24 in. (61 cm) Bloom Months: August to September USDA Hardiness Zones: 4a to 9b

Bright golden flowers on upright stems with variegated cream and green leaves.









Mentha Apple Mint



MENTHA 💛 🔵 (MINT) Mentha x villosa

MOJITO MINT

Height: 36 in. (91 cm) Bloom Months: None USDA Hardiness Zones: 5a to 9b

Refreshing mint flavor and fragrance; will develop pinkish-white blooms.

Mazus reptans



Mentha Variegated Pineapple Mint

MAZUS 💛 🌗 (CREEPING MAZUS) Mazus reptans

Height: 2 in. (5 cm) Bloom Months: May to June USDA Hardiness Zones: 5a to 8b

Small, toothed leaves and purple-blue flowers with red and yellow spots.



Mentha spicata

#### **'KENTUCKY COLONEL' MINT**

Height: 24 in. (61 cm) Bloom Months: None USDA Hardiness Zones: 3a to 7b

Robust-growing spearmint with large leaves and sweet/spicy flavor.

#### SPEARMINT

Height: 36 in. (91 cm) Bloom Months: None USDA Hardiness Zones: 3a to 7b

Spearmint-scented green leaves with purple-blue flowers.



Mentha Ginger Mint

MENTHA 🔵 🌑 (MINT) Mentha suaveolens

**APPLE MINT** Height: 36 in. (91 cm) Bloom Months: Summer USDA Hardiness Zones: 6a to 9b

Vigorous habit, apple-scented leaves and pinkish-white whorled flowers in Summer.

#### VARIEGATED PINEAPPLE MINT

Height: 24 in. (61 cm) Bloom Months: None USDA Hardiness Zones: 6a to 9b 'Variegata

Green and white variegated leaves with sweet pineapple scent

MENTHA 💛 🔵 (MINT)

Mentha x gracillis

GINGER MINT

Height: 6 to 12 in. (15 to 30 cm) Bloom Months: None USDA Hardiness Zones: 5a to 9b

Spreading habit with ginger-flavored leaves and violet flowers.

Mentha Citrata Orange Mint

Mentha Chocolate Mint

MENTHA (MINT)

surprising chocolatey scent.

#### **CITRATA ORANGE MINT**

Bloom Months: None USDA Hardiness Zones: 3a to 7b

Very fragrant orange mint with a neat, attractive habit.

#### PEPPERMINT

Height: 24 in. (61 cm) Bloom Months: None USDA Hardiness Zones: 3a to 7b

Deliciously spicy scent – great for tea.



Mentha x piperita CHOCOLATE MINT

Height: 24 in. (61 cm) Bloom Months: None

USDA Hardiness Zones: 3a to 7b

Bronzy, peppermint-like foliage with a

# Height: 24 in. (61 cm)



DARWIN PERENNIALS Monarda Balmy Rose


THE IDEAL GROWER-FRIENDLY SERIES IN FOUR ATTENTION-GRABBING COLORS.













Monarda Balmy Purple

Monarda Balmy Rose

DARWIN PERENNIALS



Monarda 'Jacob Cline'

Height: 48 in. (122 cm) Bloom Months: June to August USDA Hardiness Zones: 4a to 9b

Fire-red, tubular blooms stand out in the garden.

#### 'MARSHALL'S DELIGHT'

Height: 24 to 36 in. (61 to 91 cm) Bloom Months: June to August USDA Hardiness Zones: 4a to 9b

Plants have pink blooms on stout stems, with high tolerance to mildew.

#### 'RASPBERRY WINE'

Height: 24 to 36 in. (61 to 91 cm) Bloom Months: June to July USDA Hardiness Zones: 4a to 9b

Raspberry-like buds open to wine-red flowers with dark green, mildew-resistant foliage.

Monarda Balmy Lilac



Monarda 'Blue Stocking'



Monarda 'Marshall's Delight'



Monarda 'Raspberry Wine'

NEW FOR 2018

Monarda Dancing Bird

Monarda Balmy Pink

MONARDA O (BEE BALM, BERGAMOT) Monarda didyma

## BALMY<sup>™</sup> SERIES

DARWIN PERENNIALS Height: 10 to 12 in. (25 to 30 cm) Bloom Months: June to July USDA Hardiness Zones: 4a to 9b

USDA Hardiness Zones: 4a to 9b Pollinator power! Native cultivars with

#### heat and drought tolerance in North America.

- True, uniform series is tops in powdery mildew resistance.
- Full, compact plants with strong, bold color.
- Free-flowering varieties attract
- attention at retail.
- Deer and rabbit-resistant.
- Native to North America, a favorite
  nectar source of bees and butterflies.

Lilac 'Balbalmac' PP26.594 Pink' Balbalmink' PP26.566 Purple Plantarium 2016 Bronze Medal Winner 'Balbalmurp' PP25.561 Rose Rated 2016 Best of Species at Penn State University, Landisville, Pennsylvania, first season. 'Balbalmose' PP26.567



Monarda Grand Parade

#### 'BLUE STOCKING'

Height: 24 to 48 in. (61 to 122 cm) Bloom Months: June to August USDA Hardiness Zones: 4a to 9b

Striking, deep violet flowers attract butterflies and hummingbirds.

#### DANCING BIRD

#### NEW FOR 2018 RENE VAN GAALEN, B.V.

Height: 18 to 22 in. (46 to 56 cm) Bloom Months: June to August USDA Hardiness Zones: 4a to 9b 'Allmobird' PPAF

Mildew-tolerant, medium-habit Monarda has a long bloom window.

#### GRAND PARADE™

#### BAILEY NURSERIES, INC.

Height: 16 to 18 in. (41 to 46 cm) Bloom Months: June to July USDA Hardiness Zones: 3a to 8b 'Acrade' PP19,580

Lots of lavender-purple flowers mid through late Summer, with aromatic foliage that smells like mint when crushed.

PERENNIALS WITH STAYING POWER™

'JACOB CLINE'



Monarda Sugar Buzz 'Blue Moon'

MONARDA 💛 🌖 (BEE BALM, BERGAMOT) Monarda didyma

#### SUGAR BUZZ® SERIES

**NEW FOR 2018** WALTERS GARDENS

Height: 14 to 24 in. (36 to 61 cm) Bloom Months: Summer USDA Hardiness Zones: 4a to 8b

Well-suited to the middle of the flower border. All colors in this series are similar in size, bloom time and vigor, making them easy for growers to schedule. These vigorous cultivars will fill out a container nicely with their dark green, mildew-resistant foliage, but won't overrun the garden.

'Blue Moon' Lavender blue flowers are held by attractive purple bracts. A breakthrough, shorter height for this color. PPAF

'Bubblegum Blast' Hot pink flowers. PPAF

'Cherry Pops' Cherry red flowers.

'Cotton Candy' Light pink buds open to pale pink flowers with light pink centers.

PPAF 'Grape Gumball' Vibrant magenta flowers. PPAF

'Lilac Lollipop' Lavender lilac flowers. PP27.57 'Pink Frosting' Pastel pink flowers form

a carpet of blossoms that completely cover the foliage. PPAF 'Rockin' Raspberry' Deep raspberry

purple flowers. PPAF



Monarda Sugar Buzz 'Bubblegum Blast'





Monarda Sugar Buzz 'Grape Gumball'



Monarda Sugar Buzz 'Lilac Lollipop'



Monarda Sugar Buzz 'Cotton Candy'



Monarda Sugar Buzz 'Pink Frosting'



Monarda Sugar Buzz 'Rockin' Raspberry'





Muehlenbeckia 'Nana



Nepeta Little Trudy

Nepeta 'Purrsian Blue'



Nepeta 'Blue Wonder'

Nepeta 'Six Hills Giant'



Nepeta 'Walker's Low

MUEHLENBECKIA 💛 🌗 (MAIDENHAIR VINE) Muehlenbeckia axillaris

#### 'NANA'

Height: 3 in. (8 cm) Bloom Months: May to July USDA Hardiness Zones: 6a to 10b

Bright green, rounded leaves on burgundy-green stems with tiny yellow-areen flowers.

NEPETA 🦲 (CATMINT) Nepeta mussinii

'SIX HILLS GIANT'

Height: 24 to 36 in. (61 to 91 cm) Bloom Months: May to October USDA Hardiness Zones: 4a to 8b

A robust grower with large blue flowers.

NEPETA 🤇 (CATMINT)

Nepeta x faassenii

## JUNIOR WALKER

DARWIN PERENNIALS

Height: 18 in. (46 cm) Bloom Months: May to September USDA Hardiness Zones: 5a to 8b Novanepjun' PP23,074

More floriferous than some other Nepeta cultivars as extensively trialed by Star<sup>®</sup> Roses And Plants. Lavender-blue flowers with gray-

green foliage. · Compact habit.

Uniform flower canopy.



Nepeta Junior Walker

#### LITTLE TRUDY®

#### PLANT SELECT

Height: 10 to 14 in. (25 to 36 cm) Bloom Months: May to October USDA Hardiness Zones: 4a to 9b 'Psfike' PP18.904

Deep lavender-blue flowers and serrated, narrow gray-green leaves.

#### 'PURRSIAN BLUE'

## NEW FOR 2018 WALTERS GARDEN

Height: 14 to 18 in. (36 to 46 cm) Bloom Months: Summer USDA Hardiness Zones: 3a to 8b PP24,788

This compact selection forms densely mounded clumps of green, aromatic foliage and nearly doubles its spread in year two. Highly floriferous; periwinkle blue flowers with dark purple calyxes are produced for months.

#### 'WALKER'S LOW'

Height: 24 to 30 in. (61 to 76 cm) Bloom Months: June to August USDA Hardiness Zones: 3a to 8b

 One of the longest-flowering Catmints. Profuse blue-purple flowers complement fragrant silver leaves Compact mounds spread to 24 in. (60 cm) wide.

#### 'BLUE WONDER'

Height: 12 in. (30 cm) Bloom Months: June to August USDA Hardiness Zones: 3a to 8b

Dwarf, mounding variety with deep purple-blue flowers and fragrant, gray-green foliage.

#### 'DROPMORE'

Height: 12 in. (30 cm) Bloom Months: May to October USDA Hardiness Zones: 4a to 8b

Silvery, aromatic foliage and blue flowers that bloom long and freely.

To order, please see back cover. NEPETA 63



Ocimum 'Kasar'

OCIMUM OCIMUM Ocimum basilicum

'KASAR'

Height: 28 to 32 in. (71 to 81 cm) Bloom Months: None USDA Hardiness Zones: 9a to 11

Tender perennial has purple shading from leaf base to green tip: tasty and beautiful!

OENOTHERA (EVENING PRIMROSE) Oenothera berlandieri

#### 'SISKIYOU'

Height: 6 to 8 in. (15 to 20 cm) Bloom Months: June to August USDA Hardiness Zones: 4a to 8b

Neat, compact and floriferous with pink flowers. Spreads rapidly in the garden.

OENOTHERA (EVENING PRIMROSE) Oenothera macrocarpa ssp. fremontii

'SHIMMER'

#### PLANTHAVEN, INC.

Height: 10 to 12 in. (25 to 30 cm) Bloom Months: June to August USDA Hardiness Zones: 5a to 8b PP19.663

Papery, lemon yellow flowers and narrow silvery foliage.

ORIGANUM (COMPACT SWEET MARJORAM) Origanum majorana

#### 'COMPACTUM'

Height: 3 to 6 in. (8 to 15 cm) Bloom Months: None USDA Hardiness Zones: 6b to 9b

(NOT SHOWN) Marjoram with small, round leaves and neat, compact habit.

ORIGANUM – (ORNAMENTAL OREGANO) Origanum rotundifolium

#### 'KENT BEAUTY'

Height: 4 in. (10 cm) Bloom Months: Late Summer to Fall USDA Hardiness Zones: 5a to 8b

Clusters of hop-like, pendant bracts; color segues from green to mauve-pink.



Oenothera 'Siskiyou'



Oenothera 'Shimmer'



Origanum 'Kent Beauty'





Origanum 'Aureum'



Origanum Variegated Oregano

Origanum Italian Oregano

Origanum Greek Oregano

ORIGANUM (OREGANO) Origanum vulgare

'AUREUM'

Height: 12 in. (30 cm) Bloom Months: None USDA Hardiness Zones: 5a to 9b

Golden oregano with light lavenderpurple flowers, chartreuse spreading foliage.

#### 'COMPACTUM'

Height: 6 in. (15 cm) Bloom Months: None USDA Hardiness Zones: 5a to 9b

Spicy flavor and fragrance, smaller mounding habit and leaves, pale pink to white flowers.

#### **GREEK OREGANO**

Height: 12 to 28 in. (30 to 71 cm) Bloom Months: None USDA Hardiness Zones: 4a to 9b

Strong-growing, hardy strain.

#### 'HOT AND SPICY'

Height: 24 to 30 in. (61 to 76 cm) Bloom Months: None USDA Hardiness Zones: 5a to 9b

Highly aromatic scent and spicy flavor. White flowers in Summer.



Origanum 'Hot and Spicy'

#### VARIEGATED OREGANO

Height: 16 in. (41 cm) Bloom Months: None USDA Hardiness Zones: 4a to 9b

Green with creamy variegated edge.

ORIGANUM (OREGANO) Origanum x majoricum

#### ITALIAN OREGANO

Height: 18 to 24 in. (46 to 61 cm) Bloom Months: None USDA Hardiness Zones: 5a to 9b

Deliciously scented culinary herb.



DARWIN PERENNIALS Penstemon Rock Candy Ruby

SWEET SERIES MAKES A SUMMER-LONG STATEMENT AND GROWS MORE POPULAR EVERY YEAR.









Penstemon Rock Candy Blue

Penstemon Rock Candy Light Pink



Penstemon Rock Candy Pink



Penstemon Rock Candy Ruby



Penstemon 'Prairie Twilight'



Penstemon 'Prairie Dusk'



Penstemon 'Blackbeard'

## PENSTEMON (BEARD TONGUE) Penstemon barbatus

# ROCK CANDY® SERIES

Height: 12 in. (30 cm) Bloom Months: June to September USDA Hardiness Zones: 6a to 8b

# Compact varieties bloom in bold colors..."sweet as candy, tough as nails!"

- Bell-shaped blooms on compact flower spikes.
- Plump panicles stand out against green foliage.
- Fits well at the front of a border, along walkways and in containers.

Blue 'Novapenblu' PP27,786 Light Pink 'Novapenlig' PP27,787 Pink 'Novapenpin' PP26,701 Ruby 'Novapenrub' PP27,820

#### 'PRAIRIE DUSK'

Height: 24 in. (61 cm) Bloom Months: June to July USDA Hardiness Zones: 4a to 9b

Rosy purple, trumpet-shaped blooms on thin spikes.

#### PENSTEMON (BEARD TONGUE)

## Penstemon digitalis

#### NEW FOR 2018 WALTERS GARDENS

Height: 28 to 34 in. (71 to 86 cm) Bloom Months: Summer USDA Hardiness Zones: 3a to 8b PPAF

Named for the famous black-bearded pirate, this perennial has incredible dark eggplant purple foliage. Dark purple flower stems hold its lilac purple flowers with white flaring tubes. Stays strictly upright all season long.

#### 'PRAIRIE TWILIGHT'

#### MUST HAVE PERENNIALS™

Height: 22 in. (56 cm) Bloom Months: June to July USDA Hardiness Zones: 4a to 9b PP19.893

Showy, late Spring perennial has masses of tubular, white-tipped lavender flowers that attract bees and hummingbirds. PENSTEMON (BEARD TONGUE) Penstemon hybrida

CHERRY SPARKS

DARWIN PERENNIALS

Height: 18 to 20 in. (46 to 51 cm) Bloom Months: May to August USDA Hardiness Zones: 5a to 9b PPAF

Double the flowering time for longer shipping and selling window, plus more color in the garden.

Bigger blooms with bright, cherry-red color.

More heat-tolerant and Winter-hardy than other varieties.

 Sterile, long-flowering variety has no big, unsightly seed heads.

#### MISSIONBELLS™ DEEP ROSE DARWIN PERENNIALS

Height: 20 to 24 in. (51 to 61 cm) Bloom Months: June to August USDA Hardiness Zones: 5a to 9b 'Balmibepro' PPAF

Fast fill and double the flowering window for extended shipping, selling and seasonal color.

Makes a bold presentation at retail for great sell-through.
Loaded with blooms for a spectacular garden show from Spring to Fall.

Sterile, long-flowering variety with attractive dark stems for contrast.



DARWIN PERENNIALS

Penstemon MissionBells Deep Rose

68





QUARTZ® SERIES

DARWIN PERENNIALS

Height: 20 to 24 in. (51 to 61 cm) Bloom Months: July to August USDA Hardiness Zones: 6a to 9b

Reblooms throughout the season for maximum color.

Sturdy, upright habit.
Good basal branching.

Amethyst 'Novapename' PP27,821 Rose 'Novapenros' PP27,919

Penstemon Quartz Amethyst

Penstemon Quartz Rose

#### PENSTEMON (BEARD TONGUE) Penstemon hybrida

## LITTLE BELLS

DARWIN PERENNIALS

Height: 16 in. (41 cm) Bloom Months: June to July USDA Hardiness Zones: 6a to 9b 'Novapenbel' PP27,920

Prolific rebloomer with lilac flowers and compact habit.

Flowers profusely in early Spring and reblooms in Fall.
Rich purple flowers with white throat.

Rich purple flowers with white throat.
Dark green foliage forms a nice basal mat.



Penstemon Little Bells

DARWIN PERENNIALS





Penstemon Pike's Peak Purple

Penstemon Red Rocks



Perovskia Lacey Blue



Perovskia Blue Spritzer

PENSTEMON 🕘 (BEARD TONGUE) Penstemon x mexicali

#### **PIKE'S PEAK PURPLE®** PLANT SELECT

Height: 30 in. (76 cm) Bloom Months: June to July USDA Hardiness Zones: 4a to 9b 'P007S'

Grape jelly-colored flowers with striped throats on a bushy clump of narrow green leaves.

#### **RED ROCKS®**

#### PLANT SELECT

Height: 30 in. (76 cm) Bloom Months: June to July USDA Hardiness Zones: 4a to 9b 'P0085'

Bright rose flowers with magenta-veined white throats on an attractive mound of narrow, dark green leaves.

PEROVSKIA 💛 (RUSSIAN SAGE) Perovskia atriplicifolia

#### **BLUE SPRITZER**

Height: 18 to 24 in. (46 to 61 cm) Bloom Months: July to August USDA Hardiness Zones: 4a to 9b 'Balperobritz'


 Naturally well-branched and fills a Container quickly.Lower input costs and faster turns.

#### LACEY BLUE

#### CONCEPT PLANTS, B.V.

Height: 12 to 18 in. (30 to 46 cm) Bloom Months: July to September USDA Hardiness Zones: 4a to 9b 'Lisslitt' PP20,845

- Larger flowers for more color!
- Truly dwarf variety stays small in subsequent years.
- Features the largest flowers of any Russian Sage.
- · Dense branching prevents flopping.



Perovskia 'CrazyBlue'

PEROVSKIA (RUSSIAN SAGE) Perovskia atriplicifolia

## 'CRAZYBLUE'

DARWIN PERENNIALS

Height: 16 to 18 in. (41 to 46 cm) Bloom Months: July to August USDA Hardiness Zones: 4a to 9b PP25,639

Colorado State University Flower Trial 2016 "Top Performer Perennials" Winner.

Unique interlacing branches prevent breakage during shipping.
Looks good longer at retail and in patio containers.

 Deeper blue flowers than any other Perovskia.

Very good performer with 4.6/5 average score, excellent flowering from Penn State University, Landisville, Pennsylvania, first season, 2015.

"Of all the Perovskia I've tried, CrazyBlue most floats my boat — it stole the show this year. Beautifully upright the entire season from a Spring-planted, non-vernalized plug. That's a tall order. And, it was the longest blooming in the trial!"

Paul Westervelt Annual & Perennial Production Manager, Saunders Brothers, Inc., VA



Perovskia Little Lace



Perovskia atriplicifolia



Perovskia 'Longin'



Perovskia 'Rocketman'

PEROVSKIA (RUSSIAN SAGE) Perovskia atriplicifolia

LITTLE LACE

#### DARWIN PERENNIALS

Height: 18 to 24 in. (46 to 61 cm) Bloom Months: July to September USDA Hardiness Zones: 4a to 9b 'Novaperlac' PP26,618

 Unique growth habit combines a shorter plant with great uniformity.
 Long-lasting purple flower spikes create a lot of flower power.

· A good choice for xeric areas.

One of Colorado State University's "Top Performers" for 2015 Season: Class of 2013 and Grown in 2015.

PEROVSKIA (RUSSIAN SAGE) Perovskia atriplicifolia

Height: 36 to 60 in. (91 to 152 cm) Bloom Months: July to September USDA Hardiness Zones: 4a to 9b

Spikes of light blue flowers over aromatic gray-green foliage.

#### 'ROCKETMAN'

#### NEW FOR 2018 WALTERS GARDENS

Height: 30 to 36 in. (76 to 91 cm) Bloom Months: Late Summer USDA Hardiness Zones: 4a to 9b PPAF

A narrower, upright vase-shaped habit and relatively short stature set this new Perovskia apart. Its aromatic, gray-green, non-dissected leaves line the silvery stems, which are topped with large, fluffy textured, lavender-blue flowers.

PEROVSKIA (RUSSIAN SAGE) Perovskia x hybrida

#### 'LONGIN'

Height: 36 to 42 in. (91 to 107 cm) Bloom Months: July to September USDA Hardiness Zones: 4a to 9b

Narrow, upright habit with airy spikes of lavender blooms and narrow silver leaves.



Phlox 'Blue Moon'



Phlox 'May Breeze'

PHLOX 🕘 🌑 (WOODLAND PHLOX) Phlox divaricata

#### 'BLUE MOON'

Height: 12 in. (30 cm) Bloom Months: April to May USDA Hardiness Zones: 4a to 8b

Loads of fragrant, dark blue flowers.

#### 'MAY BREEZE'

Height: 15 to 18 in. (38 to 46 cm) Bloom Months: April to May USDA Hardiness Zones: 4a to 8b

Sweetly fragrant, star-shaped flowers and dark green foliage.



Phlox 'Fashionably Early Crystal'

PHLOX 🖯 (GARDEN PHLOX) Phlox paniculata

Bloom Months: June to August USDA Hardiness Zones: 4a to 8b

blooms with white eyes and foliage with blue overlay.

Bloom Months: June to August USDA Hardiness Zones: 4a to 8b

#### MUST HAVE PERENNIALS™

Height: 24 to 30 in. (61 to 76 cm) Bloom Months: June to August USDA Hardiness Zones: 4a to 8b



Phlox 'Fashionably Early Flamingo'

#### FASHIONABLY EARLY SERIES **NEW FOR 2018** WALTERS GARDENS

Height: 28 to 36 in. (71 to 91 cm) Bloom Months: Summer USDA Hardiness Zones: 4a to 8b

New series of early-blooming hybrid Phlox works well for the middle to back of the border. Exceptional mildew resistance, thick leathery leaves and a stoloniferous habit. Boasts a long season of color with some reblooming in Fall.

**Crystal** Pure white flowers with a faint light purple eye and broad, dark green foliage. 'Fashionably Early Crystal' PPAF Flamingo Perfectly defined panicles of light lavender pink flowers with broad, thick, bright green foliage. 'Fashionably Early Flamingo' PPAF Lavender Ice Pale lavender flowers

with a lavender pink eye over narrow, spiky, dark green foliage. 'Fashionably Early Lavender Ice' PPAF

Princess Light fuchsia pink flowers with a darker pink eye cover broad, thick, glossy green foliage. 'Fashionably Early Princess' PPAF



Phlox 'Fashionably Early Princess'



Phlox 'Fashionably Early Lavender Ice'



Phlox 'Blue Boy'



Phlox 'Bright Eyes'

Phlox 'Eva Cullum'

'BLUE BOY'

Height: 36 in. (91 cm)

Extremely prolific plants have blue

#### 'BRIGHT EYES'

Height: 24 to 30 in. (61 to 76 cm)

Fragrant blooms are pale pink with crimson eye.

#### 'EVA CULLUM'

Warm pink florets with red eyes.









Phlox Younique Bicolor



Phlox Younique Old Blue



Phlox Younique Old Pink



Phlox Younique 'Trendy'



Phlox 'Nicky'



Phlox 'Laura'



Phlox 'Norah Leigh' Phlox 'Starfire'

**NEW FOR 2018** 

Phlox Younique 'Orange'

#### 'LAURA'

Height: 24 to 30 in. (61 to 76 cm) Bloom Months: June to August USDA Hardiness Zones: 4a to 8b

Large, fragrant, fuchsia-purple blooms with white, star-shaped patterns.

#### 'NICKY'

Height: 24 to 36 in. (61 to 91 cm) Bloom Months: July to September USDA Hardiness Zones: 4a to 8b

Intense, deep magenta-purple flower heads.

#### 'NORAH LEIGH'

Height: 36 in. (91 cm) Bloom Months: July to September USDA Hardiness Zones: 4a to 8b

Pale pink flowers and variegated leaves of creamy white with thin green center.

#### 'STARFIRE'

Height: 36 in. (91 cm) Bloom Months: July to September USDA Hardiness Zones: 4a to 8b

Brilliant red flowers atop deep bronze/ green foliage.





Phlox Younique Red

#### **YOUNIQUE SERIES**

COMPASS PLANTS, B.V. Height: 14 to 16 in. (36 to 41 cm) Bloom Months: June to July USDA Hardiness Zones: 5a to 9b

Great series of large-flowered, compact garden phlox.

Bicolor 'Versbicolor' PP24,790 NEW 'Blend' Cerise 'Versoerise' PP26,102 NEW 'Mauve' Old Blue 'Versoldblue' PP26,070 NEW Old Pink 'Versoldpink' PP26,139 NEW 'Orange' Pod Red NEW 'Trendy'



PHLOX — (GARDEN PHLOX) Phlox paniculata

## 'CHERRY CREAM'

#### NEW FOR 2018 DARWIN PERENNIALS


Height: 22 to 26 in. (56 to 66 cm) Bloom Months: June to August USDA Hardiness Zones: 4b to 9a PPAF

A bright display of large cream and pink flowers with rose eyes that is stunning in the garden.

 Medium-height, self-branching and powdery mildew-tolerant phlox that offers more uniform production with less chemicals needed for disease control.

· Can be used as cut flowers as well.

Phlox 'Cherry Cream'







Phlox Paparazzi Jagger



Phlox Paparazzi Paris



Phlox Goldmine Improved



Phlox Paparazzi Britney



Phlox Paparazzi Adele

#### 'GLAMOUR GIRL'

NEW FOR 2018 WALTERS GARDENS

Height: 32 in. (81 cm) Bloom Months: Summer USDA Hardiness Zones: 3a to 8b PP25,778

A new gold standard in Tall Phlox. Bright green, healthy foliage shrugs off powdery mildew with ease and looks great all season. Large panicles of glowing hot coral pink, fragrant flowers on dark stems steal the show at the height of Summer. Glamorous indeed!

#### GOLDMINE IMPROVED

RENE VAN GAALEN, B.V. Height: 24 to 28 in. (61 to 71 cm) Bloom Months: June to July USDA Hardiness Zones: 4a to 9b 'Goldmine IMP' PP26,910

Gold and green variegated foliage.Improved habit and disease resistance.



Phlox Paparazzi Levine



Phlox Paparazzi Angelina

PHLOX O Phlox x hybrida

#### PAPARAZZI® COLLECTION

#### PLANT 21

Height: 8 to 10 in. (20 to 25 cm) Bloom Months: April to June USDA Hardiness Zones: 6a to 11

Early flowering and great heat and humidity tolerance for durability in pots and in the landscape.

Adele 'PHL091601' PPAF Angelina 'PPPHL07301' PP23,702 Britney 'PPPHL0604' PP23,703 Jagger 'PHL090201' PPAF Levine 'PHL090401' PPAF Paris 'PPPH07201' PP23,705





Phlox 'Forever Pink'

Phlox 'Amazing Grace



Phlox 'Candy Stripe'

#### PHLOX O Phlox x hybrida

#### 'FOREVER PINK'

#### CHICAGOLAND GROWS, INC.

Height: 16 to 18 in. (41 to 46 cm) Bloom Months: June to October USDA Hardiness Zones: 4a to 8b PP24,918

Compact, carefree and long-blooming, with purplish-pink flowers and mildew-free, yellowish-green foliage.

PHLOX (MOSS PHLOX) Phlox subulata

#### 'AMAZING GRACE'

Height: 4 to 6 in. (10 to 15 cm) Bloom Months: Early Spring USDA Hardiness Zones: 3a to 8b

White petals with a dash of red in the center; matures to pale pink.

#### 'CANDY STRIPE'

Height: 4 to 6 in. (10 to 15 cm) Bloom Months: March to April USDA Hardiness Zones: 3a to 8b

Low-growing plants form a carpet of white flowers striped with pink.

#### 'CORAL EYES'

Height: 4 to 6 in. (10 to 15 cm) Bloom Months: March to April USDA Hardiness Zones: 3a to 8b

Blush-pink flowers with coral-red eye and green, needle-like leaves.



Phlox 'Coral Eyes'

#### 'CRIMSON BEAUTY'

Height: 4 to 6 in. (10 to 15 cm) Bloom Months: March to April USDA Hardiness Zones: 3a to 8b

Rosy red blooms in early Spring.

#### 'DRUMMOND'S PINK'

Height: 4 to 6 in. (10 to 15 cm) Bloom Months: March to April USDA Hardiness Zones: 3a to 8b

The largest flowers of its type are pink with deep pink centers.

#### 'EMERALD BLUE'

Height: 4 to 6 in. (10 to 15 cm) Bloom Months: March to April USDA Hardiness Zones: 3a to 8b

Clear lavender-blue flowers in early Spring.

## 'EMERALD CUSHION BLUE'

Height: 4 to 6 in. (10 to 15 cm) Bloom Months: Early Spring USDA Hardiness Zones: 3a to 8b

Lavender-blue flowers on a superior mounding habit.

#### 'EMERALD PINK'

Height: 4 to 6 in. (10 to 15 cm) Bloom Months: March to April USDA Hardiness Zones: 3a to 8b

Short, compact, mounded variety with long-flowering, hot pink blooms.



Phlox 'Drummond's Pink'



Phlox 'Emerald Cushion Blue'



Phlox 'Crimson Beauty'



Phlox 'Emerald Blue'



Phlox 'Emerald Pink'



Phlox Fabulous Blue Violet



Phlox 'Millstream Daphne'



Phlox 'Purple Beauty'

Phlox 'Oakington Blue Eyes'



Phlox 'Ronsdorfer Beauty'

NEW FO



Phlox Fabulous Rose

#### 'MILLSTREAM DAPHNE'

Height: 4 to 6 in. (10 to 15 cm) Bloom Months: March to April USDA Hardiness Zones: 3a to 8b

A profusion of pink flowers makes an excellent groundcover display.

#### 'OAKINGTON BLUE EYES'

#### MUST HAVE PERENNIALS™

Height: 4 to 6 in. (10 to 15 cm) Bloom Months: Early Spring USDA Hardiness Zones: 2a to 8b

Evergreen mats of pine needlelike foliage with sky blue flowers.

#### 'PURPLE BEAUTY'

Height: 4 to 6 in. (10 to 15 cm) Bloom Months: Early Spring USDA Hardiness Zones: 2a to 8b

Deep purple blooms.

#### 'RONSDORFER BEAUTY'

Height: 4 to 6 in. (10 to 15 cm) Bloom Months: Early Spring USDA Hardiness Zones: 2a to 8b

Rich rose-pink flowers with magentared center ring.

#### **NEW FOR 2018**



Phlox Fabulous White

#### FABULOUS<sup>™</sup> SERIES

FLORENSIS, B.V.

NEW FOR 2018 Height: 4 to 6 in. (10 to 15 cm) Bloom Months: Early Spring USDA Hardiness Zones: 4a to 9b

Nicely mounded habit. Provides beautiful early-Spring color.

Blue Violet 'Florphfabv' PPAF Rose 'Florphfaro' PPAF White 'Florphfawh'





Phlox 'Fort Hill'

Phlox 'Red Wings'



Phlox 'Scarlet Flame'

PHLOX 🦳 🌗 (MOSS PHLOX) Phlox subulata

#### 'FORT HILL'

Height: 4 to 6 in. (10 to 15 cm) Bloom Months: March to April USDA Hardiness Zones: 3a to 8b

Fringed, slightly fragrant, deep pink flowers with dark eye.

#### 'RED WINGS'

Height: 4 to 6 in. (10 to 15 cm) Bloom Months: March to April USDA Hardiness Zones: 3a to 8b

Vigorous, with striking rosy red flowers in early Spring.

#### 'SCARLET FLAME'

Height: 4 to 6 in. (10 to 15 cm) Bloom Months: March to April USDA Hardiness Zones: 3a to 8b

Red, star-shaped flowers over creeping, needlelike, evergreen foliage.

#### 'SNOWFLAKE'

Height: 4 to 6 in. (10 to 15 cm) Bloom Months: March to April USDA Hardiness Zones: 3a to 8b

A profusion of bright white blooms on a short, tight habit.

#### 'WHITE DELIGHT'

Height: 3 to 6 in. (8 to 15 cm) Bloom Months: March to April USDA Hardiness Zones: 3a to 8b

Pure white flowers on vigorous, dark green, spreading foliage.

PHLOX (HYBRID CREEPING PHLOX) Phlox x procumbens

#### 'PINK PROFUSION'

CHICAGOLAND GROWS, INC.

Height: 6 to 8 in. (15 to 20 cm) Bloom Months: March to June USDA Hardiness Zones: 5a to 8b PP25,883

Oversized purplish-pink blossoms feature broad, overlapping petals.

PHLOX (HYBRID CREEPING PHLOX) Phlox hybrida

#### VIOLET PINWHEELS

#### CHICAGOLAND GROWS, INC.

Height: 4 to 6 in. (10 to 15 cm) Bloom Months: March to May USDA Hardiness Zones: 4a to 8b PP25.884

Plants feature low mounds of soft, dark green, needlelike foliage and vivid purple flowers with notched, upturned petals.





Phlox 'Snowflake'



Phlox 'Pink Profusion'



Phlox 'Violet Pinewheels'





Physostegia 'Miss Manners'







Polemonium Brise D'Anjou

'Touch of Class'

'Summer Daze'



Rhodanthemum 'Marrakech'

RHODANTHEMUM 💛 Rhodanthemum hosmariense

'CASABLANCA' DARWIN PERENNIALS

Height: 10 to 12 in. (25 to 30 cm) Bloom Months: March to May and September to October

USDA Hardiness Zones: 8a to 10b PPAF

 Tender perennial flowers early in the season.

- · Floriferous variety has a neat, compact habit.
- · Winter-hardy in the South-survives a freeze Ideal for early-Spring containers and

landscapes

#### 'MARRAKECH' DARWIN PERENNIALS

Height: 12 to 14 in. (30 to 36 cm) Bloom Months: March to May and

September to October USDA Hardiness Zones: 8a to 10b

• Early Spring-flowering tender perennial extends your selling season. • Excellent season starter, along with 'Casablanca'

 More cold-tolerant than Argyranthemum and Osteospermum.

Physostegia 'Autumn Carnival'

PHYSOSTEGIA 🖯 (OBEDIENT PLANT, FALSE DRAGONHEAD) Physostegia virginiana

'AUTUMN CARNIVAL'

#### **NEW FOR 2018** WALTER BLOM PLANTS, B.V.

Height: 15 to 17 in. (38 to 43 cm) Bloom Months: Late Summer to Fall USDA Hardiness Zones: 5a to 9b PPA

Perfect for Summer flowering programs.

#### 'MISS MANNERS'

#### PLANTHAVEN, INC.

Height: 18 to 24 in. (46 to 61 cm) Bloom Months: June to August USDA Hardiness Zones: 3a to 9b PP12.637

White flowers against dark foliage with sturdy stems: very "well-behaved."

Polemonium Bressingham Purple

POLEMONIUM 💛 🌗 (JACOB'S LADDER) Polemonium caeruleum

#### **BRISE D'ANJOU**

'Blanjou'

MUST HAVE PERENNIALS™ Height: 12 to 18 in. (30 to 46 cm) Bloom Months: May to June USDA Hardiness Zones: 4a to 9b

Violet-blue flowers from late Spring to early Summer on bushy clumps of creamy-edged, fern-like foliage.

POLEMONIUM 💛 🌗 (JACOB'S LADDER) Polemonium reptans

'TOUCH OF CLASS'

#### SUNNY BORDER NURSERY

Height: 14 to 18 in. (36 to 46 cm) Bloom Months: May to June USDA Hardiness Zones: 4a to 9b PP19.768

Green and white variegated foliage with rich blue flowers and an elegant habit.

DARWIN PERENNIALS

Rhodanthemum 'Casablanca'

POLEMONIUM 💛 🌗 (JACOB'S LADDER)

USDA Hardiness Zones: 4a to 9b

'SUMMER DAZE'

#### PLANTHAVEN, INC.

Height: 12 to 14 in. (30 to 36 cm) Bloom Months: June to July

Polemonium yezoense **BRESSINGHAM PURPLE** MUST HAVE PERENNIALS™

> Height: 18 to 24 in. (46 to 61 cm) Bloom Months: May to June 'Polbress' PP15,367

Ferny foliage with deep lavender-blue flowers on burgundy stems.

PRUNELLA 💛 (SELF-HEAL)

Prunella hybrida

USDA Hardiness Zones: 5a to 7b PP19.609

Pink flower clusters and attractive oakleaf foliage and habit.









Rosmarinus 'Gorizia



Rosmarinus 'Salem'



Rosmarinus 'Spice Island'



Rosmarinus 'Tuscan Blue'

Rosmarinus 'Huntington Carpet'

#### ROSMARINUS (ROSEMARY)

Rosmarinus officinalis

Height: 48 to 60 in. (122 to 152 cm) Bloom Months: None USDA Hardiness Zones: 8a to 11

Shrubby tender perennial has evergreen needlelike leaves with pungent pine scent.

#### 'ARP'

Height: 60 in. (152 cm) Bloom Months: None USDA Hardiness Zones: 7a to 11

Tender perennial with needlelike leaves, woody stems and sparkling blue flowers.

#### 'BARBECUE'

Height: 36 to 48 in. (91 to 122 cm) Bloom Months: None USDA Hardiness Zones: 8a to 11

Tender perennial has upright habit with long, sturdy stems perfect for skewers.

#### 'GORIZIA'

Height: 48 to 60 in. (122 to 152 cm) Bloom Months: None USDA Hardiness Zones: 8a to 11

Upright tender perennial with strong, dark green foliage and blue flowers.



Rosmarinus 'Madeline Hill'

#### 'HUNTINGTON CARPET'

Height: 18 in. (46 cm) Bloom Months: None USDA Hardiness Zones: 8a to 11

Prostrate tender perennial with strong, green foliage and blue flowers.

#### 'MADELINE HILL'

Bloom Months: None USDA Hardiness Zones: 6a to 11

Sturdy, upright form; reputably hardy to Zone 6.

#### 'PROSTRATUS'

Height: 6 to 12 in. (15 to 30 cm) Bloom Months: None USDA Hardiness Zones: 8a to 11

Low-growing tender perennial's flexible stems make great living wreaths and topiaries.

#### 'SALEM'

Height: 36 in. (91 cm) Bloom Months: None USDA Hardiness Zones: 8a to 11

Tender perennial but hardier than most, with a tidy, upright habit.

Rosmarinus 'Prostratus'

#### 'SPICE ISLAND'

Height: 24 to 36 in. (61 to 91 cm) Bloom Months: None USDA Hardiness Zones: 8a to 11

Vigorous tender perennial with thick, sturdy, dark green foliage.

#### **'TUSCAN BLUE'**

Height: 36 in. (91 cm) Bloom Months: None USDA Hardiness Zones: 8a to 11

Tender perennial has bushy, upright, spreading habit and larger leaves than most.

# Height: 36 in. (91 cm)







Rudbeckia 'Viette's Little Suzy'

Salvia Pineapple Sage

Sagina 'Aurea'



Sagina Irish Moss



Salvia 'Ultra Violet'

Salvia 'Furman's Red'

RUDBECKIA – (BLACK-EYED SUSAN) Rudbeckia speciosa

## 'VIETTE'S LITTLE SUZY'

MUST HAVE PERENNIALS™ Height: 26 to 32 in. (66 to 81 cm) Bloom Months: July to frost USDA Hardiness Zones: 4a to 8b

Very floriferous habit, with deep yellow flowers on sturdy stems and beautiful mahogany foliage in Fall.

SAGINA • • • • (PEARLWORT) Sagina subulata

#### 'AUREA'

Height: 2 in. (5 cm) Bloom Months: May to June USDA Hardiness Zones: 4a to 7b

Scotch Moss forms a chartreuse groundcover with tiny white flowers.

#### **IRISH MOSS**

Height: 2 in. (5 cm) Bloom Months: May to June USDA Hardiness Zones: 4a to 7b

Solid green, tight grower with small white flowers.

SALVIA (SAGE) Salvia elegans

#### PINEAPPLE SAGE

Height: 36 in. (91 cm) Bloom Months: None USDA Hardiness Zones: 8a to 11

Tender perennial with pineapplescented foliage and red flowers.

SALVIA (SAGE) Salvia greggii

'FURMAN'S RED'

#### PLANT SELECT

Height: 12 to 20 in. (30 to 51 cm) Bloom Months: Mid-May to July USDA Hardiness Zones: 7a to 9b

Tender perennial with a compact, upright habit. Luxurious, deep rose-red flowers and bright green, rounded foliage.

SALVIA O (AUTUMN SAGE) Salvia x greggii

#### 'ULTRA VIOLET'

PLANTHAVEN, INC.

Height: 18 to 24 in. (46 to 61 cm) Bloom Months: Summer to Frost USDA Hardiness Zones: 7a to 9b PP21,411

Vibrant purple flowers and aromatic, mid-green foliage.

# MIRAGE

DARWIN PERENNIALS

Salvia Mirage Hot Pink

YOU'RE NOT SEEING THINGS... THESE BEAUTIFUL BLOOMS ARE FOR REAL!









DARWIN PERENNIALS



Salvia Mirage Hot Pink



Salvia Mirage Pink

DARWIN PERENNIALS

Salvia Mirage Soft Pink

Salvia Mirage Cream



Salvia Mirage Neon Rose



Salvia Mirage Violet

#### DARWIN PERENNIALS



Salvia Mirage Deep Purple

SALVIA 💛 (SAGE) Salvia greggii

#### MIRAGE<sup>™</sup> SERIES DARWIN PERENNIALS

Height: 12 to 14 in. (30 to 36 cm) Bloom Months: March to September USDA Hardiness Zones: 7a to 9b

#### Bold, brightly colored blooms stand out at retail and in the landscape.

• Self-branching, mounded habit resists breaking for easy shipping and less shrink.

• Can be sold as annual in the North; overwinters in the South.

 Heat-tolerant series features a full range of intense flower colors. Less maintenance and more color in the garden.

Burgundy 'Balmirbur' PPAF Cherry Red Colorado State University Flower Trial "Best of..." Award Winner. 'Balmircher' PPAF Cream 'Balmircemi' Deep Purple 'Balmirdepur' PPAF Hot Pink 'Balmirhopi' Neon Rose 'Balmirnose' Pink 'Balmirpink' Soft Pink 'Balmirsopin' Violet 'Balmirvio' PPAF

# ARCTIC BLAZE®

DARWIN PERENNIALS Salvia Arctic Blaze Red

BOLD COLORS IGNITE LANDSCAPES FROM SPRING THROUGH FALL.











Salvia Suncrest 'Flamenco Rose'



Salvia Suncrest 'Orchid Glow'



Salvia Suncrest 'Fire Dancer

Salvia Suncrest 'Golden Girl'



Landscape 'Dancing Dolls'

Salvia Suncrest Salvia Suncrest Landscape 'Shell Dancer'



Salvia Arctic Blaze Purple Arctic Blaze Red

WIN.



Salvia Suncrest 'Lemon Light'



Salvia Suncrest 'Autumn Moon' Salvia Suncrest 'Fancy Dancer'



DARWIN PERENNIALS



Salvia 'Radio Red'

SALVIA 🦲 (SAGE) Salvia hybrida

#### **ARCTIC BLAZE® SERIES** DARWIN PERENNIALS

Height: 24 in. (61 cm) Bloom Months: March to September USDA Hardiness Zones: 6a to 11

#### Bred for improved hardiness and terrific repeat blooming.

 Bright blooms. Compact habit with sturdy, flexible

branches. Blooms from Spring through Fall.

Fuchsia 'Novasalfuc' PPAF Purple 'Novasalpur' PPAF Red 'Novasalred' PPAF

SALVIA 💛 (SAGE) Salvia greggii

#### 'RADIO RED'

#### DARWIN PERENNIALS

Height: 16 to 18 in. (41 to 46 cm) Bloom Months: March to September USDA Hardiness Zones: 7a to 10b PP26.362

- Finally: a good, true red S. greggii meets demand for this popular color.
  Keeps its color without fading longer than other red varieties.
- Well-branched plants.
- Blooms all Summer long nice in containers.

**Rated Best of Species at Penn State** University, Landisville, Pennsylvania, first season.

#### SUNCREST SERIES

DARWIN PERENNIALS

Height: 16 to 24 in. (41 to 61 cm) Bloom Months: March to October USDA Hardiness Zones: 7a to 11

Compact, tidy, well-branched tender perennials.

'Autumn Moon' PP24,106 'Fancy Dancer' PP24,088 'Fire Dancer' 'Flamenco Rose' 'Golden Girl' PP23,997 'Lemon Light' PP24,105 'Orchid Glow' PP22,520

#### SUNCREST LANDSCAPE SERIES

#### DARWIN PERENNIALS

Height: 24 to 36 in. (61 to 91 cm) Bloom Months: March to October USDA Hardiness Zones: 7a to 11

Tender perennials with a moderately sized plant habit.

'Dancing Dolls' PP19.820 'Shell Dancer' PP20.680



Salvia 'Black & Blue'

SALVIA 🖯 (SAGE) Salvia guaranitica

#### **'BLACK & BLUE'**

Height: 36 in. (91 cm) Bloom Months: Late Summer to Frost USDA Hardiness Zones: 7a to 10b

Tender perennial has sky-blue flowers and pitch-black calyxes.

SALVIA 💛 (SAGE) Salvia hybrida

#### 'LOVE AND WISHES'

#### PLANTS MANAGEMENT AUSTRALIA

Height: 32 to 36 in. (81 to 91 cm) Bloom Months: Summer to frost USDA Hardiness Zones: 9a to 9b

- Forms a ball of color with no pruning or deadheading.
- A portion of plant proceeds goes to Make-A-Wish® Australia.
  Reblooming, heat-tolerant variety makes a good cut flower.

#### 'EMBER'S WISH'

PLANTS MANAGEMENT AUSTRALIA

Height: 32 to 36 in. (81 to 91 cm) Bloom Months: May to September USDA Hardiness Zones: 9a to 10b

Fast-growing variety displays vibrant, coral, tubular flowers on lush, mid-green foliage complemented by maroon stems.

SALVIA 💛 (SAGE) Salvia leucantha

#### 'SANTA BARBARA'

#### PLANTHAVEN, INC.

Height: 24 to 36 in. (61 to 91 cm) Bloom Months: Mid-May to July USDA Hardiness Zones: 8b to 10b PP12.949

Tender perennial with large spikes of purple flowers and tomentose gray-green leaves. A more compact selection of the species.





Salvia 'Love and Wishes



Salvia 'Santa Barbara'

SALVIA 🦲 (SAGE) Salvia nemorosa

'BLUE HILL'

Height: 20 in. (51 cm) Bloom Months: Mid-May to July USDA Hardiness Zones: 4a to 9b

Long bloomer produces lilac-blue flowers on neat clumps of gray-green foliage.

#### 'CARADONNA'

Height: 24 to 30 in. (61 to 76 cm) Bloom Months: Mid-May to July USDA Hardiness Zones: 4a to 9b

Rich violet-blue flowers on glowing purple-black stems.

#### 'EAST FRIESLAND'

Height: 18 in. (46 cm) Bloom Months: Mid-May to July USDA Hardiness Zones: 4a to 9b

Compact, upright plant with medium green basal leaves and deep purple flowers.

Salvia 'Ember's Wish'



Salvia 'Blue Hill'



Salvia 'Caradonna'



Salvia 'East Friesland'

# BL' MA





'BLUE MARVEL'

#### DARWIN PERENNIALS

Height: 10 to 12 in. (25 to 30 cm) Bloom Months: March to September USDA Hardiness Zones: 4a to 9b PP27,018

#### The largest flowers of any *S. nemorosa*!

- Innovative variety can be finished as a first-year-flowering perennial.
- No PGRs needed!

- No PGRs needed!
  Outstanding habit and reliable reblooming for landscapes and container gardening.
  Ideal for positioning as a premium perennial item for a greater profit margin opportunity.

Plantarium 2016 Gold Medal Winner; HTA National Plant Show "Best In Show."

#### Salvia 'Blue Marvel'



THE NEW STANDARD IN ITS CLASS! MORE FLOWERS, EASY TO GROW, COLOR THAT LASTS.










Salvia Lyrical Blues



Salvia Lyrical Silvertone



Salvia May Night





Salvia 'Snow Hill'



Salvia Lyrical White

SALVIA 🖯 (SAGE)

Salvia nemorosa

#### LYRICAL<sup>™</sup> SERIES DARWIN PERENNIALS

Height: 22 to 24 in. (56 to 61 cm) Bloom Months: March to September USDA Hardiness Zones: 4a to 9b

#### Easy-to-grow, well-matched series in unique, eye-catching colors

Deeply toned buds and calyxes for longer garden color on Lyrical Blues, Rose and Silvertone.

Silvertone is the first bicolor Salvia, featuring blue blooms with silver edges.

 Robust, well-branched plants with a manageable habit readily fill gallon containers.

More flowers per container for extra show at retail.

Excellent reblooming and heat

tolerance.

Blues 'Balyriclu' PP22,919 Rose 'Balyricose' PP24,274 Silvertone 'Balyricsil' PP23,310 White Showed excellent performance in first season in two university trials: University of Minnesota, Morrís, Minnesota (2015 season results) and Franklin Park Conservatory, Columbus, Ohio (2015 season perennial results). 'Florsalwhite' PP21,243

Salvia 'Burgundy Candles'

#### MARCUS®

#### RIJNBEEK & ZN, B.V.

Height: 8 to 12 in. (20 to 30 cm) Bloom Months: Mid-May to July USDA Hardiness Zones: 4a to 9b 'Haeumanarc' PP13,322

Compact variety has a broad, spreading habit and violet-blue flowers, perfect for edging, containers and small spaces.

#### MAY NIGHT

Height: 18 to 24 in. (46 to 61 cm) Bloom Months: Mid-May to July USDA Hardiness Zones: 4a to 9b 'Mainacht

Tall, upright plant with medium green leaves and large violet-purple flowers.

#### 'SNOW HILL'

Height: 12 to 14 in. (30 to 36 cm) Bloom Months: Mid-May to July USDA Hardiness Zones: 4a to 9b

Mounded, gray-green foliage with white flowers.



#### 'BURGUNDY CANDLES'

#### DARWIN PERENNIALS

Height: 26 to 28 in. (66 to 71 cm) Bloom Months: March to September USDA Hardiness Zones: 4a to 9b PP22,754

- Attractive burgundy buds and calyxes for long-lasting flower power.
- Strong, semi-upright, vigorous plants.
- Plenty of retail and landscape appeal.
- Excellent performer in Summer heat. Suitable for two-gallon programs.



Salvia 'Bumbleblue'



Salvia Sensation Compact Bright Rose





Salvia 'Bumbleberry'

#### SALVIA 🖯 (SAGE) Salvia nemorosa

#### 'BUMBLEBERRY'

**NEW FOR 2018** WALTERS GARDENS

Height: 10 to 12 in. (25 to 30 cm) Bloom Months: Late Spring to Summer USDA Hardiness Zones: 3a to 8b PPAF

Bees and other pollinators swarm to this perennial in droves. Dark fuchsia-pink flowers on dark wine-purple calyxes on a petite habit of attractive deep green foliage. The deep, intense color makes other pink Salvias pale in comparison. This cute, small-sized package is perfect for the front of the border or grown in a quart pot.

#### 'BUMBLEBLUE'

#### **NEW FOR 2018** WALTERS GARDENS

Height: 12 to 14 in. (30 to 36 cm) Bloom Months: Late Spring to Summer USDA Hardiness Zones: 3a to 8b PPAF

Attracts bees and other pollinators in droves. A prolific bloomer, producing loads of violet-blue flowers on a petite habit of healthy, deep green foliage. Perfect for the front of the border or grown in a quart pot.



Salvia 'Bumblesky'

#### 'BUMBLESKY'

#### NEW FOR 2018 WALTERS GARDENS

Height: 14 to 16 in. (36 to 41 cm) Bloom Months: Late Spring to Summer USDA Hardiness Zones: 3a to 8b PPAF

Bees and other pollinators are attracted to this perennial in droves. Features light sky blue flowers on a low, rounded habit of healthy, deep green foliage. This cute, small-sized package is perfect for the front of the border or grown in a quart pot.

#### SENSATION™ SERIES

#### FLORENSIS, B.V.

Height: Varies by Variety Bloom Months: Mid-May to July USDA Hardiness Zones: 5a to 9b

- Well-branched, compact plants.
- Rich displays of early-Summer color. Attracts hummingbirds and butterflies.

Compact Height: 12 to 14 in. (30 to 36 cm) Compact Bright Rose 'Florsalbro' PP26,728 Compact Deep Blue 'Florsaldblue'

PP21.297 Compact Sky Blue 'Florsalsbu' Compact Violet 'Florsalvioblu' PP26,744 Compact White 'Florsalcwh'

Medium Height: 14 to 16 in. (36 to 41 cm) Medium Deep Blue 'Florsaldeep' Medium Deep Rose 'Florsaldro' Medium Light Rose 'Florsaliro' Medium Pink 'Florsalpi' Medium Purple Rose 'Florsalpur' PPAF Medium White 'Florsalmwh'





Salvia Sensation Compact Sky Blue Salvia Sensation Compact Violet



Salvia Sensation Medium Deep Blue



Salvia Sensation Medium Pink

Salvia Sensation Medium Light Rose

Salvia Sensation Compact White



Salvia Sensation Medium Deep Rose



Salvia Sensation Medium Purple Rose

Salvia Sensation Medium White









Salvia Fashionista 'Midnight Model'



Salvia Fashionista 'Ballerina Pink'

#### 'PURPURASCENS' PURPLE

Height: 12 to 24 in. (30 to 61 cm) Bloom Months: None USDA Hardiness Zones: 6a to 9b

Purple Sage has bluish-purple stems and leaves.

#### 'TRICOLOR'

Height: 12 to 24 in. (30 to 61 cm) Bloom Months: None USDA Hardiness Zones: 6a to 10b

Green, white and pink foliage with habit and scent like rest of species.

SALVIA (SAGE) Salvia pratensis

#### FASHIONISTA™ SERIES NEW FOR 2018 WALTERS GARDENS

Height: 18 to 24 in. (46 to 61 cm) Bloom Months: Late Spring to Summer USDA Hardiness Zones: 3a to 8b

The cutting edge of perennial fashion, with big, bold blooms in an array of chic and stylish colors. Excellent garden performance.

Ballerina Pink' Soft pink flowers are held by dark mauve pink calyxes. PPAF 'Midnight Model' Striking violet-blue flowers in a round, dense clump. PPAF 'Pretty In Pink' Vibrant lavender-pink flowers are held on darker pink calyxes. Produces brightly colored flowers for a long bloom period. PPAF

Salvia Fashionista 'Pretty in Pink'

SALVIA – (SAGE) Salvia verticillata

'PURPLE RAIN'

Height: 24 in. (61 cm) Bloom Months: June to August USDA Hardiness Zones: 5a to 8b

Purple blooms form globes of individual florets up the stem with spacing between the globes.

SALVIA (SAGE) Salvia hybrida

#### 'WENDY'S WISH'

PLANTHAVEN, INC.

Height: 30 to 40 in. (76 to 102 cm) Bloom Months: Summer to frost USDA Hardiness Zones: 9a to 10a PP21.889

Vivid magenta tubular flowers with fluted tips.
Large glossy foliage and a compact,

slightly open habit. • Great for use in landscapes and containers.



Salvia Garden Sage



Salvia 'Purpurascens' Purple



Salvia 'Purple Rain'



Salvia 'Tricolor

Salvia 'Wendy's Wish'

wendy's



Salvia 'Icterina'

SALVIA (GOLDEN SAGE) Salvia officinalis

#### 'AUREA'

Height: 24 to 30 in. (61 to 76 cm) Bloom Months: None USDA Hardiness Zones: 5a to 8b

Golden sage has chartreuse leaves edged in gold.

#### 'BERGGARTEN'

Height: 24 to 20 in. (61 to 51 cm) Bloom Months: None USDA Hardiness Zones: 5a to 8b

Culinary and decorative variety has large gray-green leaves, deep blue flowers and spicy scent.

#### GARDEN SAGE

Height: 32 in. (81 cm) Bloom Months: None USDA Hardiness Zones: 5a to 8b

Strongly aromatic, gray-green foliage.

#### 'ICTERINA'

Height: 18 to 24 in. (46 to 61 cm) Bloom Months: None USDA Hardiness Zones: 6a to 10b

Fragrant gray-green leaves with yellow margins and bluish-purple flowers in Summer.

PERENNIALS WITH STAYING POWER™

# FLUTTER™

#### DARWIN PERENNIALS

Scabiosa Flutter Deep Blue

COMPACT SERIES IS EASY TO SHIP, SHOW AND LOVE!





Scabiosa Flutter Pure White



Scabiosa 'Butterfly Blue'



Santolina 'Nana'

Scabiosa 'Pink Mist



Santolina virens

DARWIN PERENNIALS

#### Scabiosa Flutter Deep Blue

#### SCABIOSA 🕘 🌗 (PINCUSHION FLOWER) Scabiosa columbaria

FLUTTER<sup>™</sup> SERIES DARWIN PERENNIALS

#### Height: 12 to 14 in. (30 to 36 cm) Bloom Months: March to September USDA Hardiness Zones: 5a to 9b

#### Compact habit and shorter peduncles for easier shipping and showing!

- Deeper colors, better habit and larger flowers than 'Butterfly Blue' and 'Pink Mist'
- Neater displays for greater sell through
- Hardy plants with long flowering
- Beautiful in the landscape and in mixed containers.
- Very disease-resistant.

Deep Blue 'Balfluttdelu' PPAF NEW Pure White This stunning pure-white addition is a unique color for the market. Self-cleaning and longflowering. 'Balflutturite' PPAF Rose Pink 'Balfluttropi' PP27,809

#### 'BUTTERFLY BLUE'

Height: 16 to 18 in. (41 to 46 cm) Bloom Months: May to hard frost USDA Hardiness Zones: 4a to 9b

Compact, tidy mounds of deep green basal leaves with wiry stems hold single, round, lavender-blue flowers.

#### DARWIN PERENNIALS



Scabiosa Flutter Rose Pink

#### 'PINK MIST'

PLANTHAVEN, INC.

Height: 16 to 18 in. (41 to 46 cm) Bloom Months: June to August USDA Hardiness Zones: 5a to 9b

- Compact, upright habit is similar to 'Butterfly Blue'.
- · Green, textured leaves.
- Soft pink, fully double flowers.

SANTOLINA O (LAVENDER COTTON) Santolina africana

#### 'NANA'

Height: 8 in. (20 cm) Bloom Months: July to August USDA Hardiness Zones: 6a to 9b

Finely divided, aromatic silver foliage and yellow button flowers.

SANTOLINA O (LAVENDER COTTON) Santolina virens

Height: 14 in. (36 cm) Bloom Months: July to August USDA Hardiness Zones: 6a to 9b

Deep green foliage and bright yellow button flowers.



at retail. windows







Sedum 'Athoum'

Sedum 'Coral Carpet



Sedum 'Major'

SEDUM 💛 (STONECROP) Sedum album

#### 'ATHOUM'

Height: 6 to 8 in. (15 to 20 cm) Bloom Months: July to August USDA Hardiness Zones: 3a to 9b

Plump, dark green rosettes of redtipped, evergreen leaves and light pink to white flowers.

#### 'CORAL CARPET'

Height: 2 to 6 in. (5 to 15 cm) Bloom Months: Summer USDA Hardiness Zones: 4a to 9b

Creeping groundcover with red-tinged, deep green leaves and tiny, pale pink flowers.

SEDUM 🖯 (STONECROP) Sedum dasyphyllum

#### 'MAJOR'

Height: 4 in. (10 cm) Bloom Months: Summer USDA Hardiness Zones: 4a to 9b

Prostrate mats of tight blue foliage and small, white flowers.



Sedum kamtschaticum

SEDUM 🖯 (STONECROP) Sedum hakonense

#### 'CHOCOLATE BALL'

Height: 2 to 3 in. (5 to 8 cm) Bloom Months: June to September USDA Hardiness Zones: 6a to 9b

Little plants with brown-red, needlelike foliage bloom with yellow flowers in Summer.

#### SEDUM 🦲

(STONECROP) Sedum kamtschaticum

Height: 6 to 8 in. (15 to 20 cm) Bloom Months: Summer USDA Hardiness Zones: 4a to 9b

Scalloped, deep green leaves are covered with mounds of yellow-gold flowers.



Sedum 'Variegatum'

SEDUM 🖯 (STONECROP) Sedum kamtschaticum

#### 'VARIEGATUM'

Height: 4 to 6 in. (10 to 15 cm) Bloom Months: June to August USDA Hardiness Zones: 4a to 9b

Compact plants have variegated foliage with creamy margins and star-shaped yellow blooms that mature to red.



Sedum 'Vera Jameson'

SEDUM 🖯 (STONECROP) Sedum x hybrida

#### 'VERA JAMESON'

Height: 10 to 16 in. (25 to 41 cm) Bloom Months: August to September USDA Hardiness Zones: 3a to 9b

Large clusters of pink flowers and waxy, gray-green leaves that turn burgundy as Summer progresses.









Sedum sieboldii

SEDUM 💛

flowers.

(STONECROP)

Low-growing, spreading plants have blue, needlelike foliage and yellow

Sedum reflexum

SEDUM O (STONECROP)

Sedum rupestre

'ANGELINA'

Height: 3 to 6 in. (8 to 15 cm) Bloom Months: July to August

USDA Hardiness Zones: 3a to 9b

Low-growing and fast-spreading, with fleshy, needlelike, golden yellow foliage.

Sedum 'Blue Spruce'



Sedum 'Lemon Ball'

SEDUM 🖯 (STONECROP) Sedum sexangulare

Height: 4 in. (10 cm) Bloom Months: Summer USDA Hardiness Zones: 5a to 5b

Dense carpets of fine green foliage with bright yellow flowers in Spring.

SEDUM O (STONECROP) Sedum sieboldii

Height: 6 in. (15 cm) Bloom Months: September to October USDA Hardiness Zones: 6a to 9b

Semi-evergreen, blue-green, succulent foliage with pink flowers and red leaf edge in Fall.

SEDUM 💛 (STONECROP) Sedum x hybrida

'LEMON BALL'

Height: 6 in. (15 cm) Bloom Months: June to July USDA Hardiness Zones: 7a to 9b

Vivid mounds of chartreuse foliage stay dense, bushy and bright all Summer long.

Sedum 'Weihenstephaner Gold'



Sedum 'Angelina'

SEDUM 💛 (STONECROP) Sedum kamtschaticum

WEIHENSTEPHANER GOLD

Height: 4 to 6 in. (10 to 15 cm) Bloom Months: Summer USDA Hardiness Zones: 3a to 8b

Golden yellow flowers and red seed heads on prostrate, scalloped green foliage.

Sedum sexangulare

SEDUM 💛 (STONECROP) Sedum makinoi

#### 'OGON'

Height: 4 in. (10 cm) Bloom Months: Summer USDA Hardiness Zones: 7a to 9b

flowers.

(STONECROP)

Height: 3 in. (8 cm) Bloom Months: Summer USDA Hardiness Zones: 5a to 9b

Deep blue, scalloped foliage forms a tight mound, with white, star-shaped

'BLUE SPRUCE' Height: 3 to 6 in. (8 to 15 cm) Bloom Months: July to August USDA Hardiness Zones: 4a to 9b

Ground-hugging tender perennial has chartreuse foliage and dainty yellow

SEDUM 🦲

Sedum pachyclados

flowers.









Sedum 'Autumn Fire

Sedum 'Autumn Joy



Sedum 'Fuldaglut'

SEDUM 💛 (STONECROP) Sedum spectabile

#### **'AUTUMN FIRE'**

Height: 24 to 30 in. (61 to 76 cm) Bloom Months: Late Summer to Fall USDA Hardiness Zones: 3a to 9b

Dense, robust habit; flowers start bluegreen and mature to pink, deep red and finally bronze.

#### 'AUTUMN JOY'

Height: 18 to 24 in. (46 to 61 cm) Bloom Months: Late Summer to Fall USDA Hardiness Zones: 3a to 10b

Blue-green flower heads turn rosy pink and intensify to deep ruby red, then bronze.

#### 'PINK BOMB'

Height: 10 to 12 in. (25 to 30 cm) Bloom Months: Late Summer to Fall USDA Hardiness Zones: 5a to 10b

Lovely pink flowers and uniform. compact, succulent foliage.



Sedum 'John Creech'

SEDUM 🖯 (STONECROP) Sedum spurium

#### 'DRAGON'S BLOOD'

Height: 4 to 6 in. (10 to 15 cm) Bloom Months: July to August USDA Hardiness Zones: 3a to 9b

Green leaves with red margins and deep red blooms in Summer. Foliage turns bright red in Fall.

#### 'FULDAGLUT'

Height: 3 to 4 in. (8 to 10 cm) Bloom Months: Spring to Summer USDA Hardiness Zones: 4a to 9b

Dark green, spreading foliage with red flowers in July. Foliage turns red-orange in Fall.

#### 'JOHN CREECH'

Height: 2 in. (5 cm) Bloom Months: June

USDA Hardiness Zones: 3a to 9b

Dense groundcover with striking green foliage and pink-purple blooms spills from containers.



Sedum 'Matrona'

#### 'TRICOLOR'

Height: 3 to 4 in. (8 to 10 cm) Bloom Months: June to August USDA Hardiness Zones: 3a to 9b

Mat-forming, with small, rounded, green leaves edged in white and tinged in pink; pink blooms.

SEDUM 😣 (STONECROP) Sedum telephium maximum

#### 'MATRONA'

Height: 18 to 24 in. (46 to 61 cm) Bloom Months: Late Summer to Fall USDA Hardiness Zones: 3a to 9b

Attractive gray-green leaves edged in rose-pink complement delightful flowers that attract butterflies. Allow seed heads to remain standing for Winter interest. Excellent in the garden or landscape planting, and beautiful with Rudbeckia and Coneflowers.

Sedum 'Dragon's Blood'



Sedum 'Coral Reef'

SEDUM 🦲 (STONECROP) Sedum tetractinum

'CORAL REEF'

Height: 3 to 4 in. (8 to 10 cm) Bloom Months: July to August USDA Hardiness Zones: 4a to 9b

Mounded, spreading groundcover has small yellow flowers and smooth green foliage that turns red in Fall.





Sempervivum 'Commander Hay







Sempervivum 'Silverine'

'RED BEAUTY'

Height: 4 in. (10 cm)

Bloom Months: June to September USDA Hardiness Zones: 3a to 8b

turn burgundy in cold weather.

Dense rosettes are red in Summer and

Color may vary from season to season.

Produces clusters of light pink flowers in mid-Summer.

Forms dense mats of dark wine-red

Bloom Months: June to September USDA Hardiness Zones: 3a to 8b

Rosettes start red, turning green with red margins as they grow.

Height: 3 to 4 in. (8 to 10 cm) Bloom Months: June to September USDA Hardiness Zones: 3a to 8b

Muted green foliage with red overtones.

Sempervivum 'Sunset'



Sempervivum 'Red Beauty'

SEMPERVIVUM 💛 🌖 (HENS & CHICKS) Sempervivum arachnoideum

#### 'COBWEB'

Height: 2 to 8 in. (5 to 20 cm) Bloom Months: June to September USDA Hardiness Zones: 5a to 8b

Pale green rosettes covered with fine silver hairs; produces bright reddish pink flowers.

SEMPERVIVUM (HENS & CHICKS) Sempervivum tectorum

#### 'SUNSET'

Height: 2 to 8 in. (5 to 20 cm) Bloom Months: June to September USDA Hardiness Zones: 3a to 8b

Emerald green leaves with red tips take on orange/red cast in cool weather

Sempervivum 'Carmen'

Sempervivum 'Royal Ruby'

SEMPERVIVUM 🕘 🌖 (HENS & CHICKS)

Height: 2 to 8 in. (5 to 20 cm) Bloom Months: June to September

Emerald green succulent leaves with bright red tips.



Sempervivum 'Ruby Heart'

#### 'COMMANDER HAY'

Height: 1 to 3 in. (3 to 8 cm) Bloom Months: June to September USDA Hardiness Zones: 3a to 8b

Clumps of red and green rosettes.

#### 'KALINDA'

Height: 2 to 8 in. (5 to 20 cm) Bloom Months: June to September USDA Hardiness Zones: 5a to 9b

Large succulent leaves held in tight green heads with blood-red tips.

'ROYAL RUBY' Height: 3 to 4 in. (8 to 10 cm) Bloom Months: June to September USDA Hardiness Zones: 3a to 8b

foliage.

'RUBY HEART'

'SILVERINE'

Height: 2 to 8 in. (5 to 20 cm)



Sempervivum

#### 'CARMEN'

USDA Hardiness Zones: 3a to 8b









Solidago Little Lemon



Stachys 'Silver Carpet'



Solidago 'Fireworks'

Stachys 'Helene Von Stein'



Stachys 'Hummelo'

Silene 'Clifford Moor' SILENE 🕘 🌗

(CAMPION) Silene dioica

#### 'CLIFFORD MOOR'

Height: 18 in. (46 cm) Bloom Months: May to July USDA Hardiness Zones: 5a to 8b

Variegated leaves with deep green centers and creamy gold margins. Single pink flowers.

SOLIDAGO (GOLDENROD) Solidago

#### LITTLE LEMON

#### PLANTHAVEN, INC.

Height: 12 to 18 in. (30 to 46 cm) Bloom Months: July to September USDA Hardiness Zones: 4a to 9b 'Dansolitlem' PP17,297

Compact, well-branched plants completely covered with racemes of bright lemon-yellow flowers in Summer.

SOLIDAGO 🦲 (GOLDENROD) Solidago rugosa

#### 'FIREWORKS'

Height: 36 to 48 in. (91 to 122 cm) Bloom Months: July to September USDA Hardiness Zones: 5a to 9b

Golden yellow flowers with wild, multibranched panicles.

STACHYS 💛 (LAMB'S EAR) Stachys byzantia

### 'HELENE VON STEIN'

Height: 12 in. (30 cm) Bloom Months: July USDA Hardiness Zones: 4a to 9b

• Clump-forming habit with big, broad leaves.

 Velvety-soft, greenish-silver foliage. Great for edging, border gardens and containers.

#### 'SILVER CARPET'

Height: 8 in. (20 cm) Bloom Months: June to July USDA Hardiness Zones: 4a to 9b

Drought-tolerant, low-growing and spreading variety with soft and fuzzy, oval, gray-white leaves.

STACHYS – (LAMB'S EAR) Stachys monnieri

#### 'HUMMELO'

Height: 20 in. (51 cm) Bloom Months: June to July USDA Hardiness Zones: 4a to 8b

Compact clumps of textured, glossy green foliage with spikes of purple flowers.



Stevia rebaudiana



Teucrium chamaedrys





Thymus 'Albiflorus' Thyme



Thymus Highland Cream Thyme

STEVIA (STEVIA) Stevia rebaudiana

Height: 24 in. (61 cm) Bloom Months: None USDA Hardiness Zones: 9a to 11

Tender perennial used as a dietary supplement; dried leaves are many times sweeter than sugar.

TEUCRIUM (GERMANDER) Teucrium chamaedrys

Height: 12 in. (30 cm) Bloom Months: June to July USDA Hardiness Zones: 4a to 9b

Evergreen sub-shrub with deep green leaves and rosy-purple flowers.



Thymus 'Pseudolanuginosus' Woolly Thyme THYMUS O (THYME) Thymus praecox

#### 'ALBIFLORUS' THYME

Height: 2 in. (5 cm) Bloom Months: None USDA Hardiness Zones: 4a to 9b

Low-growing habit with green leaves and white flowers.

#### 'COCCINEUS' CREEPING THYME

Height: 2 to 4 in. (5 to 10 cm) Bloom Months: None USDA Hardiness Zones: 5a to 9b

Low-growing perennial with small, elliptical green leaves and fuchsia-red blooms in Summer.

#### **HIGHLAND CREAM THYME**

Height: 2 to 4 in. (5 to 10 cm) Bloom Months: None USDA Hardiness Zones: 5 to 9 'Hartington Silver'

Also known as 'Hartington Silver'. Small green leaves with creamy white margins and tiny flowers of palest pink in late Spring.

#### 'PSEUDOLANUGINOSUS' WOOLLY THYME

Height: 2 to 4 in. (5 to 10 cm) Bloom Months: None USDA Hardiness Zones: 5a to 9b

Woolly creeper with gray foliage and white flowers; good for dry locations.





Thymus 'Elfin' Thyme



Thymus 'Pink Chintz' Thyme

THYMUS (THYME) Thymus serpyllum

#### 'ELFIN' THYME

Height: 1 in. (3 cm) Bloom Months: None USDA Hardiness Zones: 4a to 9b

Tight, creeping groundcover with mats of tiny, dark green foliage and pink flowers in Summer.

#### 'MAGIC CARPET' THYME

Height: 2 in. (5 cm) Bloom Months: None USDA Hardiness Zones: 4a to 9b

Tiny pink flowers float over mats of green, slightly hairy foliage.

#### 'PINK CHINTZ' THYME

Height: 1 in. (3 cm) Bloom Months: None USDA Hardiness Zones: 4a to 9b

Mat-forming creeper with tiny green leaves and pink flowers.

THYMUS – (THYME) Thymus vulgaris

#### ENGLISH THYME

Height: 6 to 8 in. (15 to 20 cm) Bloom Months: None USDA Hardiness Zones: 4a to 9b

Popular culinary variety has rounded leaves, purple-pink flowers and a semicreeping habit.


#### FRENCH THYME

Height: 6 to 8 in. (15 to 20 cm) Bloom Months: None USDA Hardiness Zones: 4a to 9b

Purple to white flowers with narrow, fragrant green leaves.



Thymus French Thyme



Thymus English Thyme









Thymus Golden Lemon Thyme



Thymus Silver Edged Thyme

#### THYMUS (THYME) Thymus citriodorus

#### GOLDEN LEMON THYME

Height: 4 in. (10 cm) Bloom Months: None USDA Hardiness Zones: 6a to 9b

Pungently lemon-scented leaves are golden and variegated when grown in bright light.

#### 'DOONE VALLEY' CREEPING THYME

Height: 1 to 2 in. (3 to 5 cm) Bloom Months: June to July USDA Hardiness Zones: 5a to 5b

#### Also known as Creeping Lemon

**Thyme.** Purple flowers with lemonscented, green and golden variegated foliage. Excellent for planting between stepping stones and rock gardens.



Thymus 'Silver King' Thyme

#### LEMON THYME

Height: 8 in. (20 cm) Bloom Months: None USDA Hardiness Zones: 5a to 9b

Lemon-scented green leaves and lavender-pink flowers.

#### ORANGE THYME

Height: 12 in. (30 cm) Bloom Months: None USDA Hardiness Zones: 5a to 9b

Orange or citrus-scented green leaves and lavender-pink flowers.

Thymus Lemon Thyme



Thymus 'Spicy Orange' Thyme

#### SILVER EDGED THYME

Height: 4 in. (10 cm) Bloom Months: None USDA Hardiness Zones: 4a to 9b

Narrow green leaves with variable silver variegation, lavender-pink flowers and no lemon fragrance.

#### SILVER KING' THYME

Height: 4 to 5 in. (10 to 13 cm) Bloom Months: None USDA Hardiness Zones: 7a to 9b

Lemon-scented, medium-green leaves are splashed with cream.





Thymus 'Variegatus' Thyme

#### 'SPICY ORANGE' THYME

Height: 2 to 4 in. (5 to 10 cm) Bloom Months: None USDA Hardiness Zones: 5a to 9b

Needlelike leaves with a spicy orange scent; soft lavender flowers in late Spring.

#### 'VARIEGATUS' THYME

Height: 4 in. (10 cm) Bloom Months: None USDA Hardiness Zones: 5a to 9b

Lemon-scented green leaves with a thin, white-splashed margin and purple flowers.





Verbena 'Lollipop

Veronica 'Charlotte



Verbena 'Homestead Purple'

VERBENA 🦲 (VERVAIN) Verbena bonariensis

'LOLLIPOP'

Height: 24 in. (61 cm) Bloom Months: May to frost USDA Hardiness Zones: 7a to 11

Tender perennial has unique dwarf form with lavender-blue flowers.

VERBENA 💛 (VERVAIN) Verbena canadensis

#### 'HOMESTEAD PURPLE'

Height: 6 to 10 in. (15 to 25 cm) Bloom Months: May to frost USDA Hardiness Zones: 6a to 9b

Small, deep purple flowers on vigorous, mounded plants





Veronica 'Red Fox'

VERONICA 💛 (SPEEDWELL) Veronica austriaca

#### VENICE BLUE FLORENSIS, B.V.

Height: 10 to 12 in. (25 to 30 cm) Bloom Months: March to April USDA Hardiness Zones: 4a to 9b 'Florverblue' PP27,555

• Easy-to-grow variety makes an excellent season extender! Requires less vernalization than other austriaca types. • Strong, upright stems for outstanding show at retail and in the garden. Early Spring-flowering variety loves heat.



'CHARLOTTE'

#### RIJNBEEK & ZN, B.V.

Height: 24 to 33 in. (61 to 84 cm) Bloom Months: June to September USDA Hardiness Zones: 4a to 9b PPAF

Bright white flower spikes against white and green variegated foliage.



Veronica Venice Blue

VERONICA 🦲 (SPEEDWELL) Veronica spicata

#### 'RED FOX'

Height: 12 in. (30 cm) Bloom Months: June to September USDA Hardiness Zones: 3a to 8b

Produces rose-red spikes in Summer.

#### **ROYAL CANDLES**

#### PLANTHAVEN, INC.

Height: 15 to 18 in. (38 to 46 cm) Bloom Months: June to August USDA Hardiness Zones: 4a to 8b 'Glory' PP18,932

Long-blooming, dwarf variety with solid, conical spikes of bright violet-blue flowers.

#### 'SUNNY BORDER BLUE'

Height: 18 to 24 in. (46 to 61 cm) Bloom Months: June to August USDA Hardiness Zones: 4a to 8b

Long display of vivid blue flower spikes atop dark green leaves.



Veronica Royal Candles



Veronica 'Sunny Border Blue'





Veronica First Kiss

**NEW FOR 2018** 

Veronica First Glory



Veronica First Match

Veronica First Memory

Veronica First Lady

#### VERONICA 💛 (SPEEDWELL) Veronica longifolia FIRST GLORY

#### RENE VAN GAALEN, B.V.

Height: 16 to 22 in. (41 to 56 cm) Bloom Months: Late Spring to Summer USDA Hardiness Zones: 4a to 8b 'Alllord' PP23,294

- Compact, highly uniform plants. Short, thick spikes of deep blue flowers
- Vernalization not required.

#### FIRST KISS

#### **NEW FOR 2018** RENE VAN GAALEN, B.V.

Height: 22 to 24 in. (56 to 61 cm) Bloom Months: Late Spring to Summer USDA Hardiness Zones: 4a to 9b 'Allkiss' PPAF

- Pretty pink addition to the First
- collection.
- · Long flowering.
- · Vernalization not required.

#### FIRST LADY

#### RENE VAN GAALEN, B.V.

Height: 16 to 22 in. (41 to 56 cm) Bloom Months: Late Spring to Summer USDA Hardiness Zones: 4a to 8b 'Alllady' PP23,271

- Compact plant habit.
- Sturdy, white flower spikes.
- Vernalization not required.



Veronica First Love

#### FIRST LOVE

#### RENE VAN GAALEN, B.V.

Height: 22 in. (56 cm) Bloom Months: Late Spring to Summer USDA Hardiness Zones: 4a to 9b 'Allove' PPAF

- Uniform, short spikes of brilliant pink flowers
- Short and well-branched plants.
- Excellent flower canopy without vernalization.

#### FIRST MATCH

### NEW FOR 2018 RENE VAN GAALEN, B.V.

Height: 22 to 24 in. (56 to 61 cm) Bloom Months: Late Spring to Summer USDA Hardiness Zones: 4a to 9b 'Allvglove' PPAF

- Attractive dark pink addition to the First collection.
- Long flowering.
- Vernalization not required.

#### FIRST MEMORY

## NEW FOR 2018 RENE VAN GAALEN, B.V.

Height: 22 to 24 in. (56 to 61 cm) Bloom Months: Late Spring to Summer USDA Hardiness Zones: 4a to 9b 'Allv1461' PPAF

- Nice, soft blue addition to the First collection.
- · Long flowering.
- Vernalization not required.



PROGRAMMABLE AND EASY TO PRODUCE: MUSIC TO A GROWER'S EARS!







Veronica Moody Blues Dark Blue



Veronica Moody Blues Mauve



Veronica Moody Blues Pink



Veronica Moody Blues Sky Blue

DARWIN PERENNIALS

Veronica Moody Blues White



Veronica 'Blue Skywalker'

#### VERONICA 🔵 (SPIKE SPEEDWELL) Veronica hybrida

### MOODY BLUES® SERIES

DARWIN PERENNIALS Height: 12 to 14 in. (30 to 36 cm) Bloom Months: June to October USDA Hardiness Zones: 4a to 9b

#### Compact series of first-year-flowering Veronica.

- Excellent 1-gallon production with great uniformity and habit.
- Continues to cycle and bloom all season until first frost.
- Compact, tidy habit is great for any garden or mixed container.
- No vernalization required.

# Noted for superior performance by Colorado State University trial in 2015.

Dark Blue 'Novaverblu' PP26,602 Mauve 'Novavermau' PP26,621 Pink 'Novaverpin' PP25,748 Sky Blue 'Novaversky' PP27,835 White 'Novaverwhi'

#### VERONICA 💛 (SPEEDWELL) Veronica longifolia

### 'BLUE SKYWALKER'

## NEW FOR 2018 WALTERS GARDENS

Height: 28 to 30 in. (71 to 76 cm) Bloom Months: Summer USDA Hardiness Zones: 4a to 9b PPAF

This taller perennial provides height in the garden without too much horizontal space. Lavender-blue flower spikes cover the top half of an incredibly upright, dense habit of dark green leaves.



Veronica 'Perfectly Picasso'

VERONICA (SPEEDWELL) Veronica longifolia

#### 'PERFECTLY PICASSO'

NEW FOR 2018 WALTERS GARDENS

Height: 22 to 26 in. (56 to 66 cm) Bloom Months: Summer USDA Hardiness Zones: 4a to 9b PPAF

Paintbrush-like spikes produce white buds that open to medium pink flowers, creating a bicolor look. Attractive flowers cover the top half of the plant, showing off its healthy medium green leaves on a beautifully rounded habit.

#### 'ROYAL REMBRANDT'

#### NEW FOR 2018 WALTERS GARDENS

Height: 18 to 20 in. (46 to 51 cm) Bloom Months: Summer USDA Hardiness Zones: 4a to 9b PPAF

Discover your new Speedwell staple! Violet-purple flowers cover the top half of the plant, showcasing its dark green foliage. A remontant variety; sheering will encourage reblooming later in the season.



Veronica 'Royal Rembrandt'

#### 'VERY VAN GOGH'

NEW FOR 2018 WALTERS GARDENS

Height: 18 to 20 in. (46 to 51 cm) Bloom Months: Summer USDA Hardiness Zones: 4a to 8b PPAF

A posh perennial with a unique color palette. Paintbrush-like, rosy purple flowers appear on well-branched scapes. Many secondary spikes extend the bloom time. Bright green, upright clumping foliage.

VERONICA (SPEEDWELL) Veronica x hybrida

#### 'PURPLEICIOUS'

#### DARWIN PERENNIALS

Height: 16 to 20 in. (41 to 51 cm) Bloom Months: June to August USDA Hardiness Zones: 5a to 8b PP17,639

Long-blooming variety with intense purple flowers and dark green foliage.
Well-branched plants have a strong, tidy habit.

• Very healthy, disease-free cultivar.



Veronica 'Very Van Gogh'

VERONICA (SPEEDWELL) Veronica spicata

#### 'GILES VAN HEES'

Height: 4 to 6 in. (10 to 15 cm) Bloom Months: June to August USDA Hardiness Zones: 4a to 8b

Dwarf form with dark green foliage and short, bright pink flower spikes.







Veronica 'Giles Van Hees'









Veronica 'Waterperry Blue'

Veronica 'Whitewater'

VERONICA (SPEEDWELL) Veronica peduncularis

#### 'WATERPERRY BLUE'

Height: 4 to 6 in. (10 to 15 cm) Bloom Months: June to September USDA Hardiness Zones: 3a to 8b

Spreading habit with light blue flowers and purple Winter foliage.

#### 'WHITEWATER'

CHICAGOLAND GROWS, INC.

Height: 4 to 6 in. (10 to 15 cm) Bloom Months: June to September USDA Hardiness Zones: 4a to 8b PP22.783

Sport of 'Waterperry Blue' produces bright white flowers on burgundy-green foliage.



Veronica Goldwell

#### 'GEORGIA BLUE'

Height: 8 in. (20 cm) Bloom Months: March to April USDA Hardiness Zones: 5a to 8b

Dense, gray-green, low-growing foliage has taller flowering stems covered with intense blue flowers.

VERONICA – (SPEEDWELL) Veronica prostrata

#### GOLDWELL MUST HAVE PERENNIALS™

Height: 4 in. (10 cm) Bloom Months: June to September USDA Hardiness Zones: 5a to 9b

Verbrig' PP17,423 Blue-purple flowers over narrow green

leaves edged in gold.

VERONICA (CREEPING SPEEDWELL) Veronica repens

#### 'SUNSHINE'

Height: 1 to 4 in. (3 to 10 cm) Bloom Months: June to July USDA Hardiness Zones: 4a to 8b

Groundcover type, creeping with white blooms on gold foliage.



Vinca 'Illumination'

#### VINCA (MYRTLE) Vinca minor

#### 'BOWLES CUNNINGHAM'

Height: 5 to 8 in. (13 to 20 cm) Bloom Months: April to May USDA Hardiness Zones: 3a to 9b

Also known as 'Bowles'. Vigorous, spreading variety has thick, glossy leaves and sky blue flowers that are darker than standard *V. minor*.

#### 'ILLUMINATION'

PLANTHAVEN, INC.

Height: 4 in. (10 cm) Bloom Months: April to May USDA Hardiness Zones: 4a to 9b PP12,132

Popular, low-growing, evergreen groundcover has variegated foliage and small, light lavender-blue flowers in Spring.

# HALO

## DARWIN PERENNIALS

HEAVENLY BICOLOR BLOOMS LAST THROUGH THE SUMMER AND COME BACK IN SPRING.







Viola Halo Lilac



Viola 'Etain'



Viola Halo Lemon Frost

#### DARWIN PERENNIALS



Viola Halo Sky Blue



VIOLA 🕘 🌖 (VIOLET) Viola cornuta

#### HALO SERIES DARWIN PERENNIALS

Height: 8 to 10 in. (20 to 25 cm) Bloom Months: February to April, September to October USDA Hardiness Zones: 5a to 9b

## Excellent hardiness for long-lasting garden enjoyment.

- Very heat-tolerant.
- No vernalization required.
- Oversummers and overwinters.
- Larger flowers than Celestial.

Lemon Frost 'Halo Lemon Frost' PP26,383 Lilac 'Halo Lilac' PP24,542 Sky Blue 'Halo Sky Blue' PP24,541 Violet 'Halo Violet' PP24,428

#### 'ETAIN'

Height: 8 to 10 in. (20 to 25 cm) Bloom Months: February to October USDA Hardiness Zones: 5a to 9b

Compact variety flowers profusely in Spring and Fall with large, fragrant, bicolor blooms.



Viola Jumping Jack

**CELESTIAL™ SERIES** 

Height: 5 to 6 in. (13 to 15 cm) Bloom Months: February to October

 Ever-blooming, early-Spring perennial in bright, rich colors.
Overwinters and oversummers.

Heat-tolerant, highly scented varieties

USDA Hardiness Zones: 5a to 10b

PLANTHAVEN, INC.

bloom all Summer.

No vernalization required.

Blue Moon 'SMEV1' PP19,882 Northern Lights 'SMEV4' PP24,591 Starry Night 'Lord Primrose' PP18,253

Twilight 'SMEV3' PP24,592

JUMPING JACK DARWIN PERENNIALS Height: 6 to 8 in. (15 to 20 cm) Bloom Months: February to April, September to October USDA Hardiness Zones: 5a to 9b

'Balvijac' PP21,084

blooming variety.

traditional violas.

 Excellent landscape performer. Extremely floriferous, continuously


• Good for Summer bedding, perennial borders and mixed containers. Much better heat tolerance than

VIOLA 💛 🌖

(VIOLET)

Viola cornuta







Viola Celestial Starry Night





Viola Celestial Twilight



Viola 'Rebecca Cawthorne'

VIOLA 🌗

(VIOLET) Viola pubescens

USDA Hardiness Zones: 5a to 9b

WALDSTEINIA 💛

Dense mats of semi-evergreen, strawberry-like foliage with yellow

'REBECCA CAWTHORNE' Height: 6 to 8 in. (15 to 20 cm) Bloom Months: Spring

Fragrant purple flowers splashed with white; sporadic reblooming.

(BARREN STRAWBERRY) Waldsteinia ternata

Height: 4 to 6 in. (10 to 15 cm) Bloom Months: May to June USDA Hardiness Zones: 3a to 8b

flowers.



Waldsteinia ternata



# CULTURE GUIDE AHANDY REFERENCE TO HEI P YOU GROW THE EINEST PERENNIALS IN THE INDUSTRY.

# GROWER RESOURCES & FINISHING TRIALS





Top to Bottom: Salvia 'Blue Marvel' , Lavender SuperBlue, Heliopsis 'Sunstruck'



## **FROM START TO FINISH**

We are working to provide solutions for your growing challenges. Resources like our finished culture research program at our facility in West Grove, PA, provide detailed schedules and finishing protocols for many of our Darwin Perennials varieties. We offer this information to give you everything you need to schedule flowering perennials for Spring, Summer and early Fall finishing. Our goal is to help you bring fresh, flowering plants to retail when you want them.

These protocols do not require specialized growing environments, and these varieties respond consistently to these schedules. We have completed close to 50 variety specific culture trials from 2014 through 2016, and are continuing in 2017. You can review these easyto-use schedules along with even more culture and grower support information at darwinperennials.com.



#### Salvia 'Blue Marvel': Finishing trials

Production Guidelines:	Group 1	Group 2	Group 3
Stick URC to 30mm elle	Week 9	Week 13	Week 19
Transplant to 2.5 qt.	Week 17	Week 19	Week 25
Weeks to first color	Week 27	Week 24	Week 29
Peak color	Week 30	Week 26	Week 30
Weeks to first color	10	5	4

Specifics

Varieties • Red • Rose Violet • W/hite

Container: 2.5 gt.

Overhead watering
 Grown in southeast PA

· 13-5-9 Harrel's slow release top dressed



#### Achillea New Vintage™: Finishing trials Group 2 Group 3 **Production Guidelines:** Group 1 Week 20 Stick URC to 30mm elle Week 10 Week 14 Transplant to 2.5 qt. Week 15 Week 19 Week 25 Weeks to first color Week 24 Week 28 Week 30 Peak color Week 27 Week 31 Week 32 9 9 Weeks to first color 5

#### Specifics:

- Container: 2.5 qt.
  13-5-9 Harrel's slow release top dressed
  Overhead watering
  Grown in southeast PA

PAGE		CROP	SERIES/VARIETY	MEDIA EC/PH	SOIL TEMPERATURE	ROOTING HORMONE	
8		ACHILLEA Achillea hybrida	Moon Dust	EC 1.0-1.25 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	500-1,000 ppm IBA	
10, 12		ACHILLEA Achillea millefolium	New Vintage™ Series, Song Siren™ Series	EC 1.0-1.25 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	500-1,000 ppm IBA	
13	AL.	AGASTACHE Agastache rugosa	Little Adder	EC 0.75-0.80 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	500 ppm IBA	
16	C.	ALYSSUM Alyssum wulfenianum	Golden Spring	EC 0.80-1.0 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	500 ppm IBA	
17		ARMERIA Armeria pseudoarmeria	Dreameria™ Series	EC 0.8 mmhos/pH 5.8-6.2	70-74°F (21-23°C)	1,500-2,500 ppm IBA	
19		<b>BUDDLEIA</b> Buddleia davidii	Berry Fizz	EC 0.75-0.80 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	1,000 ppm IBA	
20, 21		BUDDLEIA Buddleia davidii	Blaze Pink, CranRazz, True Blue	EC 0.75-0.80 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	1,000 ppm IBA	
24		CAMPANULA Campanula x hybrida	Iridescent Bells	EC 0.80-1.0 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	500-1,000 ppm IBA	
24		CARYOPTERIS Caryopteris x clandonensis	Grand Bleu®	EC 0.75-0.80 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	1,000-3,000 ppm IBA	
25		CENTAUREA Centaurea montana	Lavender Mist	EC 0.75-0.80 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	1,000 ppm IBA	
26	٢	COREOPSIS Coreopsis grandiflora	Sunny Day	EC 0.75-0.80 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	1,000 ppm IBA	
27	*	COREOPSIS Coreopsis hybrida	Little Bird	EC 0.75-0.80 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	1,000 ppm IBA	
*		COREOPSIS Coreopsis hybrida	UpTick™ Series	EC 0.75-0.80 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	500-1,000 ppm IBA	
26, 27		COREOPSIS Coreopsis verticillata	Crème Caramel, Sylvester	EC 0.75-0.80 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	1,000 ppm IBA	
**		<b>DIANTHUS</b> Dianthus hybrida	Mountain Frost™ Collection	EC 0.8 mmhos/pH 5.8-6.2	68-70°F (20-21°C)	500 ppm IBA	
• See Da	arwinPerenni	als.com					

\* See DarwinPerennials.com \*\* See front section

MIST	FERTILIZATION	PINCHING	TRANSPLANTING	COMMENTS
Low to moderate	50-75 ppm N	Not necessary, remove premature flowers.	28-35 days after sticking	Do not over-mist.
Low to moderate	50-75 ppm N	Not necessary, remove premature flowers.	28-35 days after sticking	Do not over-mist.
Low to moderate	50-75 ppm N	Recommended after roots are established. Leave 4-5 active internodes.	28-35 days after sticking	Stick cuttings the day of arrival, if possible.
Low	50-75 ppm N	Recommended.	35-42 days after sticking	This alyssum requires light mist and soil moisture. Can be rooted under a dome or tent. Do not over-mist.
Low	100 ppm N starting at Day 7	Not necessary.	42-45 days after sticking	Quite easy to propagate. Do not over-mist. Remove from mist after 10 to 12 days. Allow media to dry slightly between irrigations to encourage root development.
Low	50-75 ppm N	Recommended.	35-42 days after sticking	Do not over-mist. Long days in propagation will hasten rooting and plant development.
Low	50-75 ppm N	Recommended.	35-42 days after sticking	Do not over-mist. Long days in propagation will hasten rooting and plant development.
Low to moderate	50-75 ppm N after 14 days	Not necessary.	35-42 days after sticking	Campanula typically have longer leaf petioles. Avoid dehydration during the first 3 days after sticking, then use a low to moderate mist regime. Avoid sticking cuttings too deep so that growing tip is exposed.
Low to moderate	50-75 ppm N	Not necessary in liner stage.	35-42 days after sticking	Discontinue mist as quickly as possible once rooting occurs.
Low	50-75 ppm N	Not necessary.	35-42 days after sticking	Use low mist and media moisture levels to avoid stem rot.
Moderate	50-75 ppm N	Pinch once in the liner stage.	28-35 days after sticking	Begin fertilizing 7 days after stick. Avoid over-misting.
Moderate	50-75 ppm N	Pinch once in the liner stage and once after transplant for best results.	35-42 days after sticking	Use low mist settings; do not oversaturate rooting media. Root zone temperatures of 70°F (21°C). Remove flowers in propagation.
Moderate	50-75 ppm N	Pinch once in the liner stage.	35-42 days after sticking	Use low mist settings; do not oversaturate rooting media. Root zone temperatures of 70°F (21°C). Remove flowers in propagation.
Low	50-75 ppm N	Pinch once in the liner stage and once after transplant for best results.	35-42 days after sticking	Use low mist settings; do not oversaturate rooting media. Root zone temperatures of 70°F (21°C). Remove flowers in propagation.
Very low	50 ppm N starting at Day 7	Pinch to remove any flower buds.	42-49 days after sticking	Dianthus require very low mist settings to root. Over- misting will result in slow rooting and high losses in propagation.

PAGE		CROP	SERIES/VARIETY	MEDIA EC/PH	SOIL TEMPERATURE	ROOTING HORMONE
31		DIGITALIS Digitalis hybrida	Foxlight™ Series	EC 0.75-0.80 mmhos/pH 6.0-6.4	70-72'F (21-22'C)	1,000 ppm IBA basal dip
32, 34	S.	ERYSIMUM Erysimum linifolium	Bowles Me Away, Cheers™ Series	EC 0.8 mmhos/pH 5.8-6.2	68-70°F (20-21°C)	500 ppm IBA
35		EUPATORIUM Eupatorium dubium	Little Joe	EC 0.75-0.80 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	500 ppm IBA
35		EUPHORBIA Euphorbia amygdaloides	Red Velvet	EC 0.75-0.80 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	500-1,000 ppm IBA
39		GAURA Gaura lindheimeri	Ballerina™ Series, Belleza™ Series	EC 0.75-0.80 mmhos/pH 5.8-6.2	68-73°F (20-23°C)	500 ppm IBA
40	X	<b>GAURA</b> Gaura lindheimeri	Little Janie, Whiskers Deep Rose	EC 0.75-0.80 mmhos/pH 5.8-6.2	70-72°F (21-23°C)	500 ppm IBA
42		HELIANTHUS Helianthus salicifolius	Autumn Gold	EC 0.8 mmhos/pH 5.8-6.2	70-74°F (21-23°C)	500 ppm IBA
43, 46		HELIOPSIS Heliopsis helianthoides	Double Sunstruck, Sunstruck	EC 0.75-0.80 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	1,000 ppm IBA
47		IBERIS Iberis amara	White Heat	EC 0.75-0.80 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	500 ppm IBA
47		IBERIS Iberis gibraltarica	Lavish	EC 0.75-0.80 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	500 ppm IBA
48	m	IBERIS Iberis sempervirens	Snowsation	EC 0.8 mmhos/pH 5.8-6.2	68-72°F (20-22°C)	300 ppm IBA
51		LAVANDULA Lavandula angustifolia	SuperBlue	EC 0.75-0.80 mmhos/pH 5.9-6.2	70-72°F (21-22°C)	500 ppm IBA
53, 54	XI	LAVANDULA Lavandula stoechas	Anouk Series, Bright Luxurious, Luxurious	EC 0.75-0.80 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	500 ppm IBA
57	*	LEUCANTHEMUM Leucanthemum x superbum	Santé	EC 0.75-0.80 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	500 ppm IBA
56		LEUCANTHEMUM Leucanthemum x superbum	White Magic	EC 0.8 mmhos/pH 5.8-6.4	68-74°F (20-23°C)	500 ppm IBA

MIST	FERTILIZATION	PINCHING	TRANSPLANTING	COMMENTS
Low to moderate	50-75 ppm N	Not typical in propagation.	42-49 days after sticking	Foxlight Digitalis root slowly with first roots showing 15 to 18 days after stick. However, it is best to discontinue mist prior to visible root, as they root more quickly when not over-misted and when media is allowed to dry slightly between waterings.
Low	Begin feeding 50-75 ppm 10 days after sticking	Pinch 21-25 days after sticking.	42-49 days after sticking	Don't oversaturate media. Low mist levels work best.
High for first few days, then reduce to moderate.	50-100 ppm N	Recommended.	42-49 days after sticking	
Low	50-75 ppm N	Recommended after roots are established. Leave 4-5 active internodes.	35-42 days after sticking	Use low mist settings; do not oversaturate rooting media. Root zone temperatures of 70°F (21°C). Remove flowers in propagation.
	75-100 ppm N when roots become visible; increase to 150–200 ppm N as roots develop	Yes, 7 days before transplanting.	35-42 days after sticking	Use low mist settings; do not oversaturate rooting media. Root zone temperatures of 70°F (21°C). Remove flowers in propagation.
Low to moderate	50-75 ppm N when roots become visible.	are established. Leave 4-5 active internodes.	35-42 days after sticking	Use low mist settings; do not oversaturate rooting media. Root zone temperatures of 70°F (21°C). Remove flowers in propagation.
Low	Feed at 100 ppm N after 9 days	Pinch once shoots elongate for best branching.	35-42 days after sticking	Typically remove from propagation area after two weeks. Don't keep rooting media excessively wet. Use long-day lighting when propagating when day length is less than 12 hours.
Low	50-75 ppm N when roots become visible.	Recommended after roots are established. Leave 4-5 active internodes.	35-42 days after sticking	Use low mist settings; do not oversaturate rooting media. Root zone temperatures of 70°F (21°C). Remove flowers in propagation. Long day obligate plant. Must provide long days in propagation.
Low to moderate	50-75 ppm N when roots become visible.	Recommended after roots are established. Leave active internodes.	28-35 days after sticking	Use low mist settings; do not oversaturate rooting media. Root zone temperatures of 70°F (21°C). Remove flowers in propagation.
Low to moderate	50-75 ppm N when roots become visible.	Recommended after roots are established. Leave 4-5 active internodes.	28-35 days after sticking	Use low mist settings; do not oversaturate rooting media. Root zone temperatures of 70°F (21°C). Remove flowers in propagation.
Low to moderate	100 ppm N starting at Day 10	Yes, pinch after 4 weeks. Can be double pinched in the liner stage for even greater branching.	42-49 days after sticking depending on number of pinches	Iberis benefit from a basal IBA dip prior to sticking. Do not over-mist or high losses can occur.
Low; prefers high humidity to mist	50-75 ppm N	Recommended.	42-56 days after sticking	Use low mist settings; do not oversaturate rooting media. Root zone temperatures of 70°F (21°C). Remove flowers in propagation.
Low; prefers high humidity to mist	50-75 ppm N	Recommended after roots are established. Leave 4-5 active internodes.	42-56 days after sticking	Use low mist settings; do not oversaturate rooting media. Root zone temperatures of 70°F (21°C). Remove flowers in propagation.
Low	50-75 ppm N	Not typically necessary.	42-56 days after sticking	Use low mist settings; do not oversaturate rooting media. Root zone temperatures of 70°F (21°C). Remove flowers in propagation.
	75-100 ppm N starting at Day 7	Pinch while young plants are soft and actively growing.	35-42 days after sticking	Pinch any premature buds as they become visible.

PAGE		CROP	SERIES/VARIETY	MEDIA EC/PH	SOIL TEMPERATURE	ROOTING HORMONE	
60		MONARDA Monarda didyma	Balmy™ Series	EC 1.0-1.25 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	500 ppm IBA	
63		NEPETA Nepeta x faassenii	Junior Walker	EC 0.75-0.80 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	500-1,000 ppm IBA	
66		PENSTEMON Penstemon barbatus	Rock Candy® Series	EC 0.75-0.80 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	500 ppm IBA	
70		PENSTEMON Penstemon hybrida	Little Bells	EC 0.75-0.80 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	500 ppm IBA	
68, 69		PENSTEMON Penstemon hybrida	Cherry Sparks, Quartz® Amethyst, Quartz® Rose	EC 0.75-0.80 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	500 ppm IBA	
68		PENSTEMON Penstemon hybrida	MissionBells™ Deep Rose	EC 0.75-0.80 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	500 ppm IBA	
72, 73		PEROVSKIA Perovskia atriplicifolia	CrazyBlue, Little Lace	EC 1.0-1.25 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	1,000 ppm IBA	
76		PHLOX Phlox paniculata	Cherry Cream	EC 0.8 mmhos/pH 5.8-6.2	68-74°F (20-23°C)	500 ppm IBA	
81	۲	RHODANTHEMUM Rhodanthemum hosmariense	Casablanca, Marrakech	EC 0.80-1.0 mmhos/pH 5.8-6.2	68-74°F (20-23°C)	300 ppm IBA	
84	J.	SALVIA Salvia greggii	Mirage™ Series	EC 0.75-0.80 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	500 ppm IBA	
87		SALVIA Salvia greggii	Radio Red	EC 0.75-0.80 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	500 ppm IBA	
87	ie ar	SALVIA Salvia greggii	Suncrest Series, Suncrest Landscape Series	EC 0.75-0.80 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	500 ppm IBA	
86		SALVIA Salvia hybrida	Arctic Blaze® Series	EC 0.75-0.80 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	500 ppm IBA	
89		<b>SALVIA</b> Salvia nemorosa	Blue Marvel	EC 0.75-0.80 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	1,000 ppm IBA	
90, 91		<b>SALVIA</b> Salvia nemorosa	Burgundy Candles, Lyrical™ Series	EC 0.75-0.80 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	1,000 ppm IBA	

MIST	FERTILIZATION	PINCHING	TRANSPLANTING	COMMENTS
Moderate	50-75 ppm N	Recommended.	28-35 days after sticking	Do not oversaturate rooting media. Use long-day lighting when day length is less than 12 hours to keep plants actively growing.
Moderate	50-75 ppm N	Recommended.	35-42 days after sticking	Roots quickly. Plan to pinch in liner tray.
Moderate to high for first 24 hours, then reduce to low.	50-75 ppm N	Recommended.	35-42 days after sticking	Use low mist settings; do not oversaturate rooting media. Root zone temperatures of 70°F (21°C).
Moderate to high for first 24 hours, then reduce to low.	50-75 ppm N	Recommended.	35-42 days after sticking	Use low mist settings; do not oversaturate rooting media. Root zone temperatures of 70°F (21°C).
Moderate to high for first 24 hours, then reduce to low.	50-75 ppm N	Recommended.	35-42 days after sticking	Use low mist settings; do not oversaturate rooting media. Root zone temperatures of 70°F (21°C).
Moderate to high for first 24 hours, then reduce to low.	50-75 ppm N	Recommended.	35-42 days after sticking	Use low mist settings; do not oversaturate rooting media. Root zone temperatures of 70°F (21°C).
Moderate to high for first 24 hours, then reduce to low.	50-75 ppm N after 10 days	Recommended.	35-42 days after sticking	Use low mist settings; do not oversaturate rooting media. Root zone temperatures of 70°F (21°C).
Low to moderate	75-100 ppm N starting at Day 7	Yes, while young plants are soft and actively growing.	42-49 days after sticking	Plants grow more actively under long days. Use 13-hour extended day lighting for Winter propagation.
Moderate	75-100 ppm N when roots become visible; increase to 150–200 ppm N as roots develop.	Recommended after roots are established.	35-42 days after sticking	Use low mist settings; do not over-saturate rooting media. Root zone temperatures of 70°F (21°C).
Moderate	50-75 ppm N	Recommended after roots are established. Leave 4-5 active internodes.	35-42 days after sticking	Use low mist settings; do not oversaturate rooting media. Root zone temperatures of 70°F (21°C).
Moderate	50-75 ppm N	Recommended after roots are established. Leave 4-5 active internodes.	35-42 days after sticking	Begin fertilizing 7 days after stick.
Low to moderate	50-75 ppm N	Recommended after roots are established. Leave 4-5 active internodes.	35-42 days after sticking	Begin fertilizing 7 days after stick.
Moderate	50-75 ppm N	Recommended after roots are established. Leave 4-5 active internodes.	35-42 days after sticking	Roots quickly. Plan to pinch in liner tray.
Low	50-75 ppm N at Day 7	A soft pinch will increase branching.	35-42 days after sticking	Discontinue mist as quickly as possible and only mist to avoid leaf wilt.
Low	50-75 ppm N at Day 7	A soft pinch will increase branching.	35-42 days after sticking	Discontinue mist as quickly as possible and only mist to avoid leaf wilt. Begin feeding 7 days after sticking with 75-100 ppm N.

PAGE	CROP	SERIES/VARIETY	MEDIA EC/PH	SOIL TEMPERATURE	ROOTING HORMONE	
*	SALVIA Salvia nemorosa	Rose Marvel	EC 0.8 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	1,000 ppm IBA basal dip	
94	Scabiosa columbaria	Flutter™ Series	EC 0.8 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	1,000 ppm IBA	
104	VERONICA Veronica austriaca	Venice Blue	EC 0.75-0.80 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	500 ppm IBA	
106	VERONICA Veronica hybrida	Moody Blues® Series	EC 0.75-0.80 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	500 ppm IBA	
108	VERONICA Veronica x hybrida	Purpleicious	EC 0.75-0.80 mmhos/pH 5.8-6.2	70-72°F (21-22°C)	500 ppm IBA	
111, 112	VIOLA Viola cornuta	Halo Series, Jumping Jack	EC 0.80-1.0 mmhos/pH 5.5-5.8	70-72°F (21-22°C)	500-750 ppm IBA	

\* See DarwinPerennials.com

MIST	FERTILIZATION	PINCHING	TRANSPLANTING	COMMENTS
	50-75 ppm starting at Day 7	A soft pinch will increase branching.	35-42 days after sticking	Over-misting and saturated propagation media will dramatically delay rooting and increase rooting losses. Discontinue mist as quickly as possible and only mist to avoid leaf wilt.
	75-100 ppm N starting at Day 10	Typically not necessary. Remove premature flower buds as they appear.	42-49 days after sticking	Scabiosa cuttings are sensitive to over-misting and over-watering in propagation.
Moderate	50-75 ppm N	Recommended after roots are established. Leave 4-5 active internodes.	35-42 days after sticking	Roots quickly. Plan to pinch in liner tray.
Moderate	50-75 ppm N	Recommended after roots are established. Leave 4-5 active internodes.	35-42 days after sticking	Roots quickly. Plan to pinch in liner tray.
Moderate	50-75 ppm N	Recommended after roots are established. Leave 4-5 active internodes.	35-42 days after sticking	Roots quickly. Plan to pinch in liner tray.
Moderate for first 24-48 hours, then reduce to low.	50-75 ppm N at Day 7	Soft pinch recommended 25-28 days after sticking.	35-42 days after sticking	Excessive media moisture will slow rooting. Begin fertilizing at Day 7 with 75 ppm N.

# Darwin Perennials Finishing Guide

PAGE		CROP	SERIES/ VARIETY	MEDIA PH	TEMPERATURE	DAYLENGTH	VERNALIZATION REQUIRED	LIGHT LEVELS IN FOOT CANDLES	WATERING	FERTILIZATION	
8		ACHILLEA Achillea hybrida	Moon Dust	5.8-6.2	Nights: 55 to 65°F (13 to 18°C) Days: 60 to 65°F (16 to 18°C)	Long day facultative	No	5,000 to 8,000	Allow media to dry regularly between watering.	Use a balanced fertilizer at a rate of 125 to 150 ppm.	
10		ACHILLEA Achillea millefolium	New Vintage™ Series	5.8-6.2	Nights: 55 to 65°F (13 to 18°C) Days: 60 to 65°F (16 to 18°C)	Long day facultative	No	5,000 to 8,000	Allow media to dry regularly between watering.	Use a balanced fertilizer at a rate of 125 to 150 ppm.	
12		ACHILLEA Achillea millefolium	Song Siren™ Series	5.8-6.2	Nights: 55 to 65°F (13 to 18°C) Days: 60 to 65°F (16 to 18°C)	Long day facultative	No	5,000 to 8,000	Allow media to dry regularly between watering.		
13		AGASTACHE Agastache rugosa	Little Adder	5.8-6.2		Long day facultative	No	3,000 to 5,000	Allow media to dry regularly between watering.	Use a balanced fertilizer at a rate of 125 to 150 ppm.	
16	Ċ	ALYSSUM Alyssum wulfenianum	Golden Spring	5.8-6.2	Nights: 55 to 65°F (13 to 18°C) Days: 60 to 65°F (16 to 18°C)	Day length neutral	Yes	5,000 to 8,000	Allow media to dry slightly between watering.	Use a balanced fertilizer at a rate of 125 to 150 ppm.	
17		ARMERIA Armeria pseudoarmeria	Dreameria™ Series	5.8-6.2	Nights: 55°F (13°C) Days: 68°F (20°C)	Day length neutral	No	3,000 to 5,000	Moderate	Use a balanced fertilizer at a rate of 150 to 175 ppm N.	
19		<b>BUDDLEIA</b> Buddleia davidii	Berry Fizz	5.5-6.2	Nights: 55 to 65°F (13 to 18°C) Days: 60 to 65°F (16 to 18°C)	Long day facultative	No	5,000 to 8,000	Allow media to dry slightly between watering.	Use a balanced fertilizer at a rate of 150 to 175 ppm N.	
21		<b>BUDDLEIA</b> Buddleia davidii	CranRazz	5.5-6.2	Nights: 55 to 65°F (13 to 18°C) Days: 60 to 65°F (16 to 18°C)	Long day facultative	No	5,000 to 8,000	Allow media to dry slightly between watering.	Use a balanced fertilizer at a rate of 150 to 175 ppm.	
20		BUDDLEIA Buddleia davidii	True Blue	5.5-6.2	Nights: 55 to 65°F (13 to 18°C) Days: 60 to 65°F (16 to 18°C)	Long day facultative	No	5,000 to 8,000	Allow media to dry slightly between watering.	Use a balanced fertilizer at a rate of 150 to 175 ppm.	
20	1	BUDDLEIA Buddleia hybrida	Blaze Pink	5.5-6.2	Nights: 55 to 65°F (13 to 18°C) Days: 60 to 65°F (16 to 18°C)	Long day facultative	No	5,000 to 8,000	Allow media to dry slightly between watering.	Use a balanced fertilizer at a rate of 150 to 175 ppm.	
24		CAMPANULA Campanula x hybrida	Iridescent Bells	5.8-6.2	Nights: 50 to 55°F (10 to 13°C) Days: 60 to 65°F (16 to 18°C)	Long day obligate	Beneficial for bulking.	3,500 to 4,000	Allow media to dry evenly between watering.	Use a balanced fertilizer at a rate of 150 to 175 ppm.	
24		CARYOPTERIS Caryopteris x clandonensis	Grand Bleu®	5.8-6.2	Nights: 55 to 65°F (13 to 18°C) Days: 65 to 75°F (18 to 24°C)	Long day obligate	No	5,000 to 8,000	Allow media to dry regularly between watering.	Use a balanced fertilizer at a rate of 125 to 150 ppm.	
25		CENTAUREA Centaurea montana	Lavender Mist	5.8-6.2	Nights: 45 to 50°F (7 to 10°C) Days: 55 to 60°F (13 to 16°C)	Day length neutral	Beneficial for heavier Spring flowering.	3,000 to 5,000	Allow media to dry regularly between watering.		
26	6	COREOPSIS Coreopsis grandiflora	Sunny Day	5.8-6.2	Nights: 55 to 60°F (13 to 16°C) Days: 60 to 65°F (16 to 18°C)	Long day obligate	No	5,000 to 8,000	Allow media to dry evenly between watering.	Maintain constant fertilization at 150 to 200 ppm N.	
27	*	COREOPSIS Coreopsis hybrida	Little Bird	5.8-6.2	Days: 55 to 80°F (13 to 27°C)	Long day obligate	No	5,000 to 8,000	Allow media to dry evenly between watering.	Maintain constant fertilization at 150 to 200 ppm N.	

PINCHING		PESTS AND	CROP SCHEDULE & US	ES				
AFTER TRANSPLANT	GROWTH REGULATORS	FUNGAL DISEASES	1-QT. (10-CM) POT, 1 PLANT PER POT	1-GAL. (15-CM) POT, 1 PLANT PER POT	2 TO 3-GAL. (25 TO 30-CM) POT, 3 PLANTS PER POT	HEIGHT	USDA HARDINESS ZONES	BLOOM MONTHS
Recommended	PGRs generally not needed	Pythium and Rhizoctonia can result from overwatering.	Unrooted: 13-15 wks Rooted: 8-10 wks	Unrooted: 15-17 wks Rooted: 10-12 wks	Unrooted: 19-22 wks Rooted: 12-14 wks	12-14 in. (30-36 cm)	5-8	June to July
Generally not required.	PGRs generally not needed	Pythium and Rhizoctonia can result from overwatering.	Unrooted: 13-15 wks Rooted: 8-10 wks	Unrooted: 15-17 wks Rooted: 10-12 wks	Unrooted: 19-22 wks Rooted: 12-14 wks	12-14 in. (30-36 cm)	4-9	June to July
Generally not required.	PGRs generally not needed	Pythium and Rhizoctonia can result from overwatering.	Unrooted: 13-15 wks Rooted: 8-10 wks	Unrooted: 15-17 wks Rooted: 10-12 wks	Unrooted: 19-22 wks Rooted: 12-14 wks	20-22 in. (51-56 cm)	4-9	June to July
Recommended	PGRs generally not needed	Thrips, white fly	Not recommended	Unrooted: 15-17 wks Rooted: 10-12 wks	Unrooted: 19-22 wks Rooted: 12-14 wks	15-18 in. (38-46 cm)	5-9	June to September
Recommended	PGRs generally not needed	None noted	Unrooted: stick week 30-35 Rooted: plant week 35-40	Unrooted: stick week 26-32 Rooted: plant week 31-36	Unrooted: stick week 22-26 Rooted: plant week 27-31	6-8 in. (15-20 cm)	4-9	April to May
None	PGRs generally not needed	Watch for crown rot if overwatered	10-12 wks	14-16 wks	16-18 wks	10-12 in. (25-30 cm)	6-9	March to October
Recommended	PGRs generally not needed	Aphids, thrips, spider mites	Not recommended	Unrooted: 20-22 wks Rooted: 14-16 wks	Unrooted 22-24 wks. Rooted: 16-18 wks	48-60 in. (122-152 cm)	5-10	May to September
Recommended	PGRs generally not needed	Aphids, thrips, spider mites	Not recommended	Unrooted: 20-22 wks Rooted: 14-16 wks	Unrooted: 22-24 wks Rooted: 16-18 wks	60-72 in. (152-183 cm)	5-10	May to September
Recommended	PGRs generally not needed	Aphids, thrips, spider mites	Not recommended	Unrooted: 20-22 wks Rooted: 14-16 wks	Unrooted 22-24 wks. Rooted: 16-18 wks	61-73 in. (155-185 cm)	5-10	May to September
Recommended	PGRs generally not needed	Aphids, thrips, spider mites	Not recommended	Unrooted: 20-22 wks Rooted: 14-16 wks	Unrooted 22-24 wks Rooted: 16-18 wks	62-74 in. (157-188 cm)	5-10	May to September
None	PGRs generally not needed	Aphid, spider mite, leaf spots, Rhizoctonia crown rot	Not recommended	Unrooted: 20-22 wks Rooted: 14-16 wks	Unrooted 22-24 wks Rooted: 16-18 wks	24-30 in. (61-76 cm)	5-8	April to September
None	PGRs generally not needed	Spider mite	Not recommended	Rooted: 12 to 14 wks	Rooted: 14 wks	48 in. (122 cm)	6-9	August to October
None	PGRs generally not needed	Thrips, white fly, spider mites. Can be sensitive to crown and root rot when overwatered.	Not recommended	Unrooted: Plant by week 35 (North), week 40 (South) Rooted: Stick by week 30 (North), week 35 (South)	Unrooted: Plant by week 32 (North), week 37 (South) Rooted: Stick by week 28 (North), week 32 (South)	16-18 in. (41-46 cm)	4-9	April to June
Recommended	B-Nine 1,500 ppm/Cycocel 800 ppm tank mix for height control	Keep good air movement to control powdery mildew.	Not recommended	Unrooted: 15-17 wks Rooted: 10-12 wks	Unrooted: 19-22 wks Rooted: 12-14 wks	18-24 in. (46-61 cm)	4-9	June to September
Recommended		Manage soil moisture to avoid root diseases. Keep good air movement to control powdery mildew. Aphids	Unrooted: 13-15 wks Rooted: 8-10 wks	Unrooted: 15-17 wks Rooted: 10-12 wks	Unrooted: 19-22 wks Rooted: 12-14 wks	12-14 in. (30-36 cm)	5-9	June to September

PERENNIALS WITH STAYING POWER™

# Darwin Perennials Finishing Guide

PAGE		CROP	SERIES/ VARIETY	MEDIA PH	TEMPERATURE	DAYLENGTH	VERNALIZATION REQUIRED	LIGHT LEVELS IN FOOT CANDLES	WATERING	FERTILIZATION	
*		COREOPSIS Coreopsis hybrida	UpTick™ Series	5.8-6.2	Nights: 55 to 70°F (13 to 21°C) Days: 60 to 80°F (15 to 27°C)	Day length neutral	No	3,000 to 5,000	Allow media to dry moderately between watering.	Use a balanced fertilizer at a rate of 125 to 150 ppm.	
26		COREOPSIS Coreopsis verticillata	Crème Caramel	5.8-6.2	Days: 55 to 80°F (13 to 27°C)	Long day obligate	Beneficial to enhance bulking and plant size.	5,000 to 8,000	Allow media to dry moderately between watering.		
27		COREOPSIS Coreopsis verticillata	Sylvester	5.8-6.2	Days: 55 to 80°F (13 to 27°C)	Long day obligate	No	5,000 to 8,000	Allow media to dry evenly between watering.	Maintain constant fertilization at 150 to 200 ppm N.	
**	Se	<b>DIANTHUS</b> Dianthus hybrida	Mountain Frost™ Pink Carpet, Pink PomPom, Pink Twinkle	5.8-6.2	45-60°F (7-16°C)	Day length neutral	Beneficial for an increased quantity of Spring blooms.	3,000 to 5,000	Low to moderate	Use a balanced fertilizer at a rate of 125 to 150 ppm N.	
**		DIANTHUS Dianthus hybrida	Mountain Frost™ Rose Bouquet	5.8-6.2	45-60°F (7-16°C)	Day length neutral	Beneficial for an increased quantity of Spring blooms.	3,000 to 5,000	Low to moderate	Use a balanced fertilizer at a rate of 125 to 150 ppm N.	
**		DIANTHUS Dianthus hybrida	Mountain Frost™ Silver Strike	5.8-6.2	45-60°F (7-16°C)	Day length neutral	Beneficial for an increased quantity of Spring blooms.	3,000 to 5,000	Low to moderate	Use a balanced fertilizer at a rate of 125 to 150 ppm N.	
**	100	DIANTHUS Dianthus hybrida	Mountain Frost™ White Twinkle	5.8-6.2	45-60°F (7-16°C)	Day length neutral	Beneficial for an increased quantity of Spring blooms.	3,000 to 5,000	Low to moderate	Use a balanced fertilizer at a rate of 125 to 150 ppm N.	
31		DIGITALIS Digitalis hybrida	Foxlight™ Series	5.8-6.2	Nights: 55 to 60°F (13 to 16°C) Days: 60 to 65°F (16 to 18°C)	Long day facultative	Beneficial; needed for early flowering. Not needed for Summer flowering.	3,000 to 5,000	Allow media to dry moderately between watering.	Use a balanced fertilizer at a rate of 125 to 150 ppm.	
**		ECHINACEA x hybrida	Double Scoop™ Series	5.8-6.2	Nights: 55 to 60°F (13 to 16°C) Days: 60 to 65°F (16 to 18°C)	Long day obligate	No	3,500 to 5,000	Allow media to dry moderately between watering.	Use a balanced fertilizer at a rate of 125 to 150 ppm.	
**		ECHINACEA x hybrida	Sombrero® Series	5.8-6.2	60 to 68°F (16 to 20°C)	Long day obligate	No	5,000 to 8,000	to dry	Use a balanced fertilizer at a rate of 150 to 175 ppm N.	
34	5	ERYSIMUM Erysimum linifolium	Bowles Me Away	5.8-6.2	50 to 60°F (10 to 16°C)	Day length neutral	No	3,000 to 5,000	Low to moderate	150-175 ppm N	
32		ERYSIMUM Erysimum linifolium	Cheers™ Series	5.8-6.2	50 to 60°F (10 to 16°C)	Day length neutral	No	3,000 to 5,000	Low to moderate	150 to 175 ppm N	
35	arwinPerennia	EUPATORIUM Eupatorium dubium	Little Joe	5.8-6.2	Nights: 55 to 65°F (13 to 18°C) Days: 65 to 75°F (18 to 24°C)	Long day obligate	No	5,000 to 8,000	Allow media to dry moderately between watering. Prefers moist soils.	Use a balanced fertilizer at a rate of 125 to 150 ppm.	

\* See DarwinPerennials.com \*\* See front section

PINCHING		PESTS AND FUNGAL	CROP SCHEDULE & USES						
AFTER TRANSPLANT	GROWTH REGULATORS	DISEASES	1-QT. (10-CM) POT, 1 PLANT PER POT	1-GAL. (15-CM) POT, 1 PLANT PER POT	2 TO 3-GAL. (25 TO 30-CM) POT, 3 PLANTS PER POT	HEIGHT	USDA HARDINESS ZONES	BLOOM MONTHS	
Yes	PGRs generally not needed	Spider mites	Not recommended	Rooted: 10-12 wks	Rooted: 12-14 wks	12-14 in. (30-36 cm)	5-9	March to November	
Recommended	PGRs generally not needed	Powdery mildew, aphids	Not recommended	Unrooted: 15-17 wks Rooted: 10-12 wks	Unrooted: 19-22 wks Rooted: 12-14 wks	18 in. (46 cm)	5-9	May to July	
Recommended	PGRs generally not needed	Manage soil moisture to avoid root diseases.	Unrooted: 13-15 wks Rooted: 8-10 wks	Unrooted: 15-17 wks Rooted: 10-12 wks	Unrooted: 19-22 wks Rooted: 12-14 wks	16-20 in. (41-51 cm)	4-9	June to Septembe	
None	Not necessary.	Not particularly sensitive	18-20 wks, including 6 wks below 50°F (10°C)	18-20 wks, including 6 wks below 50°F (10°C)	Not recommended	6-8 in. (15-20 cm)	5-9	March to October	
None	Not necessary.	Not particularly sensitive	18-20 wks, including 6 wks below 50°F (10°C)	20-22 wks, including 6 wks below 50°F (10°C)	Not recommended	10-12 in. (25-30 cm)	5-9	March to October	
None	Not necessary.	Not particularly sensitive	18-20 wks, including 6 wks below 50°F (10°C)	18-20 wks, including 6 wks below 50°F (10°C)	Not recommended	8-10 in. (20-25 cm)	5-9	March to October	
None	Not necessary.	Not particularly sensitive	18-20 wks, including 6 wks below 50°F (10°C)	18-20 wks, including 6 wks below 50°F (10°C)	Not recommended	5-6 in. (13-15 cm)	5-9	March to October	
Recommended	PGRs generally not needed	Aphids, white fly, spider mites	Not recommended	12-14 wks	12-14 wks	22-24 in. (56-61 cm)	7-10	April to September Natural season flowering	
None	None	None noted	14-16 wks Spring plant 11-13 wks Summer plant for Fall	14-16 wks Spring plant 11-13 wks Summer plant for Fall	14-16 wks Spring plant 11-13 wks Summer plant for Fall	22-24 in. (56-60 cm)	4-9	June to August	
Only to remove premature flower buds.	Not recommended. 300 ppm Configure 2 weeks after transplant when greenhouse grown will reduce overall plant height	Not particularly sensitive. Use well-drained media.	Not recommended	10-12 wks	12-14 wks	22-24 in. (56-60 cm)	4-9	June to August	
Yes, a second pinch is often beneficial.	Sumagic 5-10 ppm spray	Watch for bacterial infections	6-8 wks	10-12 wks	12-14 wks	12-16 in. (30-41 cm)	6-8	March to Septembe	
Yes, a second pinch is often beneficial	Sumagic 5-10 ppm spray	Watch for bacterial infections	6-8 wks	10-12 wks	12-14 wks	18-22 in. (46-56 cm)	7-10	March to September	
Recommended	Concise/ Sumagic 30- 60 ppm spray	None noted	Not recommended	Rooted: 20 wks	Rooted: 20 wks	36-48 in. (91-122 cm)	3-9	August to Septembe	

# Darwin Perennials Finishing Guide

PAGE		CROP	SERIES/ VARIETY	MEDIA PH	TEMPERATURE	DAYLENGTH	VERNALIZATION REQUIRED	LIGHT LEVELS IN FOOT CANDLES	WATERING	FERTILIZATION	
35		EUPHORBIA Euphorbia amygdaloides	Red Velvet	5.6-6.5	Nights: 50 to 55°F (10 to 13°C) Days: 55 to 60°F (13 to 16°C)	Short day obligate	Beneficial; aids bulking.	3,000 to 5,000	Allow media to dry regularly between watering.	Use a balanced fertilizer at a rate of 100 to 125 ppm.	
39		<b>GAURA</b> Gaura lindheimeri	Ballerina™ Series, Belleza™ Series	5.8-6.2	Nights: 56 to 61°F (13 to 16°C) Days: 71 to 76°F (21 to 24°C)	Day length neutral	No	5,000 to 9,000	Allow media to dry slightly between watering.	Maintain constant fertilization at 175 to 225 ppm N.	
40	×	GAURA Gaura lindheimeri	Little Janie, Whiskers Deep Rose	5.8-6.2	Nights: 50 to 55°F (10 to 13°C) Days: 55 to 60°F (13 to 16°C)	Day length neutral	No	3,000 to 5,000	Allow media to dry regularly between watering.	Use a balanced fertilizer at a rate of 125 to 150 ppm.	
42		HELIANTHUS Helianthus salicifolius	Autumn Gold	5.8-6.2	55 to 70°F (13 to 21°C)	Short day obligate	No	5,000 to 8,000	Low to moderate	Use a balanced fertilizer at a rate of 150 ppm N	
43, 46		HELIOPSIS Heliopsis helianthoides	Double Sunstruck, Sunstruck	5.8-6.2	Nights: 55 to 65°F (13 to 18°C) Days: 65 to 75°F (18 to 24°C)	Long day obligate	Beneficial; aids in bulking.	5,000 to 8,000	Allow media to dry slightly between watering.	Use a balanced fertilizer at a rate of 150 to 175 ppm.	
4		HEUCHERA Heuchera x hybrida	Carnival Series	5.8-6.2	Nights: 50 to 55°F (10 to 13°C) Days: 60 to 65°F (16 to 18°C)	Day length neutral	No	1,500 to 2,500	Allow media to dry slightly between watering.	Use a balanced fertilizer at a rate of 100 to 125 ppm.	
47		IBERIS Iberis amara	White Heat	5.8-6.2	Nights: 45 to 55°F (7 to 13°C) Days: 55 to 65°F (13 to 18°C)	Day length neutral	No	3,000 to 5,000	Allow media to dry regularly between watering.	Use a balanced fertilizer at a rate of 125 to 150 ppm.	
47		IBERIS Iberis gibraltarica	Lavish	5.8-6.2	Nights: 45 to 55°F (7 to 13°C) Days: 55 to 65°F (13 to 18°C)	Day length neutral	Yes	3,000 to 5,000	Allow media to dry regularly between watering.	Use a balanced fertilizer at a rate of 125 to 150 ppm.	
48	25	IBERIS Iberis sempervirens	Snowsation	5.8-6.2	45-60°F (7-16°C)	Day length neutral	Yes	3,000 to 5,000	Low to moderate	Use a balanced fertilizer at a rate of 150 to 175 ppm N.	
51		LAVANDULA Lavandula angustifolia	SuperBlue	5.9-6.2	Nights: 55 to 65°F (13 to 18°C) Days: 65 to 75°F (18 to 24°C)	Long day facultative	No	5,000 to 8,000	Allow media to dry slightly between watering.	Use a balanced fertilizer at a rate of 125 to 150 ppm.	
53, 54		LAVANDULA Lavandula stoechas	Anouk Series, Bright Luxurious, Luxurious	5.8-6.2	Nights: 56 to 64°F (13 to 18°C) Days: 65 to 76°F (18 to 24°C)	Day length neutral	Beneficial for earlier flowering and more blooms.	5,000 to 8,000	Allow media to dry slightly between watering.	Use a balanced fertilizer at a rate of 100 to 125 ppm.	
57	*	LEUCANTHEMUM Leucanthemum x superbum	Santé	5.8-6.2	Nights: 55 to 65°F (13 to 18°C) Days: 60 to 65°F (16 to 18°C)	Long day obligate	Beneficial for bulking and earlier flowering.	5,000 to 8,000	Allow media to dry slightly between watering.	Use a balanced fertilizer at a rate of 125 to 150 ppm.	
56		LEUCANTHEMUM Leucanthemum x superbum	White Magic	5.8-6.2	55 to 65°F (13 to 18°C)	Long day facultative	No	5,000 to 8,000	Moderate. More required when in flower.	Use a balanced fertilizer at a rate of 150 to 200 ppm N.	

PINCHING	PLANT	PESTS AND	CROP SCHEDULE & USES							
AFTER TRANSPLANT	GROWTH REGULATORS	FUNGAL DISEASES	1-QT. (10-CM) POT, 1 PLANT PER POT	1-GAL. (15-CM) POT, 1 PLANT PER POT	2 TO 3-GAL. (25 TO 30-CM) POT, 3 PLANTS PER POT	HEIGHT	USDA HARDINESS ZONES	BLOOM MONTHS		
Recommended	PGRs generally not needed	Watch for powdery mildew in Fall. White fly, spider mites	Unrooted: 14-16 wks Rooted: 8-10 wks	Unrooted: 16-19 wks Rooted: 10-12 wks	Unrooted: 19-22 wks Rooted: 12-14 wks	18-20 in. (46-51 cm)	6-10	March to May		
Recommended	PGRs generally not needed	Pythium, Rhizoctonia, Botrytis	Unrooted: 10-13 wks Rooted: 7-10 wks	Unrooted: 12-15 wks, 2-3 ppp Rooted: 9-12 wks, 2-3 ppp	Unrooted: 14-16 wks, 3-5 ppp Rooted: 11-13 wks, 3-5 ppp	12-18 in. (30-46 cm)	6-9	Ballerina: April to September, Belleza: May to September		
Recommended	PGRs generally not needed	Spider mites, aphids	Unrooted: 12-14 wks Rooted: 8-10 wks	Unrooted: 15-17 wks Rooted: 10-12 wks	Unrooted: 19-22 wks Rooted: 12-14 wks	Little Janie: 16-18 in. (41-46 cm) Whiskers Deep Rose: 14-16 in. (36-41cm)	6-9	April to September		
Typically not necessary if plants were pinched in the liner.	Typically not necessary	Very pest and disease resistant	Not recommended	12-14 wks. Plant week 22-26	12-14 wks. Plant week 22-26	24-26 in. (61-66 cm)	5-10	September to November		
Recommended	PGRs generally not needed	Pythium and Rhizoctonia can result from overwatering. Thrips, white fly, aphids	Unrooted: 14-16 wks Rooted: 8-10 wks	Unrooted: 16-19 wks Rooted: 10-12 wks	Unrooted: 19-22 wks Rooted: 12-14 wks	14-16 in. (36-41 cm)	4-9	Double Sunstruck: May to July Sunstruck: June to August		
None	PGRs generally not needed	Pythium and Rhizoctonia can result from overwatering.	Unrooted: 13-15 wks Rooted: 8-10 wks	Unrooted: 15-17 wks Rooted: 10-12 wks	Unrooted: 19-22 wks Rooted: 12-14 wks	10-12 in. (25-30 cm)	4-9	April to May		
Recommended	PGRs generally not needed	May experience root rot diseases under poor growing conditions. Aphids	Unrooted: 10-14 wks Rooted: 8-10 wks	Unrooted: 16-18 wks Rooted: 10-12 wks	Unrooted: 19-22 wks Rooted: 12-14 wks	8-10 in. (20-25 cm)	7-10	January to August		
Recommended	PGRs generally not needed	Aphids	Unrooted: 10-14 wks Rooted: 8-10 wks	Unrooted: 16-18 wks Rooted: 10-12 wks	Unrooted: 19-22 wks Rooted: 12-14 wks	10-12 in. (25-30 cm)	6-9	April to August		
	Not typically needed	Not particularly sensitive	24 wks; requires vernalization	24 wks; requires vernalization	Not recommended	6-8 in. (15-20 cm)	4-9	March to April		
Once for smaller pot sizes, twice for larger containers	PGRs generally not needed	Thielaviopsis, Pythium and Rhizoctonia can result from overwatering. Thrips, white fly, aphids, fungus gnats	Unrooted: 14-16 wks Rooted: 7-8 wks	Unrooted: 16-19 wks Rooted: 9-11 wks	Unrooted: 19-22 wks Rooted: 12-14 wks	10-12 in. (25-30 cm)	5-8	June to August		
Recommended	PGRs generally not needed	0	7-10 wks	9-11 wks, 1-3 ppp	10-12 wks, 3-5 ppp	14-18 in. (36-46 cm) Silver Anouk: 20-24 in. (51-61 cm)	6-9	Anouk: March to September Bright Luxurious, Luxurious: March to July		
Recommended	PGRs generally not needed	Watch for leaf spots when growing in wet conditions.	Not recommended	Unrooted: 15-17 wks Rooted: 10-12 wks	Unrooted: 19-22 wks Rooted: 12-14 wks	22-26 in. (56-66 cm)	4-9	June to August		
Generally not necessary.	B-Nine/ Cycocel at 1,800/800 will reduce plant height	Watch for Aphids when in bud	Not recommended	8-10 wks from rooted liner	10-12 wks from rooted liner	20-24 in. (51-61 cm)	5-9	May to August		

# Darwin Perennials Finishing Guide

PAGE		CROP	SERIES/ VARIETY	MEDIA PH	TEMPERATURE	DAYLENGTH	VERNALIZATION REQUIRED	LIGHT LEVELS IN FOOT CANDLES	WATERING	FERTILIZATION	
6		MISCANTHUS Miscanthus sinensis	Bandwidth	5.8-6.5	65 to 75°F (18 to 24°C)	Long day facultative	No	5,000 to 8,000	Low to moderate	Low	
6	The second	MISCANTHUS Miscanthus sinensis	My Fair Maiden	5.8-6.5	65 to 75°F (18 to 24°C)	Short day obligate	No	5,000 to 8,000	Low to moderate	Low	
60		MONARDA Monarda didyma	Balmy™ Series	5.8-6.2	Nights: 55 to 65°F (13 to 18°C) Days: 60 to 65°F (16 to 18°C)	Long day obligate	Beneficial; aids in bulking and early flowering.	5,000 to 8,000	Allow media to dry slightly between watering.	Use a balanced fertilizer at a rate of 125 to 150 ppm.	
63		NEPETA Nepeta x faassenii	Junior Walker	5.8-6.2	Nights: 55 to 70°F (13 to 21°C) Days: 60 to 80°F (15 to 27°C)	Long day facultative	No	5,000 to 8,000	Allow media to dry moderately between watering.	Use a balanced fertilizer at a rate of 125 to 150 ppm.	
66		PENSTEMON Penstemon barbatus	Rock Candy® Series	5.8-6.2	Nights: 55 to 70°F (13 to 21°C) Days: 60 to 80°F (15 to 27°C)	Long day facultative	No	3,000 to 5,000	Allow media to dry moderately between watering.	Use a balanced fertilizer at a rate of 125 to 150 ppm.	
70	AF	PENSTEMON Penstemon hybrida	Little Bells	5.8-6.2	Nights: 55 to 70°F (13 to 21°C) Days: 60 to 80°F (15 to 27°C)	Long day facultative	No	3,000 to 5,000	Allow media to dry moderately between watering.	Use a balanced fertilizer at a rate of 125 to 150 ppm.	
69		PENSTEMON Penstemon hybrida	Quartz® Amethyst, Quartz® Rose	5.8-6.2	Nights: 55 to 70°F (13 to 21°C) Days: 60 to 80°F (15 to 27°C)	Long day obligate	No	3,000 to 5,000	Allow media to dry moderately between watering.	Use a balanced fertilizer at a rate of 125 to 150 ppm.	
68	\$	PENSTEMON Penstemon hybrida	Cherry Sparks	5.8-6.2	Nights: 55 to 70°F (13 to 21°C) Days: 60 to 80°F (15 to 27°C)	Long day facultative	No	3,000 to 5,000	Allow media to dry moderately between watering.	Use a balanced fertilizer at a rate of 125 to 150 ppm.	
68		PENSTEMON Penstemon hybrida	MissionBells™ Deep Rose	5.8-6.2	Nights: 45 to 70°F (7 to 21°C) Days: 55 to 80°F (13 to 27°C)	Long day obligate	No	3,000 to 5,000	Allow media to dry moderately between watering.	Use a balanced fertilizer at a rate of 125 to 150 ppm.	
72, 73		PEROVSKIA Perovskia atriplicifolia	CrazyBlue, Little Lace	5.8-6.2	Nights: 55 to 65°F (13 to 18°C) Days: 60 to 65°F (16 to 18°C)		No	5,000 to 8,000	Allow media to dry slightly between watering.	Use a balanced fertilizer at a rate of 125 to 150 ppm.	
76		PHLOX Phlox paniculata	Cherry Cream	5.8-6.2	60 to 75°F (16 to 24°C)	Long day obligate	No	5,000 to 8,000	Moderate	Use a balanced fertilizer at a rate of 150 to 200 ppm N.	
81	۲	RHODANTHEMUM Rhodanthemum hosmariense	Casablanca, Marrakech	5.8-6.2	Nights: 45 to 50°F (7 to 10°C) Days: 55 to 60°F (13 to 16°C)	Day length neutral	Beneficial; increases Spring flowering.	3,500 to 5,000	Allow media to dry regularly between watering.	Use a balanced fertilizer at a rate of 125 to 150 ppm.	
84		<b>SALVIA</b> Salvia greggii	Mirage™ Series	5.8-6.2	Nights: 55 to 70°F (13 to 21°C) Days: 60 to 80°F (15 to 27°C)		No	3,000 to 5,000	Allow media to dry moderately between watering.	Use a balanced fertilizer at a rate of 150 to 175 ppm N.	
87		SALVIA Salvia greggii	Radio Red	5.8-6.2	Nights: 45 to 70°F (7 to 21°C) Days: 55 to 80°F (13 to 27°C)	Day length neutral	No	5,000 to 8,000	Allow media to dry moderately between watering.	Use a balanced fertilizer at a rate of 125 to 150 ppm.	

PINCHING	PLANT	PESTS AND	CROP SCHEDULE & USES						
AFTER TRANSPLANT	GROWTH REGULATORS	FUNGAL DISEASES	1-QT. (10-CM) POT, 1 PLANT PER POT	1-GAL. (15-CM) POT, 1 PLANT PER POT	2 TO 3-GAL. (25 TO 30-CM) POT, 3 PLANTS PER POT	HEIGHT	USDA HARDINESS ZONES	BLOOM MONTHS	
No	None	Rust resistant	8-10 wks	14-16 wks	20-24 wks, 1 plant per pot	30 to 36 in. (76 to 91 cm)	5-9	October to November	
No	None required	Rust resistant	8-10 wks	14-16 wks	20-24 wks, 1 plant per pot	72 to 102 in. (183 to 259 cm)	5-9	October to November	
Recommended	PGRs generally not needed	Powdery mildew may be present if grown under poor air circulation and high humidity. White fly, spider mites	Unrooted: 12-14 wks Rooted: 8-10 wks	Unrooted: 14-16 wks Rooted: 10-12 wks	Unrooted: 14-16 wks Rooted: 12-14 wks	10-12 in. (25-30 cm)	4-9	June to July	
Recommended	PGRs generally not needed	White fly	Unrooted: 10-14 wks Rooted: 8-10 wks	Unrooted: 15-17 wks Rooted: 10-12 wks	Unrooted: 19-22 wks Rooted: 12-14 wks	18 in. (46 cm)	5-8	May to September	
Yes	PGRs generally not needed	Spider mites	Unrooted: 10-14 wks Rooted: 8-10 wks	Unrooted: 15-17 wks Rooted: 10-12 wks	Unrooted: 19-22 wks Rooted: 12-14 wks	12 in. (30 cm)	6-8	June to September	
Yes	PGRs generally not needed	Spider mites	Unrooted: 10-14 wks Rooted: 8-10 wks	Unrooted: 15-17 wks Rooted: 10-12 wks	Unrooted: 19-22 wks Rooted: 12-14 wks	16 in. (41 cm)	6-9	June to July	
Yes	PGRs generally not needed	Spider mites	Not recommended	Unrooted: 19-22 wks Rooted: 12-14 wks	Unrooted: 21-23 wks Rooted: 14-16 wks	20-24 in. (51-61 cm)	6-9	July to August	
Yes	PGRs generally not needed	White fly, spider mites	Not recommended	Rooted: 10-12 wks	Rooted: 12-14 wks	18-20 in. (46-51 cm)	5-9	May to August	
Yes	PGRs generally not needed	White fly, spider mites	Not recommended	Rooted: 10-12 wks	Rooted: 12-14 wks	20-24 in. (51-61 cm)	5-9	June to August	
Recommended	PGRs generally not needed	Pythium can be a problem if overwatered. White fly, spider mites	Not recommended	Unrooted: 14-16 wks Rooted: 10-12 wks	Unrooted: 14-16 wks Rooted: 10-12 wks	Crazy Blue: 16-18 in. (41-46 cm) Little Lace: 18-24 in. (41-61 cm)	4-9	Crazy Blue: July to August Little Lace: July to September	
Yes, in cases where there are two or less shoots.	Configure at 600 ppm to increase branching.	Powdery Mildew when pressure is high	Not recommended	10-12 wks from rooted liner	12-14 wks from rooted liner. Plant 3 ppp.	22-26 in. (56-66 cm)	4-9	June to August	
Recommended	B-Nine 1,500 ppm/Cycocel 800 ppm tank mix will reduce petiole stretch.	White fly, spider mites, Botrytis	Unrooted: 15-17 wks Rooted: 10-12 wks	Unrooted: 16-18 wks, 1 ppp Rooted: 12-14 wks	Unrooted: 16-18 wks, 3 ppp Rooted: 12-14 wks	Casablanca: 10-12 in. (25-30 cm) Marrakech: 12-14 in. (30-36 cm)	8-10	March to May and September to October	
Yes	Generally not needed.	Whitefly, thrips	Rooted: 6-8 wks	Rooted: 8-10 wks	Rooted: 12-14 wks	12-14 in. (30-36 cm)	7-9	March to September	
Once for smaller pot sizes, twice for larger containers	PGRs generally not needed	White fly, spider mites	Unrooted: 12-14 wks Rooted: 8-10 wks	Unrooted: 14-16 wks Rooted: 10-12 wks	Unrooted: 16-18 wks Rooted: 12-14 wks	16-18 in. (41-46 cm)	7-10	March to September	

# Darwin Perennials Finishing Guide

	CROP	SERIES/ VARIETY	MEDIA PH	TEMPERATURE	DAYLENGTH	VERNALIZATION REQUIRED	LIGHT LEVELS IN FOOT CANDLES	WATERING	FERTILIZATION	
	<b>SALVIA</b> Salvia greggii	Suncrest Landscape Series, Suncrest Series	5.8-6.2	Nights: 45 to 70°F (7 to 21°C) Days: 55 to 80°F (13 to 27°C)	Day length neutral	No	5,000 to 8,000	Allow media to dry moderately between watering.	Use a balanced fertilizer at a rate of 125 to 150 ppm.	
	SALVIA Salvia hybrida	Arctic Blaze® Series	5.8-6.2	Nights: 55 to 70°F (13 to 21°C) Days: 60 to 80°F (15 to 27°C)	Day length neutral	No	5,000 to 8,000	Allow media to dry moderately between watering.	Use a balanced fertilizer at a rate of 150 to 175 ppm.	
	<b>SALVIA</b> Salvia nemorosa	Blue Marvel	5.8-6.2	Nights: 45 to 55°F (7 to 13°C) Days: 55 to 65°F (13 to 18°C)	Day length neutral	Beneficial; aids in bulking. Not required for flowering.	5,000 to 8,000	Allow media to dry moderately between watering.	Use a balanced fertilizer at a rate of 125 to 150 ppm.	
	<b>SALVIA</b> Salvia nemorosa	Burgundy Candles	5.8-6.2	Nights: 45 to 55°F (7 to 13°C) Days: 55 to 65°F (13 to 18°C)	Day length neutral	Beneficial; aids in bulking. Not required for flowering.	5,000 to 8,000	Allow media to dry moderately between watering.	Use a balanced fertilizer at a rate of 125 to 150 ppm.	
	<b>SALVIA</b> Salvia nemorosa	Lyrical™ Series	5.8-6.2	Nights: 45 to 55°F (7 to 13°C) Days: 55 to 65°F (13 to 18°C)	Day length neutral	Beneficial; aids in bulking. Not required for flowering.	5,000 to 8,000	Allow media to dry moderately between watering.	Use a balanced fertilizer at a rate of 125 to 150 ppm.	
	SALVIA Salvia nemorosa	Rose Marvel	5.8-6.2	55 to 65°F (13 to 18°C)	Day length neutral	Beneficial for bulking but not required for flowering.	5,000 to 8,000	Moderate	Use a balanced fertilizer at a rate of 175 to 200 ppm N.	
	SCABIOSA Scabiosa columbaria	Flutter™ Series	5.5-6.2	55 to 65°F (13 to 18°C)	Day length neutral	No	5,000 to 8,000	Moderate	Use a balanced fertilizer at a rate of 150 to 175 ppm N.	
L.	VERONICA Veronica austriaca	Venice Blue	5.8-6.2		Day length neutral	Yes	5,000 to 8,000	Allow media to dry slightly between watering.	Use a balanced fertilizer at a rate of 125 to 150 ppm.	
	VERONICA Veronica hybrida	Moody Blues® Series	5.8-6.2		Long day facultative	No	5,000 to 8,000	Allow media to dry slightly between watering.	Use a balanced fertilizer at a rate of 125 to 150 ppm.	
	<b>VERONICA</b> Veronica x hybrida	Purpleicious	5.8-6.2	55°F (10 to 13°C)	Long day obligate	Beneficial for bulking and earlier flowering.	5,000 to 8,000	Allow media to dry slightly between watering.	Use a balanced fertilizer at a rate of 125 to 150 ppm.	
	VIOLA Viola cornuta	Halo Series, Jumping Jack	5.5-5.8	Nights: 50 to 55°F (10 to 13°C) Days: 60 to 65°F (16 to 18°C)	Day length neutral	No	5,000 to 8,000	Allow media to dry slightly between watering.	Use a balanced Pansy/Viola fertilizer at a rate of 125 to 150 ppm.	
	2           2           2           2           2           2           2           2           2           2           2	Image: Properties of the series of the se	VARIETYImage: Series and scape series and seriesImage: Series and scape and sc	VARIETYPHSalvia greggiiSuncrest Landscape SeriesS.8-6.2Salvia greggiiSuncrest SeriesS.8-6.2Salvia pybridaArctic Blaze*S.8-6.2Salvia pybridaBlue MarvelS.8-6.2Salvia nemorosaBlue MarvelS.8-6.2Salvia nemorosaBurgundyS.8-6.2Salvia nemorosaBurgundyS.8-6.2Salvia nemorosaBurgundyS.8-6.2Salvia nemorosaBurgundyS.8-6.2Salvia nemorosaSalvia nemorosaS.8-6.2Salvia nemorosaSalvia femorosaS.8-6.2Salvia nemorosaS.3S.8-6.2Salvia nemorosaS.8S.8-6.2Salvia nemorosaS.8S.8-6.2Salvia nemorosaS.8S.8-6.2Salvia nemorosaS.8S.8-6.2Salvia nemorosaS.8S.8-6.2Suncrest seriesS.2S.8-6.2Salvia nemorosaFutter**S.8-6.2Salvia nemorosaS.2S.3-6.2Salvia nemorosaS.3S.3-6.2Salvia nemorosaS.3S.3-6.2Salvia nemorosaS.3S.3-6.2Salvia nemorosaS.3S.3-6.2Salvia nemorosaS.3S.3-6.2Salvia nemorosaS.3S.3-6.2Salvia nemorosaS.3S.3Salvia nemorosaS.3S.3Salvia nemorosaS.3S.3Salvia nemorosaS.3S.3Salvia nemorosaS.3S.3Salvia	VARIETYPHSalvia greggiiSuncrest Series, Suncrest Series, SuncrestSal-C.2 Paris, SuncrestNights: 45 to TOF 7 to 21C) Days: 55 to 807 (13 to 27C)Salvia hybridaArctic Blaze** SeriesSal-C.2 Paris, 60 to 807Nights: 55 to TOF 13 to 21C) Days: 60 to 807 (13 to 27C)Salvia hybridaArctic Blaze** SeriesSal-C.2 Paris, 60 to 807Nights: 45 to SeriesSalvia nemorosaBlue Marvel Salvia nemorosaSal-C.2 Paris, 55 to 657 Paris, 55 to 657 Paris, 55 to 657Salvia nemorosaBurgundy Salvia nemorosaSal-C.2 Paris, 55 to 657 Paris, 50 to 557 Paris, 50 to 557 Paris, 60 to 657 Paris, 60 to 657 Paris, 60 to 657 Paris, 60 to 657 Paris, 60 to 132C) Paris, 60 to 132C) Paris, 60 to 657 Paris, 60 to 132C) Paris, 60 to 657 Paris, 60 to 657 Paris, 60 to 657 Paris, 60 to 657 Paris, 60 to 657 Pa	VARIETYPHVARIETYPHSoluia greggiiSuncrest Saluia greggiiSuncrest Series58-6.2 SeriesNights 45 to DOF fo 21C) Days 55 to 80°F (13 to 27°C)Day length neutralSoluia functionSaluia hybridaArctic Blaze* Series5.8-6.2 SeriesNights 45 to DOF fu 3 to 27°C)Day length neutralSoluia hybridaSaluia hybridaArctic Blaze* Series5.8-6.2 SeriesNights 45 to Days 50 to 80°F (13 to 18°C)Day length neutralSoluia nemorosaBlue Marvel Saluia nemorosa5.8-6.2 CantlesNights 45 to Days 50 to 65°F (13 to 18°C)Day length neutralSoluia nemorosaBurgundy Saluia nemorosa5.8-6.2 SeriesNights 45 to Days 50 to 65°F (13 to 18°C)Day length neutralSoluia nemorosaSaluia nemorosaSeries5.8-6.2 SeriesSights 45 to Days 55 to 65°F (13 to 18°C)Day length neutralSoluia nemorosaSaluia nemorosaSeries5.8-6.2 SeriesSights 45 to Days 55 to 65°F (13 to 18°C)Day length neutralSoluia nemorosaSuluter** Series5.8-6.2 SeriesSights 50 to 55°F (13 to 13°C)Day length neutralSoluia nemorosaFutter** Series5.8-6.2 SeriesSight 60°F SeriesDay length neutralSoluia nemorosaFutter** Series5.8-6.2 SeriesSight 60°F SeriesDay length neutralSoluia nemorosaFutter** Series5.8-6.2 SeriesSight 60°F SeriesDay length 	VARETYPHPHREOUIREDSALVIA Solvia greggilSurcrest Landszer Series58-62 SeriesNights 45 to 70 F (7 to 21'C) Day, 55 to 80 F Day Lib 2 21'C) Day Solvia Day Length Solvia hybridaNoSALVIA Solvia hybridaArctic Blaze® Series58-62 SeriesNights 55 to Dog, 50 to 65F Day, 50 to 65FDay Length neutralNoSALVIA Solvia hybridaArctic Blaze® Series58-62 SeriesNights 55 to Day, 60 to 60FDay Length neutralBeneficial aids in bulking Not required for flowering.SALVIA Solvia nemorosaBue Marvel Candies58-62 SeriesNights 45 to SoF (7 to 13C) Day Se 10 65FDay Length neutralBeneficial aids in bulking Not required for flowering.SALVIA Solvia nemorosaBurgundy Candies58-62 SeriesNights 45 to SoF (7 to 13C) Day Se 10 65FDay Length neutralBeneficial: aids in bulking Not required for flowering.SALVIA Solvia nemorosaLyrical**58-62 SeriesNights 45 to SoF (7 to 13C) Day Sof 10 65FDay Length neutralBeneficial: aids in bulking Not required for flowering.SALVIA Solvia nemorosaRose Marvel58-62 SeriesSof 67 to 13C) Day Sof 10 60FDay Length neutralBeneficial: aids in bulking Not required for flowering.SALVIA Solvia nemorosaRose Marvel58-62 SeriesSof 67 to 13C) Day Sof 10 60FDay Length neutralBeneficial: aids in bulking Not required for flowering.SALVIA Solv	VARIETYPHREQUIREDREQUIREDLEVES COUNTERSSALVIA Schwie greggilSuncreat SeriesSeriesSeriesDay length DivertantNo5.000 to 5.000 to 3.000SALVIA Schwie greggilSaturic greggilSuncreat SeriesSeriesSeriesDay length DivertantNo5.000 to 8.000SALVIA Schwie hybrididArctic Blaze* SeriesSeriesSeriesDay length DivertantNo5.000 to 8.000SALVIA Schwie nemorosoBlue Marvet Schwie nemorosoSeriesSeriesNights: 55 to DivertantDay length neutrantBeneficial: aids 10.000 tr 10.000 tr 0.000 to 8.000 to 8.000 to 8.000 to 5.000 to DivertantDay length neutrantBeneficial: aids 10.000 tr 10.000 tr 10.000 tr 0.000 to 8.000 to 8.000 to 8.000 to 8.000 to 8.000 to 10.000 tr 10.000 tr 	VAILETY         PH         REQUIRED         LFVELS Vertices           SALVIA Sativa greggii         Suncreat Series         58-62. Series         Nights 45 to Days 50 to 307 (3 to 27C)         Day length neutral         No         5.000 b 8.000 b         Allow media bodgettely between sourcest           SALVIA Sativa preggii         Arctic Blaze*         58-62. Series         Nights 55 to 270° (7 to 21C) Days 55 to 307 (15 to 27C)         Day length neutral         No         5.000 b 8.000 b         Allow media bodgettely between sourcest           SALVIA Sativa nemarosa         Arctic Blaze*         58-62. Sativa nemarosa         Nights 45 to 250° (15 to 27C)         Day length neutral         Day length neutral         Day length neutral         Day length neutral         Source 14 neutral         Source 14 neutral	VABIETY         PH         REGULEED         REGULEED         REGULEED         REGULEED         REGULEED           Salvia greggeit         Salvia greggei

\* See DarwinPerennials.com

PINCHING	PLANT GROWTH REGULATORS	PESTS AND FUNGAL DISEASES	CROP SCHEDULE & USES						
AFTER TRANSPLANT			1-QT. (10-CM) POT, 1 PLANT PER POT	1-GAL. (15-CM) POT, 1 PLANT PER POT	2 TO 3-GAL. (25 TO 30-CM) POT, 3 PLANTS PER POT	HEIGHT	USDA HARDINESS ZONES	BLOOM MONTHS	
Once for smaller pot sizes, twice for larger containers	PGRs generally not needed	White fly, spider mites	Unrooted: 12-14 wks Rooted: 8-10 wks	Unrooted: 14-16 wks Rooted: 10-12 wks	Unrooted: 16-18 wks Rooted: 12-14 wks	Suncrest Landscape: 24-36 in. (61-91 cm) Suncrest: 16-24 in. (41-61 cm)	7-11	March to October	
Yes	PGRs generally not needed	Thrips	Not recommended	Unrooted: 14-16 wks Rooted: 10-12 wks	Unrooted: 16-18 wks Rooted: 12-14 wks	24 in. (61 cm)	6-11	March to September	
None	PGRs generally not needed	White fly, spider mites, Botrytis	Unrooted: 13-15 wks Rooted: 8-10 wks	Unrooted: 15-17 wks Rooted: 10-12 wks	Unrooted: 17-19 wks Rooted: 12-14 wks	10-12 in. (25-30 cm)	4-9	March to September	
Yes	PGRs generally not needed	White fly, spider mites, Botrytis	Unrooted: 13-15 wks Rooted: 8-10 wks	Unrooted: 15-17 wks Rooted: 10-12 wks	Unrooted: 17-19 wks Rooted: 12-14 wks	26-28 in. (66-71 cm)	4-9	March to September	
Yes	PGRs generally not needed	White fly, spider mites, Botrytis	Unrooted: 13-15 wks Rooted: 8-10 wks	Unrooted: 15-17 wks Rooted: 10-12 wks	Unrooted: 17-19 wks Rooted: 12-14 wks	22-24 in. (56-61 cm)	4-9	March to Septembe	
Generally not required	Will respond to 300 ppm Configure spray at young plant level.	Spider mites	Not recommended	10-12 wks	12-14 wks	10-12 in. (25-30 cm)	4-9	March to September	
Typically not necessary	Typically not necessary	Very disease resistant. Watch for root and crown rot under poor growing conditions.	Not recommended	10-12 wks from rooted liner	10-12 wks from rooted liner	12-14 in. (30-36 cm)	5-9	March to September	
Yes	PGRs generally not needed	Aphids	Unrooted: Plant by week 40 (North), week 45 (South) Rooted: Stick by week 35 (North), week 40 (South)	Unrooted: Plant by week 35 (North), week 40 (South) Rooted: Stick by week 30 (North), week 35 (South)	Unrooted: Plant by week 32 (North), week 37 (South) Rooted: Stick by week 28 (North), week 32 (South)	10-12 in. (25-30 cm)	4-9	March to April	
Yes	PGRs generally not needed	Aphids, white fly	Unrooted: 10-14 wks Rooted: 8-10 wks	Unrooted: 14-16 wks Rooted: 10-12 wks	Unrooted: 16-18 wks Rooted: 12-14 wks	12-14 in. (30-36 cm)	4-9	June to October	
Yes	PGRs generally not needed	Aphids, white fly	Not recommended	Unrooted: Plant by week 35 (North), week 40 (South) Rooted: Stick by week 30 (North), week 35 (South)	Unrooted: Plant by week 32 (North), week 37 (South) Rooted: Stick by week 28 (North), week 32 (South)	16-20 in. (41-51 cm)	5-8	June to August	
Recommended	PGRs generally not needed	Watch for Thielaviopsis and Pythium. White fly, spider mites	Unrooted: 11-13 wks Rooted: 6-8 wks	Unrooted: 13-15 wks Rooted: 8-10 wks	Unrooted: 13-15 wks Rooted: 8-10 wks	Halo Series: 8-10 in. (20-25 cm) Jumping Jack: 6-8 in. (15-20 cm)	5-9	February to April, Septembe to October	

## DARWIN PERENNIALS ESSENTIAL CULTURE GUIDE

#### UPON RECEIPT

Unrooted perennials should be stuck as quickly as possible. Tender cuttings such as Artemisia, Agastache, Lavandula, Perovskia and Salvia should be immediate priority. Cuttings that cannot be stuck immediately should be maintained in a cooler at 40 to 45°F (4 to 7°C). Refer to the Propagation Guide for crop-specific suggestions. Generally speaking, herbaceous perennials benefit from a basal stem dip of IBA rooting hormone to speed up the rooting process. Be careful with misting levels. Perennials suffer from receiving too much mist more often than from too little mist.

Rooted perennials should be unpacked and inspected for active root growth. It is often preferable to place recently received perennial liners on a bench or the ground for a few days to help them overcome transport stress. This is particularly important for liners that have been shipped in boxes. Water on arrival and look for new root activity prior to transplant, if possible.

#### AT TRANSPLANT

Well-rooted and toned perennial liners are able to withstand transplant stress very well. Critical to success, provide newly transplanted perennials with immediate irrigation. Watering at the end of the transplant line rather than after you've filled a bed greatly improves uniformity of new root establishment. In any case, do not allow media surface to dry after transplant for the first several days until new roots are extending into the media. Perennials do not like to be planted too deep. Generally speaking, perennial liners should be planted level with the soil surface.

Use a well-drained media containing properly composted bark. These types of perennial soil media are readily available. It is important that the media incorporates a surfactant to help ensure proper wetting and re-wetting of the media. The media should be stabilized to a pH of 5.8 to 6.2 and an EC of 1 to 1.2 using the Saturated Media Extract (SME) method.

#### FERTILIZATION

Perennials can be fed using liquid fertilizers on a periodic or constant feed basis. Liquid fertilizer rates can be found in the Perennial Finishing Guide. Use a balanced formula that complements the pH and alkalinity of your irrigation water. Liquid fertilizing offers advantages of greater flexibility and control over fertility levels, but can be difficult to administer economically when overhead irrigation is used. In the case of overhead irrigation, controlled release fertilizers (CRF) are preferable. Incorporate CRF into the media prior to planting based on manufacturer's recommendations or top-dress after planting.

#### SPACING

Spring-planted perennials should be spaced to finished spacing after transplant. This allows better growing conditions and helps to avoid overcrowding and stretch. The added airflow will help reduce foliar diseases and allow for better insect control.

Fall-planted perennials can be spaced at transplant in temperate climates or placed pot-tight in climates where temperatures cause containers to freeze. In either case, proper spacing for the anticipated finished size of the plant will dramatically improve plant quality and reduce labor.

#### INSECTS AND DISEASES

Incoming perennial liners or cuttings should be inspected for pests and diseases. Apply appropriate treatments as needed.

After transplant, regular scouting and careful observation is critical to maintaining a healthy crop. The practice of integrated pest management (IPM) will reduce losses and pesticide costs by identifying and correcting problems before they escalate. If a pesticide treatment is necessary, please refer to the manufacturer's label regarding proper usage. It is always a good practice to test new varieties for phytotoxicity when making pesticide applications.

#### VERNALIZATION AND BULKING

A number of perennial species require a period of cold temperature exposure to flower. The length of time varies from just a few weeks below 50°F (10°C) to as much as 10 weeks below 40°F (4°C). Generally speaking, early Spring-flowering perennials like *Phlox subulata*, Iberis and Alyssum require a cold period to flower. Many perennials such as *Salvia nemorosa*, Monarda and *Phlox paniculata* do not require vernalization to flower, but do benefit from a cold, short day bulking period. In these cases, Summer or Fall planting increases root and crown mass and the corresponding flowering shoots on the plants. It has also been shown to hasten flowering in many species by up to four weeks.

#### OVERWINTERING

The keys to success when overwintering perennials are:

Avoid standing water

- Provide adequate air circulation
- Preventative disease treatments
- Dead leaf/tissue removal
- Rodent control
- Low media EC when entering dormancy
- Avoid freeze and thaw cycles

The overwintering area, whether in a field or hoop-house, should be sloped so that rain or other water sources cannot accumulate. In climates where Winter conditions freeze and thaw, cover prior to freeze and uncover as soon as possible. Where temperatures remain below freezing, cover after first freeze and maintain the cover until late Winter or early Spring when weather moderates. Remove dead and abscising leaves from herbaceous perennials like Hosta, Monarda, Heliopsis and dormant Hemerocallis. Apply a broad spectrum fungicide prior to covering or closing hoop houses to reduce disease pressure.

Once weather conditions moderate, be sure to scout for insect and disease problems and respond accordingly. Also, check pH and EC levels in the media. Perennials that emerge from dormancy will begin to grow rapidly, and the lack of adequate nutrition will lead to reduced branching, lower leaf loss and smaller flowers.

## TERMS & CONDITIONS OF SALE

NOTE: DARWIN PERENNIALS IS A DIVISION OF BALL HORTICULTURAL COMPANY (BALL). DARWIN PERENNIALS **TERMS & CONDITIONS** OF SALE ARE COUNTRY/ **REGION SPECIFIC. VISIT** DARWINPERENNIALS.COM FOR CURRENT TERMS & CONDITIONS. THE FOLLOWING TERMS & CONDITIONS OF SALE APPLY TO UNROOTED CUTTINGS OR ROOTED LINERS SOLD BY BALL WITHIN THE UNITED STATES AND CANADA.

#### ACCEPTANCE OF TERMS

These terms and conditions shall govern orders for plants, supplies and other materials (merchandise) placed with Seller. All negotiations with sales representatives or other agents of Seller are merged herein. No modification of these terms and conditions shall be effective unless in writing signed by Seller. Placement of the order shall constitute Purchaser's acceptance of these terms and conditions. All orders are subject to acceptance by Seller at our offices in West Chicago, Illinois.

#### LIMITATION OF WARRANTY

Seller warrants, to the extent required by law that merchandise conforms to the description appearing in Seller's catalog and on container labels, within recognized tolerances. SELLER MAKES NO OTHER OR FURTHER WARRANTY, EXPRESS OR IMPLIED. ALL OTHER OR FURTHER WARRANTIES INCLUDING ANY WARRANTIES OF MERCHANTABILITY, TITLE, NON-INFRINGEMENT, AND FITNESS FOR A PARTICULAR PURPOSE, ARE EXCLUDED. Certain merchandise may be separately warranted by the manufacturer. Seller does not adopt or ratify any manufacturer warranties, express or implied, and Seller shall have no liability thereunder. Seller does not adopt or ratify any manufacturer warranties, express or implied made by Purchaser upon resale of the merchandise, and Seller shall have no liability thereunder.

#### LIMITATION OF REMEDY

PURCHASER'S SOLE AND EXCLUSIVE REMEDY SHALL BE REFUND OF THE PURCHASE PRICE. SELLER'S LIABILITY, WHETHER FOR BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, PRODUCTS LIABILITY OR ANY OTHER THEORY OF LIABILITY, IS LIMITED TO THE AMOUNT OF THE PURCHASE PRICE, UNDER NO CIRCUMSTANCES SHALL SELLER BE LIABLE FOR DAMAGES IN EXCESS OF THE PURCHASE PRICE, OR FOR ANY SPECIAL, INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES.

#### MANDATORY ARBITRATION

ANY CLAIM WHICH PURCHASER MAY HAVE AGAINST SELLER ARISING OUT OF OR RELATING TO THE SALE OF THE MERCHANDISE SHALL BE SETTLED BY BINDING ARBITRATION IN ACCORDANCE WITH THE COMMERCIAL ARBITRATION RULES OF THE AMERICAN ARBITRATION ASSOCIATION, SAID ARBITRATION TO BE VENUED IN COOK OR DUPAGE COUNTIES, ILLINOIS.

## GOVERNING LAW, JURISDICTION & VENUE

The laws of the State of Illinois, including but not limited to the Uniform Commercial Code as adopted therein, shall govern all matters arising out of or relating to Seller's sale of merchandise. ANY DISPUTE NOT SUBJECT TO ARBITRATION AND ANY ACTION TO ENFORCE AN ARBITRATION AWARD ARISING OUT OF OR RELATING TO THE SALE OF MERCHANDISE HEREUNDER SHALL BE MAINTAINED IN THE STATE OR FEDERAL COURTS LOCATED IN DUPAGE OR COOK COUNTIES, ILLINOIS, AND PURCHASER SUBMITS TO THE JURISDICTION OF AND VENUE IN SAID COURTS.

#### INDEMNITY

By accepting merchandise, Purchaser agrees to defend Seller, to hold it harmless and indemnify it from and against any claim or loss asserted by any or all transferees of such merchandise or users of the products of such merchandise who are not notified by Purchaser in writing of Limitation of Warranty, Limitation of Remedy, Mandatory Arbitration, Governing Law Jurisdiction and Venue in language substantially equivalent to that contained in these Terms and Conditions of Sale.

#### PRICES

All prices are subject to change without notice. The price in effect at time of shipment will prevail. Prices do not include installation; Seller takes no responsibility, and shall have no liability for installation. Additional processing and handling charges may be added.

#### PAYMENT

Payment is due in invoiced currency and in accordance with the terms specified on invoice. In the event of default in the payment of any amount when due, and in addition to all other rights and remedies available to Seller, SELLER SHALL BE ENTITLED TO COLLECT A LATE CHARGE OF 2% PER MONTH (24% PER YEAR) OR THE MAXIMUM RATE ALLOWED BY LAW, WHICHEVER IS LESS ON ALL AMOUNTS PAST DUE FROM THE DATE DUE UNTIL THE DATE PAID. A FEE OF \$25.00 WILL BE CHARGED FOR ANY RETURNED CHECK, DECLINED EFT TRANSACTION OR DECLINED BANKCARD TRANSACTION

If paying by Pre-Authorized Debit (PAD), or EFT, please note you have waived your right to receive pre-notification of the amount of the PAD and agreed that you do not require advance notice of the amount of PADs before the debit is processed. You have certain recourse rights if any debit does not comply with these terms. For example, you have the right to receive a reimbursement for any PAD that is not authorized or is not consistent with this PAD agreement. To obtain more information on your recourse rights, contact your financial institution.

#### FREIGHT & HANDLING CHARGES, INSPECTION, DAMAGED GOODS

The freight and handling charge on Purchaser's invoice covers shipment of the merchandise to Purchaser's destination, and replacement or credit for damaged merchandise if the steps listed here are followed. PURCHASER WILL NOT REFUSE OR RETURN GOODS OR THE **RIGHT TO FILE A CLAIM IS LOST** AND PURCHASER WILL STILL BE LIABLE FOR THE MATERIAL AND THE FREIGHT. When Purchaser receives shipment: 1) Count all cartons. 2) Inspect all cartons for external damage. 3) Check for open or resealed cartons. 4) Note any damages, shortages, open or resealed cartons on the delivery receipt; the carrier's representative must also sign the receipt. 5) Open all boxes immediately and inspect for damage such as scorched. frozen or broken plants; material shortages; etc. NOTIFY SELLER

IMMEDIATELY IF A SHIPMENT IS DAMAGED. Call your sales representative to report the damage and receive details on what is needed to file a claim.

#### CANCELLATION POLICY

Cancellations for unrooted cuttings must be received at least thirty (30) days prior to scheduled ship date. Cancellations for liners must be received prior to stick or sow date.

#### **NOTICE & RETURN**

Seller shall have no liability for any defect unless notice is given promptly, not to exceed thirty (30) days after such defect is or should have been discovered. No merchandise may be returned without Seller's prior written authorization.

#### DELAYS, SHORTAGES & SUBSTITUTIONS

Seller shall not be responsible for delays in delivery or for losses resulting from such delays. Seller reserves the right to make partial shipment. In the event of shortages, Seller may substitute such other, similar merchandise as is available.

#### PLANT PROTECTION

Varieties described herein may be covered by the Flowering-Only License Agreement, United States Plant Patents, Utility Patents, and/ or Plant Breeders Rights. These varieties may not be reproduced without authorization. The breeder or authorized representative has the right to inspect customers' nurseries during normal business hours to assess compliance with the restrictions on use of protected varieties.


#### TRADEMARKS

 ® denotes a U.S. registered trademark and <sup>™</sup> denotes a trademark of Ball Horticultural Company, unless otherwise indicated.

#### SALES LIMITATIONS

THE COMPANY'S PRODUCTS MAY NOT BE SOLD, DIVERTED, TRANSFERRED OR RE-EXPORTED, DIRECTLY OR INDIRECTLY, TO ANY INDIVIDUAL, ENTITY, OR DESTINATION THAT IS SUBJECT TO UNITED STATES OR UNITED NATIONS SANCTIONS PROGRAMS OR EMBARGOS (INCLUDING BUT NOT LIMITED TO OFAC SANCTIONS PROGRAMS AND THOSE LISTED ON OFAC'S "SPECIALLY DESIGNATED NATIONALS" LIST) WITHOUT AN APPROPRIATE EXPORT LICENSE.

ALL FOREIGN SHIPMENTS MUST BE SHIPPED IN COMPLIANCE WITH THE FOREIGN CORRUPT PRACTICES ACT AND THE UK BRIBERY ACT.



#### DARWIN PERENNIALS LINER SUPPLY

Easily source your perennial needs from these reliable North American suppliers licensed to carry Darwin Perennials varieties.

#### LICENSED SUPPLIERS

- Battlefield Farms C. Raker & Sons, Inc. Center Greenhouse Creek Hill Nursery De Goede Bulb & Farm DGI Propagators
- Emerald Coast Growers Green Leaf Plants Gro'n Sell, Inc. Gulley Greenhouses Headstart Nursery James Greenhouses
- Knox Nursery, Inc. North Creek Nurseries Oglesby Plants Int'l. Pacific Plug & Liner Pleasant View Gardens Plug Connection
- Skagit Horticulture Speedling, Inc. Swift Greenhouses Takao Nursery Walters Gardens

#### PHOTOGRAPHY

The images in this catalog are strictly protected by copyright and may not be reproduced without permission.

Ball Horticultural Company owns most of the images used in this catalog. Others are owned and protected by botanical photography specialist Visions B.V.

**Note:** This company is a separate entity and therefore no legal link exists between Darwin Perennials and Visions B.V. If you are interested in acquiring some of these images, please go to visionspictures.com.





### BALL SEED EXCLUSIVE LINER SUPPLIERS

These suppliers have the fullest assortment of products available from this catalog. Go to WebTrack® at ballseed.com/webtrack for the most complete offering and live availability from Ball Seed's Supply Network.



#### **Supplier & Location**

Ball Tagawa Growers Arroyo Grande, CA

George Sant & Sons Greenhouses Kleinberg, ON

Van de Wetering Greenhouses, Inc. Jamesport, NY

Van Wingerden Greenhouses, Inc. Blaine, WA



Darwin Colombia I
Darwin TeamII
2018 New Varieties IV
Darwin 2016 Trial & Award WinnersV
Walters GardensVI
Must Have PerennialsVII
FlorensisVIII
2018 Exclusives IX
A-Z Listing7
Grower Resources & Finishing Trials114
Propagation Guide116
Finishing Guide124
Essential Culture Guide 134
Terms & Conditions of Sale135
Liner Sources136

Achillea	8	Hypericum	
Aegopodium	12	Iberis	
Agastache	XIII, 13	Lamiastrum	50
Ajuga	14	Lamium	50
Alyssum	16	Lavandula	51
Amsonia	17	Leucanthemum	55
Armeria	17	Lithodora	58
Artemisia	17	Lobelia	58
Aster	18	Lychnis	58
Buddleia	19	Lysimachia	58
Calamintha	23	Mazus	59
Campanula	23	Mentha	59
Caryopteris	24	Miscanthus	6
Centaurea	25	Monarda	60
Ceratostigma	25	Muehlenbeckia	63
Chrysogonum	25	Nepeta	63
Coreopsis	X, 25	Ocimum	64
Delosperma	29	Oenothera	64
Dianthus	XV	Origanum	64
Digitalis	31	Panicum	6
Echinacea	XVI	Penstemon	66
Erysimum		Perovskia	71
Eupatorium		Phlox	74
Euphorbia		Physostegia	81
Gaillardia		Polemonium	81
Galium		Prunella	81
Gaura		Rhodanthemum	81
Geum	41	Rosmarinus	
Hedera	41	Rudbeckia	83
Helenium	41	Sagina	83
Helianthus		Salvia	XII, 83
Heliopsis	43	Santolina	95
HERBS	_	Scabiosa	
	44	Sedum	
Index		Sempervivum	
Artemisia (French Tarragon)	17	Silene	
Mentha (Mint)		Solidago	
Ocimum (Basil)	64	Stachys	
Origanum (Oregano)	64	Stevia	101
Rosmarinus (Rosemar	y) 82	Teucrium	
Salvia (Sage)	93	Thymus	101
Stevia	101	Thymus	
Thymus (Thyme)		Verbena	
		Veronica	
Heuchera	4	Vinca	
Houttuynia		Viola	
		Waldsteinia	



# INSIDE' ALL TH **TOP-SELLING** UNROOTED CUTTINGS AND I INFRS () 2 Phrhnia SINESS

Visit **darwinperennials.com** for more information on these and all of our best-in-class varieties.



Order at ballseed.com/webtrack. Talk to us. Ball Seed: 800 879-BALL Ball ColorLink®: 800 686-7380

Visit ballseed.com for current Terms & Conditions of Sale.

©2017 Ball Horticultural Company 17105 <sup>™</sup> denotes a trademark of and <sup>®</sup> denotes a registered trademark of Ball Horticultural Company or CP (Delaware) Inc./DBA Star Roses and Plants in the U.S., unless otherwise noted. They may also be registered in other countries. See darwinperennials.com for trademark ownership.