

Buddleia Flutterby Flow™

(*Buddleia* hybrid)

Propagation

Not Applicable.

Growing On to Finish

Media

Use a well-drained, disease-free, soilless media with a pH of 5.5 to 6.2.

Temperature

Average Daily Growing Temperature: 70 to 78°F (21 to 25°C) minimum. Warmer temperatures will help to increase the rate of growth during production.

Light

Full sun production best for optimum growth rate and compact habit.

Irrigation

Uniform media water levels for optimum growth. Do not permit full drying of media.

Fertilizer

Similar fertility regime as with other shrubs in a nursery.

Pinching/Pruning

Recommended pruning to produce saleable #1 nursery container. Prune 1 to 2 times the first two months of production. Light pruning for saleable #3 or #5 nursery container will increase branching habit.

Spacing

Can be grown pot tight at initial potting. Spacing needed for a full retail quality plant.

Diseases

Potential for root and stem rot in poor draining soils. Occasional Downy Mildew should be monitored and treated.

Pests

Whitefly, spider mites

Crop Scheduling

This crop will follow a similar production schedule as other Buddleia cultivars. Crop schedules listed below are general guidelines. Many factors can contribute to faster or slower growth rates. Please keep this in mind when developing your production schedule.

Liner to #1 nursery container

Summer potting: #1 nursery container will finish in 6 to 7 months (August/September potting saleable in March to May)

Spring: #1 nursery container will finish in 2 to 3 months (April/May potting saleable in June to August)